

# Levco Catalogue



<b>Access Control / Components</b>	1
<b>Architectural Hardware for ABLOY Electric Locks</b>	12
<b>Brands</b>	14
<i>Abloy</i>	14
<i>Alpro</i>	34
<i>Baran</i>	38
<i>Camlock Systems</i>	38
<i>Codelocks</i>	39
<i>Key-Bak</i>	48
<i>Kidde</i>	57
<i>KitLock</i>	60
<i>Lemaar</i>	63
<i>Lock It Well</i>	63
<i>Milspec</i>	66
<i>NZ Series</i>	66
<i>Ross Lock</i>	70
<i>Secuguard</i>	73
<i>SR</i>	77
<i>Ta Ta</i>	82
<i>Wavbi</i>	85
<b>Cabinet Locks</b>	89
<b>Camlocks</b>	96
<b>Carabiners</b>	102
<b>Cash Boxes</b>	103
<b>Digital Locks</b>	106
<b>Door Closers and Swing Door Operators</b>	116
<b>Door Cylinders</b>	117
<b>Door Furniture</b>	120
<b>Drop Boxes</b>	124
<b>Electric Locks</b>	125
<b>Electric Magnets (Mag-Clamps)</b>	133
<b>Exit Hardware</b>	134
<b>Key Accessories</b>	135
<b>Key Reels</b>	136
<b>Key Safes and Storage</b>	143
<b>Key Switches</b>	151
<b>Padlocks</b>	155
<b>Rim &amp; Mortice Locks</b>	159
<b>Safe Locks</b>	163
<b>Safes</b>	165
<b>Second hand safes</b>	171
<b>Security Barrels and Keys</b>	173
<b>Specials</b>	177

# Access Control / Components

---



## **ALPEMS1200 - Compact Shearlock Magnet EMS1200**

\$471.50

The Alpro EMS1200 compact shearlock magnet is available in mortice or surface mount models (including glass mount) and offer slimline dimensions whilst maintaining high physical security.

Independently tested to 500,000 cycles, the compact size combined with 1200kg of proven shear holding force makes this compact shearlock both innovative and easy to install.



## **AT1G26-200 - Baran: Self contained access control keypad**

\$431.25



## **EA280 - ABLOY Power Transfer**

\$71.30

### **Specifications**

- Steel with Bright Chrome finish.
- Max diameter of cable 7.5mm.
- Max opening angle of door < 120°.
- Distance between pin hinge & door frame < 20mm.



## **EL410/12V 1.3 - ABLOY Electric Lock - ANSI lock case**

\$1,383.45

### **Specifications**

-

Operating voltage: 12VDC  $\pm$ 10%.

-

Max. Current: 0.4 A (12V, +20°C).

-

Monitoring: unlocked/ locked.

-

Temperature range: -35°C...+66°C (-31 F... +151 F).

-

Bolt throw: 16 mm (5/8").

-

Backset: 24.6 mm (31/32").

-

Finish: Satin chrome plated steel Forend.

-

Cylinders: 1" ANSI standard mortice cylinders, (CY402, CY404).

-

Package: Lock case, strike plate, cam plug, fixing screws, drilling, fitting and wiring instructions.

-

Monitoring: Deadlocking status of bolt.



### **EL410/24v 1.3 - ABLOY Electric Lock - ANSI lock case**

\$1,383.45

#### **Specifications**

- 
- Operating voltage: 24VDC  $\pm$ 15%.
- 
- Max. Current: 0.2 A (24V, +20°C).
- 
- Monitoring: unlocked/ locked.
- 
- Temperature range: -35°C...+66°C (-31 F... +151 F).
- 
- Bolt throw: 16 mm (5/8").
- 
- Backset: 24.6 mm (31/32").
- 
- Finish: Satin chrome plated steel Forend.
- 
- Cylinders: 1" ANSI standard mortice cylinders, (CY402, CY40.4).
- 
- Package: Lock case, strike plate, cam plug, fixing screws, drilling, fitting and wiring instructions.
- 
- Monitoring: Deadlocking status of bolt.



### **EL411/24V 1.3 - ABLOY Electric Lock - ANSI lock case**

\$1,383.45

**ABLOY EL411 - ANSI lock case 24V Fail Safe. Handing 1.3 (Left Hand).**

#### **Specifications**

- Operating voltage: 24VDC  $\pm$  15%.
- Max. Current: 0.2 A (24V, +20°C).
- Monitoring: unlocked/ locked.
- Temperature range: -35°C...+66°C (-31 F... +151 F).
- Bolt throw: 16 mm (5/8").
- Backset: 24.6 mm (31/32").
- Finish: Satin chrome plated steel Forend.
- Cylinders: 1" ANSI standard mortice cylinders, (CY402, CY404).
- Package: Lock case, strike plate, cam plug, fixing screws, drilling, fitting and wiring instructions.
- Monitoring: Deadlocking status of bolt.



### **EL411/24v 2.4 - ABLOY Electric Lock - ANSI lock case**

\$1,383.45

**ABLOY EL411 - ANSI lock case 24v Fail Safe. Handing 2.4 (Right Hand).**

#### **Specifications**

- Operating voltage: 12VDC  $\pm 10\%$ , 24VDC  $\pm 15\%$ .
- Max. Current: 0.4 A (12V, +20°C), 0.2 A (24V, +20°C).
- Monitoring: unlocked/ locked.
- Temperature range: -35°C...+66°C (-31 F... +151 F).
- Bolt throw: 16 mm (5/8").
- Backset: 24.6 mm (31/32").
- Finish: Satin chrome plated steel Forend.
- Cylinders: 1" ANSI standard mortice cylinders, (CY402, CY404).
- Package: Lock case, strike plate, cam plug, fixing screws, drilling, fitting and wiring instructions.
- Monitoring: Deadlocking status of bolt.



### **EL420 30/24 - ABLOY Electric Lock - Europrofile motor lock**

\$4,878.30

**ABLOY Europrofile motor lock.**

#### **Specifications**

- Operating voltage: 12 – 24 V DC ( $\pm 15\%$ ), 12 - 18 V AC, RMS (-10%, +15%).
- Current: Max. 1.3 A (12 V), 0.6 A (24 V).
- Normal: 0.45 A (12 V), 0.22 (24 V).
- Idle: 0.08 A (12 V), 0.04 A (24 V).
- Relays: Max. 0.8 A 30 V AC/DC resist, 10 W.
- Operating temperature: -20°C - +60°C.
- Bolt throw: 20 mm (deadbolt), 10 mm (double action bolt).
- Backset: 30.
- Forend: 24.
- Spindle: 9 mm (8 mm with snap spindle adapters).



## **EL560 60/24 - ABLOY Electric lock - Handle controlled lock case**

\$1,451.30

**EL560 handle controlled lock case for solid doors.**

### **Specifications**

- Operating voltage: 12 – 24 V DC STAB (-10%, +15%).
- Current: Max. 0.55 A (12V DC), 0.27 A (24V DC).
- Idle: 0.24 A (12V DC), 0.11 A (24V DC).
- Micro switches: Max. 0.5 A 30 V AC/DC resist, 10 W.
- Operating temperature: -20°C - +60°C.
- Bolt throw: 20 mm (deadbolt), 10 mm (double action bolt).
- Backset: 60.
- Forend: 24 mm.
- Spindle: 9 mm (8 mm with spindle adapters).



## **EP400N - ABLOY Protec - Key Operated Switch Lock**

\$284.05

**ABLOY EP400 Key Switch.**

### **Electrical Specifications**

- 7A, 250 VAC.
- 7A res., 28 VDC.
- 4A ind., 28 VDC.

### **Specifications**

- Cylinder housing: chrome-plated brass.
- First Disc: Case-hardened nickel-plated steel.
- Hex nut: zinc-plated steel.
- Coupling piece and switch mounting plug: molded plastic.
- Other parts: brass, stainless steel, tin bronze.
- Key removable in "on" and "off" positions.
- Length is 52 mm.
- Can be master-keyed with door cylinders.



## **EZYAA1 - "Auto" Series Switch - On/Off (Abloy)**

\$414.00

**AUTOMATIC DOOR SERIES KEY SWITCHES.**

### **Specifications**

- Maximum current ratings: AC1 10 amp 440v, DC1 10 amp 24v.
- Maximum 2 x 1.5mm wires per terminal.



### **EZYAA2 - "Auto" Series Switch - Spring Return (Abloy)**

\$414.00

**AUTOMATIC DOOR SERIES KEY SWITCHES.**

#### **Specifications**

- Maximum current ratings: AC1 10 amp 440v, DC1 10 amp 24v.
- Maximum 2 x 1.5mm wires per terminal.



### **EZYAA5 - "Auto" Series Switch - 4 Pos Auto Door (Abloy)**

\$448.50

**AUTOMATIC DOOR SERIES KEY SWITCHES.**

#### **Specifications**

- Maximum current ratings: AC1 10 amp 440v, DC1 10 amp 24v.
- Maximum 2 x 1.5mm wires per terminal.



### **EZYAC1 - "Auto" Series Switch - On/Off (C4)**

\$391.00

**AUTOMATIC DOOR SERIES KEY SWITCHES.**

#### **Specifications**

- Maximum current ratings: AC1 10 amp 440v, DC1 10 amp 24v.
- Maximum 2 x 1.5mm wires per terminal.



### **EZYAC2 - "Auto" Series Switch - Spring Return (C4)**

\$391.00

**AUTOMATIC DOOR SERIES KEY SWITCHES.**

#### **Specifications**

- Maximum current ratings: AC1 10 amp 440v, DC1 10 amp 24v.
- Maximum 2 x 1.5mm wires per terminal.



### **EZYOA1 - "Oval" Series Switch - On/Off (Less Cylinder)**

\$224.25

Oval Series Key Switch - Less Cylinder.  
Lazy Cam (1 N/O, 1 N/C changeover).

#### **Specifications**

- Maximum current ratings: AC1 10 amp 440v, DC1 10 amp 24v.
- Maximum 2 x 1.5mm wires per terminal.





### **EZYOUA2 - "Oval" Series Switch - Spring Return (Less cylinder)**

\$224.25

Oval Series Key Switch - Less Cylinder.  
Spring Return (1 N/O, 1 N/C changeover).

#### **Specifications**

- Maximum current ratings: AC1 10 amp 440v, DC1 10 amp 24v.
- Maximum 2 x 1.5mm wires per terminal.



### **EZYOUA3 - "Oval" Series Switch - 2 Way Spring Return (Less Cyld)**

\$224.25

Oval Series Key Switch - Less Cylinder.  
EZYOUA3 - Spring Return to Centre "ON / OFF / ON".

#### **Specifications**

- Maximum current ratings: AC1 10 amp 440v, DC1 10 amp 24v.
- Maximum 2 x 1.5mm wires per terminal.



### **EZYOUA4 - "Oval" Series Switch - Captive Key (Less Cylinder)**

\$224.25

Oval Series Key Switch - Less Cylinder.  
EZYOUA4 - Captive Key 1 N/O, 1 N/C Changeover.

#### **Specifications**

- Maximum current ratings: AC1 10 amp 440v, DC1 10 amp 24v.
- Maximum 2 x 1.5mm wires per terminal.



### **WAVbi8000PA - No Key Override Aust 60/90mm Prox**

\$914.25

The WAVbi Contactless Access Control system combines both security and convenience in a single door handle. The smart yet simple design removes any need for expensive hard wiring of electric locks and utilises standard mortice hardware to allow installation to be completed on existing locks which makes it a cost effective solution.



### **WAVbi8000CA - No Key Override Aust 60/90mm Prox/Code**

\$1,006.25

The WAVbi Contactless Access Control system combines both security and convenience in a single door handle. The smart yet simple design removes any need for expensive hard wiring of electric locks and utilises standard mortice hardware to allow installation to be completed on existing locks which makes it a cost effective solution.



### **WAVbi8102CA - Key Override Aust 60mm Prox/Code**

\$1,006.25

The WAVbi Contactless Access Control system combines both security and convenience in a single door handle. The smart yet simple design removes any need for expensive hard wiring of electric locks and utilises standard mortice hardware to allow installation to be completed on existing locks which makes it a cost effective solution.



### **WAVbi8108CA - Key Override Aust 90mm Prox/Code**

\$1,006.25

The WAVbi Contactless Access Control system combines both security and convenience in a single door handle. The smart yet simple design removes any need for expensive hard wiring of electric locks and utilises standard mortice hardware to allow installation to be completed on existing locks which makes it a cost effective solution.



### **WAVbi8102PA - Key Override Aust 60mm Prox**

\$914.25

The WAVbi Contactless Access Control system combines both security and convenience in a single door handle. The smart yet simple design removes any need for expensive hard wiring of electric locks and utilises standard mortice hardware to allow installation to be completed on existing locks which makes it a cost effective solution.



### **WAVbi8108PA - Key Override Aust 90mm Prox**

\$914.25

The WAVbi Contactless Access Control system combines both security and convenience in a single door handle. The smart yet simple design removes any need for expensive hard wiring of electric locks and utilises standard mortice hardware to allow installation to be completed on existing locks which makes it a cost effective solution.



### **WAVbi8010CA - No Key Override Euro Prox/Code**

\$1,029.25

The WAVbi Contactless Access Control system combines both security and convenience in a single door handle. The smart yet simple design removes any need for expensive hard wiring of electric locks and utilises standard mortice hardware to allow installation to be completed on existing locks which makes it a cost effective solution.



### **WAVbi8010PA - No Key Override Euro Prox**

\$914.25

The WAVbi Contactless Access Control system combines both security and convenience in a single door handle. The smart yet simple design removes any need for expensive hard wiring of electric locks and utilises standard mortice hardware to allow installation to be completed on existing locks which makes it a cost effective solution.



### **WAVbi8116CA - Key Override Euro 85mm Prox/Code**

\$1,006.25

The WAVbi Contactless Access Control system combines both security and convenience in a single door handle. The smart yet simple design removes any need for expensive hard wiring of electric locks and utilises standard mortice hardware to allow installation to be completed on existing locks which makes it a cost effective solution.



### **WAVbi8116PA - Key Override Euro 85mm Prox**

\$914.25

The WAVbi Contactless Access Control system combines both security and convenience in a single door handle. The smart yet simple design removes any need for expensive hard wiring of electric locks and utilises standard mortice hardware to allow installation to be completed on existing locks which makes it a cost effective solution.



### **WAVbi-CARD-U - User Card**

\$9.20



### **WAVbi-CARD-P - Passage Card**

\$28.75



### **WAVbi-CARD-M - Management Card**

\$24.73



### WAVbi-CARD-APP - App Maagement Card

\$24.73



### WAVbi-DMU - Stand Alone Card Reader

\$1,380.00



### WAVbi-PPU - Portable Programmer Unit

\$948.75



### EL590 100011 - ABLOY Electric motor lock - Prox Both Sides with Egress Function

\$2,932.50



### EL590 110011 - ABLOY Electric motor lock - Prox Both Sides with Egress Function (monitored)

\$3,029.10



## **CL5510 - Codelock Smart Electronic Tubular Mortice Lock**

\$1,104.00

### **Specifications**

- Users: Up to 350.
- Phone Clients: 100.
- Client User Codes: 100.
- Client Smart Codes: 150.
- 12 button back-lit keypad.



## **CL4510 - Codelock Smart Electronic Tubular Mortice Lock**

\$910.80

Smart locks get smarter. The CL4500 range of locks offers the Codelocks smart lock features but in a smaller, sleeker lock model.

### **Specifications**

- Battery Status Monitor via App.
- Batteries: 4 x AA Cells.
- Low Battery Warning The keypad will flash red on opening to indicate batteries need to be changed.
- Memory Stores: 350 different Clients.
- Client User Codes: 100.
- Client Smart Cards: 150.
- Phone Clients: 100.
- Spindle Type 8 mm (5/16") spring loaded spindle.
- Material: Zinc Alloy.
- Door Thickness: 35 mm – 60 mm (13/8" – 23/8").
- Latch Options: 60 mm (23/8") and 70 mm (23/4").
- Buttons 12 button back-lit keypad.

# Architectural Hardware for ABLOY Electric Locks

---



## **DH611 - ABLOY - Inxi X/012 PZBL (72) Handle Set for EL560**

\$805.00

INOXI 3-19/012 PZ+BL = Key hole on outside plate and plain plate inside.

For use with EL560 60mm Backset Mortice Lock

### **Specifications**

- On the broader plate suitable for solid doors, the distance between the holes is 72 mm, and on the narrower plate designed for profile doors, it is 92 mm.
- Door thicknesses: 38-42 mm, 43-47 mm, 48-52 mm, 53-57 mm, 58-62 mm.
- Material: stainless steel.



## **DH619 - ABLOY - Inxi X/013 PZBL (92) Handle Set for EL460**

\$414.00

INOXI 3-19/012 PZ+BL = Key hole on outside plate and plain plate inside.

For use with EL460 60mm Backset Mortice Lock.

### **Specifications**

- Material: stainless steel.
- On the broader plate suitable for solid doors, the distance between the holes is 72 mm, and on the narrower plate designed for profile doors, it is 92 mm.
- Door thicknesses: 38-42mm, 43-47mm, 48-52mm, 53-57mm, 58-62mm.



## **DH612 - ABLOY - Inxi X/012 PZPZ (72) Handle Set for EL560**

\$805.00

INOXI 3-19/012 PZ+PZ = Plate with key holes inside and outside.

For use with EL560 60mm Backset Mortice Lock.

### **Specifications**

- Material: stainless steel.
- On the broader plate suitable for solid doors, the distance between the holes is 72 mm, and on the narrower plate designed for profile doors, it is 92 mm.
- Door thicknesses: 38-42mm, 43-47mm, 48-52mm, 53-57mm, 58-62mm.



### **DH621 - ABLOY - Inxoi X/013 PZPZ (92) Handle Set for EL460**

\$414.00

INOXI 3-19/012 PZ+PZ = Plates with key holes inside and outside.

For use with EL460 .0mm Backset Mortice Lock.

### **Specifications**

- Material: stainless steel.
- On the broader plate suitable for solid doors, the distance between the holes is 72 mm, and on the narrower plate designed for profile doors, it is 92 mm.
- Door thicknesses: 38-42mm, 43-47mm, 48-52mm, 53-57mm, 58-62mm.



### **Inxi 3-19ss/002 - ABLOY - Inxi 3-19SS 002 Lever Set**

\$111.55

INOXI 3-19/002.

Material: stainless steel.

# Brands

---



## EA280 - ABLOY Power Transfer

\$71.30

### Specifications

- Steel with Bright Chrome finish.
- Max diameter of cable 7.5mm.
- Max opening angle of door < 120°.
- Distance between pin hinge & door frame < 20mm.



## EL410/12V 1.3 - ABLOY Electric Lock - ANSI lock case

\$1,383.45

### Specifications

- 
- Operating voltage: 12VDC  $\pm$ 10%.
- 
- Max. Current: 0.4 A (12V, +20°C).
- 
- Monitoring: unlocked/ locked.
- 
- Temperature range: -35°C...+66°C (-31 F... +151 F).
- 
- Bolt throw: 16 mm (5/8").
- 
- Backset: 24.6 mm (31/32").
- 
- Finish: Satin chrome plated steel Forend.
- 
- Cylinders: 1" ANSI standard mortice cylinders, (CY402, CY404).
- 
- Package: Lock case, strike plate, cam plug, fixing screws, drilling, fitting and wiring instructions.
- 
- Monitoring: Deadlocking status of bolt.





### **EL410/24v 1.3 - ABLOY Electric Lock - ANSI lock case**

\$1,383.45

#### **Specifications**

- 
- Operating voltage: 24VDC  $\pm$ 15%.
- 
- Max. Current: 0.2 A (24V, +20°C).
- 
- Monitoring: unlocked/ locked.
- 
- Temperature range: -35°C...+66°C (-31 F... +151 F).
- 
- Bolt throw: 16 mm (5/8").
- 
- Backset: 24.6 mm (31/32").
- 
- Finish: Satin chrome plated steel Forend.
- 
- Cylinders: 1" ANSI standard mortice cylinders, (CY402, CY40.4).
- 
- Package: Lock case, strike plate, cam plug, fixing screws, drilling, fitting and wiring instructions.
- 
- Monitoring: Deadlocking status of bolt.



### **EL411/24V 1.3 - ABLOY Electric Lock - ANSI lock case**

\$1,383.45

**ABLOY EL411 - ANSI lock case 24V Fail Safe. Handing 1.3 (Left Hand).**

#### **Specifications**

- Operating voltage: 24VDC  $\pm$  15%.
- Max. Current: 0.2 A (24V, +20°C).
- Monitoring: unlocked/ locked.
- Temperature range: -35°C...+66°C (-31 F... +151 F).
- Bolt throw: 16 mm (5/8").
- Backset: 24.6 mm (31/32").
- Finish: Satin chrome plated steel Forend.
- Cylinders: 1" ANSI standard mortice cylinders, (CY402, CY404).
- Package: Lock case, strike plate, cam plug, fixing screws, drilling, fitting and wiring instructions.
- Monitoring: Deadlocking status of bolt.



### **EL411/24v 2.4 - ABLOY Electric Lock - ANSI lock case**

\$1,383.45

**ABLOY EL411 - ANSI lock case 24v Fail Safe. Handing 2.4 (Right Hand).**

#### **Specifications**

- Operating voltage: 12VDC  $\pm 10\%$ , 24VDC  $\pm 15\%$ .
- Max. Current: 0.4 A (12V, +20°C), 0.2 A (24V, +20°C).
- Monitoring: unlocked/ locked.
- Temperature range: -35°C...+66°C (-31 F... +151 F).
- Bolt throw: 16 mm (5/8").
- Backset: 24.6 mm (31/32").
- Finish: Satin chrome plated steel Forend.
- Cylinders: 1" ANSI standard mortice cylinders, (CY402, CY404).
- Package: Lock case, strike plate, cam plug, fixing screws, drilling, fitting and wiring instructions.
- Monitoring: Deadlocking status of bolt.



### **EL420 30/24 - ABLOY Electric Lock - Europrofile motor lock**

\$4,878.30

**ABLOY Europrofile motor lock.**

#### **Specifications**

- Operating voltage: 12 – 24 V DC ( $\pm 15\%$ ), 12 - 18 V AC, RMS (-10%, +15%).
- Current: Max. 1.3 A (12 V), 0.6 A (24 V).
- Normal: 0.45 A (12 V), 0.22 (24 V).
- Idle: 0.08 A (12 V), 0.04 A (24 V).
- Relays: Max. 0.8 A 30 V AC/DC resist, 10 W.
- Operating temperature: -20°C - +60°C.
- Bolt throw: 20 mm (deadbolt), 10 mm (double action bolt).
- Backset: 30.
- Forend: 24.
- Spindle: 9 mm (8 mm with snap spindle adapters).



## **EL560 60/24 - ABLOY Electric lock - Handle controlled lock case**

\$1,451.30

**EL560 handle controlled lock case for solid doors.**

### **Specifications**

- Operating voltage: 12 – 24 V DC STAB (-10%, +15%).
- Current: Max. 0.55 A (12V DC), 0.27 A (24V DC).
- Idle: 0.24 A (12V DC), 0.11 A (24V DC).
- Micro switches: Max. 0.5 A 30 V AC/DC resist, 10 W.
- Operating temperature: -20°C - +60°C.
- Bolt throw: 20 mm (deadbolt), 10 mm (double action bolt).
- Backset: 60.
- Forend: 24 mm.
- Spindle: 9 mm (8 mm with spindle adapters).



## **EP400N - ABLOY Protec - Key Operated Switch Lock**

\$284.05

**ABLOY EP400 Key Switch.**

### **Electrical Specifications**

- 7A, 250 VAC.
- 7A res., 28 VDC.
- 4A ind., 28 VDC.

### **Specifications**

- Cylinder housing: chrome-plated brass.
- First Disc: Case-hardened nickel-plated steel.
- Hex nut: zinc-plated steel.
- Coupling piece and switch mounting plug: molded plastic.
- Other parts: brass, stainless steel, tin bronze.
- Key removable in "on" and "off" positions.
- Length is 52 mm.
- Can be master-keyed with door cylinders.



## **DH611 - ABLOY - Inoxy X/012 PZBL (72) Handle Set for EL560**

\$805.00

INOXI 3-19/012 PZ+BL = Key hole on outside plate and plain plate inside.

For use with EL560 60mm Backset Mortice Lock

### **Specifications**

- On the broader plate suitable for solid doors, the distance between the holes is 72 mm, and on the narrower plate designed for profile doors, it is 92 mm.
- Door thicknesses: 38-42 mm, 43-47 mm, 48-52 mm, 53-57 mm, 58-62 mm.
- Material: stainless steel.



### **DH619 - ABLOY - Inxoi X/013 PZBL (92) Handle Set for EL460**

\$414.00

INOXI 3-19/012 PZ+BL = Key hole on outside plate and plain plate inside.

For use with EL460 .0mm Backset Mortice Lock.

### **Specifications**

- Material: stainless steel.
- On the broader plate suitable for solid doors, the distance between the holes is 72 mm, and on the narrower plate designed for profile doors, it is 92 mm.
- Door thicknesses: 38-42mm, 43-47mm, 48-52mm, 53-57mm, 58-62mm.



### **DH612 - ABLOY - Inxoi X/012 PZPZ (72) Handle Set for EL560**

\$805.00

INOXI 3-19/012 PZ+PZ = Plate with key holes inside and outside.

For use with EL560 60mm Backset Mortice Lock.

### **Specifications**

- Material: stainless steel.
- On the broader plate suitable for solid doors, the distance between the holes is 72 mm, and on the narrower plate designed for profile doors, it is 92 mm.
- Door thicknesses: 38-42mm, 43-47mm, 48-52mm, 53-57mm, 58-62mm.



### **DH621 - ABLOY - Inxoi X/013 PZPZ (92) Handle Set for EL460**

\$414.00

INOXI 3-19/012 PZ+PZ = Plates with key holes inside and outside.

For use with EL460 .0mm Backset Mortice Lock.

### **Specifications**

- Material: stainless steel.
- On the broader plate suitable for solid doors, the distance between the holes is 72 mm, and on the narrower plate designed for profile doors, it is 92 mm.
- Door thicknesses: 38-42mm, 43-47mm, 48-52mm, 53-57mm, 58-62mm.



### **Inoxi 3-19ss/002 - ABLOY - Inxoi 3-19SS 002 Lever Set**

\$111.55

INOXI 3-19/002.

Material: stainless steel.



### **CL100B - ABLOY Sentry - Cam Lock**

\$52.33

#### **Specifications**

- Cam turns: 90°/180°, key removable in locked position only.
- Number of discs: 11.
- Cylinder housing: Brass.
- Universal range of cams (ordered separately).
- Finish: Chrome Plate.



### **CL103B - ABLOY Sentry - Cam Lock**

\$58.08

#### **Specifications**

- Cam turns: 90°/180°, key removable in locked position only.
- Number of discs: 11.
- Cylinder housing: Brass.
- Universal range of cams (ordered separately).
- Finish: Chrome Plate.
- Overall Length: 43 mm.
- Maximum Door Thickness: 19.5 mm.
- Cam Distance: 28.5 mm.



### **CL103E - ABLOY Exec - Cam Lock**

\$83.95

#### **Specifications**

- Cam turns: 90°/180°, key removable in locked position only.
- Number of discs: 11.
- Cylinder housing: Brass.
- Universal range of cams (ordered separately).
- Finish: Chrome Plate.
- Overall Length: 43 mm.
- Maximum Door Thickness: 19.5 mm.
- Cam Distance: 28.5 mm.



### **CL103T 138060 - ABLOY Protec2 - Cam Lock**

\$111.55

#### **Specifications**

- Cam turns: key removable 90°/180° in locked position only.
- Number of discs: 11.
- Cylinder housing: Brass.
- Universal range.
- Left hand operation possible.
- Overall Length: 43 mm.
- Maximum Door Thickness: 19.5 mm.
- Cam Distance: 28.5 mm.



### **CL104B - ABLOY Sentry - Cam Lock**

\$52.33

#### **Specifications**

- Cam turns: 90°/180°, key removable in locked position only.
- Number of discs: 9.
- Cylinder housing: Brass.
- Universal range of cams (ordered separately).
- Finish: Chrome Plate.
- Overall Length: 33 mm.
- Maximum Door Thickness: 9.5 mm.
- Cam Distance: 18.5 mm.



### **CL104C - ABLOY Classic - Cam Lock**

\$64.98

#### **Specifications**

- Cam turns: 90°/180°, key removable in locked position only.
- Number of discs: 9.
- Cylinder housing: Brass.
- Universal range of cams (ordered separately).
- Finish: Chrome Plate.
- Overall Length: 33 mm.
- Maximum Door Thickness: 9.5 mm.
- Cam Distance: 18.5 mm.
- Supplied: Assembled with 2 x Keys.



### **CL104E - ABLOY Exec - Cam Lock**

\$64.98

#### **Specifications**

- Cam turns: 90°/180°, key removable in locked position only.
- Number of discs: 9.
- Cylinder housing: Brass.
- Universal range of cams (ordered separately).
- Finish: Chrome Plate.
- Overall Length: 33 mm.
- Maximum Door Thickness: 9.5 mm.
- Cam Distance: 18.5 mm.



### **CL104N - ABLOY Protec - Cam Lock**

\$102.93

#### **Specifications**

- Cam turns: 90°/180°, key removable in locked position only.
- Number of discs: 9.
- Cylinder housing: Brass.
- Universal range of cams (ordered separately).
- Finish: Chrome Plate.
- Overall Length: 33 mm.
- Maximum Door Thickness: 9.5 mm.
- Cam Distance: 18.5 mm.



### **CL290B - ABLOY Sentry - T-Handle Cylinder (Spring Loaded Latch)**

\$103.50

#### **Specifications**

- Cylinder housing: Chrome-plated steel case.
- Cylinder face: Hardened chrome plated steel.
- Latch: Nickel-plated steel.



### **CL290E - ABLOY Exec - T-Handle Cylinder (Spring Loaded Latch)**

\$158.13

#### **Specifications**

- Cylinder housing: Chrome-plated steel case.
- Cylinder face: Hardened chrome plated steel.
- Latch: Nickel-plated steel.



### **OF230C - ABLOY Classic - Vega Cabinet Lock**

\$94.88

#### **Specifications**

- Number of discs: 11.
- Cylinder housing material: Zinc.
- Cylinder housing finish: Chrome.
- Bolt material: Steel Bolt, Finish: Nickel plated.
- Type of bolt: Flat.
- Maximum door thickness: 25 mm.
- Bolt projection: 9 mm.
- Cylinder diameter: 20 mm.



### **OF231B - ABLOY Sentry - Vega Cabinet Lock "Sprung Latch"**

\$80.50

#### **Specifications**

- Number of discs: 11.
- Cylinder housing material: Zinc.
- Cylinder housing finish: Chrome.
- Bolt material: Brass.
- Type of bolt: Sprung Latch.
- Maximum door thickness: 25 mm.
- Bolt projection: 7 mm.
- Cylinder diameter: 20 mm.



### **OF231E - ABLOY Exec - Vega Cabinet Lock "Sprung Latch"**

\$112.70

#### **Specifications**

- Number of discs: 11.
- Cylinder housing material: Zinc.
- Cylinder housing finish: Chrome.
- Bolt material: Brass.
- Type of bolt: Sprung Latch.
- Maximum door thickness: 25 mm.
- Bolt projection: 7 mm.
- Cylinder diameter: 20 mm.





### **OF231N - ABLOY Protec - Vega Cabinet Lock "Sprung Latch"**

\$112.70

#### **Specifications**

- Number of discs: 11.
- Cylinder housing material: Zinc.
- Cylinder housing finish: Chrome.
- Bolt material: Brass.
- Type of bolt: Sprung Latch.
- Maximum door thickness: 25 mm.
- Bolt projection: 7 mm.
- Cylinder diameter: 20 mm.



### **OF430B - ABLOY Sentry - Vega Push Button Lock**

\$115.00

#### **Specifications**

- Number of discs: 11.
- Cylinder housing material: Zinc.
- Cylinder housing finish: Chrome.
- Cylinder material: Zinc.
- Cylinder finish: Chrome.
- Type of bolt: Stainless Steel.
- Maximum door thickness: 32 mm.
- Bolt projection: 12 mm.
- Cylinder diameter: 22 mm.



### **OF430E - ABLOY Exec - Vega Push Button Lock**

\$131.68

#### **Specifications**

- Number of discs: 11.
- Cylinder housing material: Zinc.
- Cylinder housing finish: Chrome.
- Cylinder material: Zinc.
- Cylinder finish: Chrome.
- Type of bolt: Stainless Steel.
- Maximum door thickness: 32 mm.
- Bolt projection: 12 mm.
- Cylinder diameter: 22 mm.



### **OF431B - ABLOY Sentry - Vega Push Button Lock**

\$152.95

#### **Specifications**

- Number of discs: 11.
- Cylinder housing material: Zinc.
- Cylinder housing finish: Chrome.
- Cylinder material: Zinc.
- Cylinder finish: Chrome.
- Type of bolt: Stainless Steel.
- Maximum door thickness: 2-9 mm.
- Bolt projection: 12 mm.
- Cylinder diameter: 22 mm.



### **OF431E - ABLOY Exec - Vega Push Button Lock**

\$161.00

#### **Specifications**

- Number of discs: 11.
- Cylinder housing material: Zinc.
- Cylinder housing finish: Chrome.
- Cylinder material: Zinc.
- Cylinder finish: Chrome.
- Type of bolt: Stainless Steel.
- Maximum door thickness: 2-9 mm.
- Bolt projection: 12 mm.
- Cylinder diameter: 22 mm.



### **OF432B - ABLOY Sentry - Vega Push Button Lock**

\$161.00

#### **Specifications**

- Number of discs: 11.
- Cylinder-housing material: Brass.
- Cylinder housing finish: Satin chrome.
- Cylinder material: Zinc.
- Cylinder finish: Satin chrome.
- Bolt projection: 14 mm.
- Cylinder diameter: 22 mm.



### **OF432N - ABLOY Protec - Vega Push Button Lock**

\$161.00

#### **Specifications**

- Number of discs: 11.
- Cylinder-housing material: Brass.
- Cylinder housing finish: Satin chrome.
- Cylinder material: Zinc.
- Cylinder finish: Satin chrome.
- Bolt projection: 14 mm.
- Cylinder diameter: 22 mm.



### **DC247 - ABLOY Door Closer. EN 5-7**

\$932.65

Maximum door weight is 160 kg and door leaf width 1600 mm with standard arm installation.



### **DC250 140000 - ABLOY Door Closer. EN 1-6 (BC & DC)**

\$623.30

EN 1-6, with BC & DC.

Maximum door weight is 120 kg and door leaf width 1400 mm with sliding arm installation.



### **DC270 - ABLOY Door Closer. EN 6-7**

\$2,354.05



### **DC330 - ABLOY Door Closer. EN 1-4**

\$576.15

ABLOY DC330 can be adjusted to meet requirements of light opening resistance; for example the DDA (disability Discrimination Act) in the UK.

Maximum door weight is 80 kg and door leaf width 1100 mm with sliding arm installation.



### **CY321N - ABLOY Protec - 31mm Single Cylinder Europrofile / DIN**

\$225.40

This cylinder is a EURO DIN “Fixed” cam cylinder to operate a wide variety of mortice locks in the market.

#### **Specifications**

- Number of discs: 11.
- Cylinder housing material: Brass.
- Cylinder housing finish: Satin Chrome.
- Retaining Screw Thread: M5.



### **CY406N - ABLOY Protec - Key-In-Knob cylinder**

\$109.83

#### **Specifications**

- Number of discs: 11.
- Cylinder housing material: Brass.
- Cylinder housing finish: Satin Chrome.



### **CY410T - ABLOY Protec2 - Key-In-Knob cylinder**

\$161.00

#### **Specifications**

- Number of discs: 11.
- Cylinder housing material: Brass.
- Cylinder housing finish: Satin Chrome.



### **CY503N - ABLOY Protec - Australian Cylinder**

\$151.23

This cylinder is used for hold back applications on Lockwood 3570 & 3580 series mortice locks.

#### **Specifications**

- Number of discs: 11.
- Cylinder housing material: Brass.
- Cylinder housing finish: Satin Chrome Brushed.



### **CY801N - ABLOY Protec - Australian Cylinder**

\$133.98

This cylinder is used in the Lockwood 530 Series Key in Knob Locksets and the 930/950 Series Key in Lever Locksets.

### **Specifications**

- Number of discs: 11.
- Cylinder housing material: Brass.
- Cylinder housing finish: Satin Chrome Brushed.



### **EL460 30/24 - ABLOY Electric lock - Handle controlled lock case**

\$1,587.00

**EL460 handle controlled lock case for narrow profile doors.**

### **Specifications**

- Operating voltage: 12 – 24 V DC STAB (-10%, +15%).
- Current: Max. 0.55 A (12V DC), 0.27 A (24V DC).
- Idle: 0.24 A (12V DC), 0.11 A (24V DC).
- Micro switches: Max. 0.5 A 30 V AC/DC resist, 10 W.
- Operating temperature: -20°C - +60°C.
- Bolt throw: 20 mm (deadbolt), 10 mm (double action bolt).
- Backset: 30.
- Forend: 24 mm.
- Spindle: 9 mm (8 mm with spindle adapters).



### **EL561 60/24 - ABLOY Electric lock - Handle controlled lock case**

\$822.25

**EL560 handle controlled lock case for solid doors.**

### **Specifications**

- Operating voltage: 12 – 24 V DC STAB (-10%, +15%).
- Current: Max. 0.55 A (12V DC), 0.27 A (24V DC).
- Idle: 0.24 A (12V DC), 0.11 A (24V DC).
- Micro switches: Max. 0.5 A 30 V AC/DC resist, 10 W.
- Operating temperature: -20°C - +60°C.
- Bolt throw: 20 mm (deadbolt), 10 mm (double action bolt).
- Backset: 60.
- Forend: 24 mm.
- Spindle: 9 mm (8 mm with spindle adapters).



### **PL321C - ABLOY Classic - Padlock with 20mm shackle**

\$106.95

#### **Specifications**

- Body Material: Brass.
- Finish: Chrome.
- Number of Discs: 11.
- Key removable in locked position.
- **Display packed with 2 x Classic Keys.**

#### **Shackle**

- Material: Stainless Steel.
- Finish: Chrome
- Diameter: 5 mm.
- Vertical Clearance: 20 mm.
- Horizontal Clearance: 18 mm.



### **PL330C - ABLOY Classic - Grade 3 Padlock with 25mm shackle**

\$177.10

#### **Specifications**

- Body Material: Brass.
- Finish: Chrome.
- Number of Discs: 11.
- Key removable in locked position.
- Display Packed with 2 x Classic Keys.

#### **Shackle**

- Material: Case-hardened boron steel.
- Finish: Chrome.
- Diameter: 8 mm.
- Vertical Clearance: 25 mm.
- Horizontal Clearance: 25 mm.



### **PL330N - ABLOY Protec - Grade 3 Padlock with 25mm shackle "Unassembled"**

\$197.80

#### **Specifications**

- Body Material: Brass.
- Finish: Chrome.
- Number of Discs: 11.
- Key removable in locked position.
- Can be master-keyed with door cylinders.

#### **Shackle**

- Shackle Material: Case-Hardened boron steel.
- Finish: Chrome.
- Diameter: 8 mm.
- Vertical Clearance: 25 mm.
- Horizontal Clearance: 25 mm.



**PL330N/50 - ABLOY Protec - Grade 3 Padlock with 50mm shackle**  
**"Unassembled"**

\$204.13

**Specifications**

- Body Material: Brass.
- Finish: Chrome.
- Number of Discs: 11.
- Key removable in locked position.
- Can be master-keyed with door cylinders.

**Shackle**

- Shackle Material: Case-Hardened boron steel.
- Finish: Chrome.
- Diameter: 8 mm.
- Vertical Clearance: 50 mm.
- Horizontal Clearance: 25 mm.



**PL340N - ABLOY Protec - Grade 4 Padlock with 25mm shackle**  
**"Unassembled"**

\$287.50

**Specifications**

- Body Material: Case-Hardened steel.
- Finish: Chrome.
- Number of Discs: 11.
- Key removable in locked position.

**Shackle**

- Shackle Material: Case-Hardened boron steel.
- Diameter: 10 mm.
- Vertical Clearance: 25 mm.
- Horizontal Clearance: 28 mm.



**PL342N - ABLOY Protec - Grade 4 Padlock with 25mm shackle**  
**"Unassembled"**

\$402.50

**Specifications**

- Body Material: Case-Hardened steel.
- Finish: Chrome.
- Number of Discs: 11.
- Key removable in locked position.
- Can be master-keyed with door cylinders.

**Shackle**

- Shackle Material: Case-Hardened boron steel.
- Finish: Chrome.
- Diameter: 10 mm.
- Vertical Clearance: 25 mm.
- Horizontal Clearance: 25 mm.



**PL350N - ABLOY Protec - Grade 5 Padlock with 25mm shackle**  
**"Unassembled"**

\$465.75

**Specifications**

- Body Material: Case-Hardened steel.
- Finish: Chrome.
- Number of Discs: 11.
- Key removable in locked position.
- Can be master-keyed with door cylinders.

**Shackle**

- Shackle Material: Case-Hardened boron steel.
- Finish: Chrome.
- Diameter: 14 mm.
- Vertical Clearance: 50 mm.
- Horizontal Clearance: 31 mm.



**LC208 - ABLOY Security Mortice Latch**

\$192.05

Mortise latch with lever handle function only.



**LC211 - ABLOY Security Mortice Lock**

\$302.45

Security mortice lock case (comparable with security grade 5 according to EN 12209) with hardened deadbolt and drilling protection.



**LC300 1.3 - ABLOY Non-deadlocking mortice lock**

\$287.50

Non-deadlocking mortice lock for narrow profile entrance doors.

The lock is opened by a key or a thumbturn (or handles if in use).  
Can be used with electromechanical striker plate.

Handing 1.3 (Left Handed)



**LC300 2.4 - ABLOY Non-deadlocking mortice lock**

\$287.50

Non-deadlocking mortise lock for narrow profile entrance doors.

The lock is opened by a key or a thumbturn (or handles if in use).  
Can be used with electromechanical striker plate.

Handing 2.4 (Right Handed)





### **LC302 2.4 - ABLOY Automatic deadlock for narrow profile doors**

\$313.95

#### **Function is determined by sliding snib on forend:**

- UP position = automatic deadlocking. Opened by a key from either side, or by a thumbturn from inside.
- MIDDLE position = lock is latched and operates also with handles.
- DOWN position = latchbolt is retained inside the lock case.

Handing 2.4 (Right Handed).



### **LC306 - ABLOY Security Deadlock for narrow doors**

\$330.05

Security lock case (comparable with security grade 5 according to EN 12209) for narrow profile doors.

### **LC9652 - ABLOY Euro/DIN project lock for narrow profile doors**

\$155.25

Profile door locks for DIN Euro cylinder Non handed, reversible latchbolt.



### **CY321T - ABLOY Protec2 - 31mm Single Cylinder Europrofile / DIN**

\$225.40

This cylinder is a EURO DIN "Fixed" cam cylinder to operate a wide variety of mortice locks in the market.

#### **Specifications**

- Number of discs: 11.
- Cylinder housing material: Brass.
- Cylinder housing finish: Satin Chrome.
- Retaining Screw Thread: M5.



### **CY322T - ABLOY Protec2 - 31mm Double Cylinder Europrofile / DIN**

\$316.25

This cylinder is a EURO DIN "Fixed" cam cylinder to operate a wide variety of mortice locks in the market. Also available in "Lazy" cam for security screen locks.

#### **Specifications**

- Number of discs: 11.
- Cylinder housing material: Brass.
- Cylinder housing finish: Satin Chrome.
- Retaining Screw Thread: M5.



### **CY323T - ABLOY Protec2 - 31mm Cylinder with thumbturn Europrofile / DIN**

\$316.25

This cylinder is a EURO DIN "Fixed" cam cylinder to operate a wide variety of mortice locks in the market.

#### **Specifications**

- Number of discs: 11.
- Cylinder housing material: Brass.
- Cylinder housing finish: Satin Chrome.
- Retaining Screw Thread: M5.



### **CY406T - ABLOY Protec2 - Key-In-Knob cylinder**

\$109.83

#### **Specifications**

- Number of discs: 11.
- Cylinder housing material: Brass.
- Cylinder housing finish: Satin Chrome.



### **CY414T - ABLOY Protec2 - Australian Cylinder**

\$170.78

This cylinder is used as the external cylinder in a wide range of rimlocks including Lockwood 001, 002, 303, 355, 201, 211, 213 etc.

#### **Specifications**

- Number of discs: 11.
- Cylinder housing material: Brass.
- Cylinder housing finish: Satin Chrome Brushed.



### **CY504T - ABLOY Protec2 - Australian Cylinder**

\$149.50

This cylinder is used on Lockwood Cylinder Mortice Locks such as "Lockwood Synergy 3570 Series (3572, 3574 etc.), 3580 Series (3582, 3584 etc.) and 3540 Series.

#### **Specifications**

- Cylinder housing finish: Satin Chrome Brushed.
- Cylinder plug: Brass.
- Discs and washers: Tin Bronze.
- Number of discs: 11.



**EL590 100011 - ABLOY Electric motor lock - Prox Both Sides with Egress Function**

\$2,932.50



**EL590 110011 - ABLOY Electric motor lock - Prox Both Sides with Egress Function (monitored)**

\$3,029.10



**PL330T - ABLOY Protec2 - Grade 3 Padlock with 25mm shackle "Unassembled"**

\$197.80

**Specifications**

- Body Material: Brass.
- Finish: Chrome.
- Number of Discs: 11.
- Key removable in locked position.
- Can be master-keyed with door cylinders.

**Shackle**

- Shackle Material: Case-Hardened boron steel.
- Finish: Chrome.
- Diameter: 8 mm.
- Vertical Clearance: 25 mm.
- Horizontal Clearance: 25 mm.



**PL330T/50 - ABLOY Protec2 - Grade 3 Padlock with 50mm shackle "Unassembled"**

\$204.13

**Specifications**

- Body Material: Brass.
- Finish: Chrome.
- Number of Discs: 11.
- Key removable in locked position.
- Can be master-keyed with door cylinders.

**Shackle**

- Shackle Material: Case-Hardened boron steel.
- Finish: Chrome.
- Diameter: 8 mm.
- Vertical Clearance: 50 mm.
- Horizontal Clearance: 25 mm.



### **PL340T - ABLOY Protec2 - Grade 4 Padlock with 25mm shackle "Unassembled"**

\$287.50

#### **Specifications**

- Body Material: Case-Hardened steel.
- Finish: Chrome.
- Number of Discs: 11.
- Key removable in locked position.

#### **Shackle**

- Shackle Material: Case-Hardened boron steel.
- Diameter: 10 mm.
- Vertical Clearance: 25 mm.
- Horizontal Clearance: 28 mm.



### **PL340T/50 - ABLOY Protec2 - Grade 3 Padlock with 50mm shackle "Unassembled"**

\$288.08

#### **Specifications**

- Body Material: Case-Hardened steel.
- Finish: Chrome.
- Number of Discs: 11.
- Key removable in locked position.

#### **Shackle**

- Shackle Material: Case-Hardened boron steel.
- Diameter: 10 mm.
- Vertical Clearance: 50 mm.
- Horizontal Clearance: 28 mm.

## **Abloy**

ABLOY offers a range of systems from which you can select the best to suit your application.

Each ABLOY key platform is based on the unique rotating disc principle, and are immune to the practice of "bumping" – a technique that involves the manipulation of the pins inside the lock.

As ABLOY cylinders do not use pins, this technique is totally ineffective.

- High level of resistance to adverse climates and environmental conditions
- Large number of different combinations allowing extensive master keying possibilities
- No pins or springs to wear out
- Virtually pick proof

This section includes a guide to each system, as well as the various security levels they offer.



### **ALPEMS1200 - Compact Shearlock Magnet EMS1200**

\$471.50

The Alpro EMS1200 compact shearlock magnet is available in mortice or surface mount models (including glass mount) and offer slimline dimensions whilst maintaining high physical security.

Independently tested to 500,000 cycles, the compact size combined with 1200kg of proven shear holding force makes this compact shearlock both innovative and easy to install.



### **ALPFP1200/2 - Compact Shearlock EMS1200 - 2 mm Filler Plate**

\$11.50


Compact Shearlock Magnet EMS1200 - 2 mm Filler Plate



### **ALPFP122/6 - Compact Shearlock EMS1200 - 6 mm Filler Plate**

\$17.25

Compact Shearlock Magnet EMS1200 - 6mm Filler Plate



### **ALPGDC1200 - Glass Door Clamp for EMS1200**

\$34.50

Aluminium Frameless Glass (10/12 mm).

Door Clamp for use with ALPSMH1200 Surface Mount Housing



### **ALP524591 - Paddle handle with ANSI cam plug pull to left**

\$63.25

459 Paddle handles are designed to be ergonomically friendly and practical.



### **ALP524592 - Paddle handle with ANSI cam plug push to left**

\$63.25

459 Paddle handles are designed to be ergonomically friendly and practical.



### **ALP524597 - Paddle handle with ANSI cam plug pull to right**

\$63.25

459 Paddle handles are designed to be ergonomically friendly and practical.



**ALP524598 - Paddle handle with ANSI cam plug push to right**

\$63.25

459 Paddle handles are designed to be ergonomically friendly and practical.



**ALP5222025 - Alpro Euro Hook Bolt 25mm**

\$46.00

Europrofile deadlocks are available in both barbolt and hookbolt versions.



**ALP5222025R - Alpro Euro Hook Bolt 25 mm (RIV nut fixing)**

\$46.00

Europrofile deadlocks are available in both barbolt and hookbolt versions.



**ALP5222030 - Alpro Euro Hook Bolt 30mm**

\$51.75

Europrofile deadlocks are available in both barbolt and hookbolt versions.



**ALP5222030R - Alpro Euro Hook Bolt 30mm (RIV nut fixing)**

\$51.75

Europrofile deadlocks are available in both barbolt and hookbolt versions.



**ALP5222125 - Alpro Euro Swing Bolt 25 mm**

\$46.00

Europrofile deadlocks are available in both barbolt and hookbolt versions.



**ALP5222130 - Alpro Euro Swing Bolt 30 mm**

\$51.75

Europrofile deadlocks are available in both barbolt and hookbolt versions.



### **ALP5245101 - Alpro ANSI Deadlatch 28 mm (1 1/8") RH**

\$63.25

The description of swinging door operation always viewed from the outside.

LH - door hinges on left

RH - door hinges on right



### **ALP5245102 - Alpro ANSI Deadlatch 28 mm (1 1/8") LH**

\$63.25

The description of swinging door operation always viewed from the outside.

LH - door hinges on left

RH - door hinges on right



### **ALP5245103 - Alpro ANSI Deadlatch 25 mm (31/32") RH**

\$57.50

The description of swinging door operation always viewed from the outside.

LH - door hinges on left

RH - door hinges on right



### **ALP5245104 - Alpro ANSI Deadlatch 25 mm (31/32") LH**

\$57.50

The description of swinging door operation always viewed from the outside.

LH - door hinges on left

RH - door hinges on right



### **ALP5245701 - Alpro Euro Deadlatch 25 mm RH**

\$57.50

The description of swinging door operation always viewed from the outside.

LH - door hinges on left

RH - door hinges on right



### **ALP5245702 - Alpro Euro Deadlatch 25 mm LH**

\$57.50

The description of swinging door operation always viewed from the outside.

LH - door hinges on left

RH - door hinges on right



### **ALP5245703 - Alpro Euro Deadlatch 28 mm RH**

\$63.25

The description of swinging door operation always viewed from the outside.

LH - door hinges on left

RH - door hinges on right



### **ALP5245704 - Alpro Euro Deadlatch 28 mm LH**

\$63.25

The description of swinging door operation always viewed from the outside.

LH - door hinges on left

RH - door hinges on right



### **ALP5245705 - Alpro Euro Deadlatch 38 mm RH**

\$69.00

The description of swinging door operation always viewed from the outside.

LH - door hinges on left

RH - door hinges on right



### **ALP5245706 - Alpro Euro Deadlatch 38 mm LH**

\$69.00

The description of swinging door operation always viewed from the outside.

LH - door hinges on left

RH - door hinges on right

## **Alpro**

The Alpro product range comprises a variety of contemporary handle styles, which are both hard wearing and aesthetically pleasing.

A variety of electro-mechanical products complement this impressive product portfolio, designed to meet the needs of the demanding access control market segment. Products include electric strikes, deadlocking bolts, solenoid bolts, compact shearlocks, cabinet locks, waterproof keypads and exit switches, to name but a few



### **AT1G26-200 - Baran: Self contained access control keypad**

\$431.25

## **Baran**



# Camlock Systems

Camlock Systems are one of the world's leading designers, manufacturers and suppliers of industrial locks and locking systems, with a pedigree stretching back to 1918. During this time we have gained a reputation for fine products, technical expertise and a high quality of service across a range of business sectors.

Products from Camlock Systems are routinely specified for the protection of goods, cash, sensitive information and valuable assets, throughout the world. These products help thousands of businesses and other institutions in their battle against crime.

Locking systems for all sectors

- Amusements, gaming and leisure attractions
- Architects
- Automated vending
- Computing and telecommunications
- Control panels for alarm and security equipment, including CCTV, burglar alarms, access control, fire, detection, etc.
- Educational establishments
- Electrical equipment
- Facilities management
- Forecourt equipment
- Hospitals and other healthcare establishments
- Kiosks
- Launderettes
- Liners & ferries
- Local authorities
- Locker manufacture
- Locksmithing
- Metal fabrication
- Office and domestic furniture
- Other commercial markets
- Petrochemical/Chemical industries
- Plastic and glass fibre enclosures
- Prisons
- Retail and wholesale
- Security equipment
- Shopfitting/retail display
- Street furniture
- Switchgear
- Trailers, caravans and other towed equipment
- Trains

<http://www.camlock.com> Website: <http://www.camlock.com>



### **KL1000 SLV - KitLock 1000 Silver Locker Lock**

\$184.00



### **KL1000 LH SLV - Kitlock Left Hand Silver Locker Lock**

\$172.50

LEFT HAND VERSION.



### **KL1000 RH SLV - Kitlock Right Hand Silver Locker Lock**

\$184.00

RIGHT HAND VERSION.



### **KL1000NC - KL1000 KitLock NetCode Locker Lock**

\$218.50

Complete Control Wherever You Are.

Activate > Generate > Control.

The KitLock 1000 NetCode allows temporary access to lockers and cabinets via the web-based NetCode Portal.

NetCode is activated prior to the lock owner shipping and installing at a remote site.

The NetCode Portal allows you to register and set up your account, activate your locks and generate time-sensitive codes.

Using time-sensitive codes is a more secure way to grant access as the code will not work outside a designated timeslot. Generated codes can be sent by email or SMS to any email account or mobile phone.



### **KL1200 - Kitlock Electronic Cabinet Lock**

\$253.00

The CL1200 Cabinet locks are a quick retrofit for keyed cam locks supplied as standard on a wide range of lockers, cabinets and cupboards. It can just as easily be fitted to units which don't have a locking device already fitted, giving the use immediate, simple, keypad access without the hassle of keys!



### **KL1500 - KitLock Locker Lock**

\$333.50

The KL1500 combines all the features of the KL1000 and KL1200 plus a lot more! This sleek-looking lock can be fitted in any orientation due to its patented keypad design. It boasts a 'real time' clock that can be programmed to automatically open after a set period of time, which is great if you are limited to the number of lockers you can fit.

The lock has multiple user codes available and can also be programmed so two codes are needed to open the lock; double-entry adds another level of security, often required in a hospital environment. For extra convenience, the keypad can also be replaced with an iButton for access control by wristband.

The locks are easy to fit, a stylish alternative to traditional keys providing a high number of operations from 2 coin cells.



### **P1000 SL - Kitlock Slam Latch for KL1200 & KL1550**

\$69.00

P1000 SL Slam Latch for KL1200 & KL1550.



### **KL90-B - KitLock NANO90 Black Furniture Lock**

\$155.25

Smart thinking. NANO has arrived. Little lockers, doors and drawers will love NANO90.



### **KL90-S - KitLock NANO90 Silver Furniture Lock**

\$155.25

Smart thinking. NANO has arrived. Little lockers, doors and drawers will love NANO90.



### **KL90-W - KitLock NANO90 White Furniture Lock**

\$155.25

Smart thinking. NANO has arrived. Little lockers, doors and drawers will love NANO90.



### **CL0465 - Codelock narrow stile complete with code free function, threaded cylinder and cams**

\$730.25

*Please note: Designed as a retrofit for Adams Rite 4510 lockcase or similar style ANSI round cylinder mortice deadlatches (available as an option - see individual model pages for full detail).*

*Available in one PVD finish - Stainless Steel.*

### **Specifications**

- Body material: Zinc alloy.
- Door material: Suitable for aluminium doors.
- Door thickness: 45 mm - 55 mm (1 3/4" - 2 3/16").
- Finishes: PVD (Physical Vapour Deposition) hardwearing low maintenance finish SS (stainless steel).
- Latches: 25 mm (1") and 29 mm (1 1/8") Backset Latches available on request.
- Non handed: Lock will fit doors hung on the left or right.



### **CL0475 - Codelock narrow stile medium duty complete with code free function**

\$730.25

*Please note: Designed as a retrofit for Adams Rite 4510 lockcase or similar style ANSI round cylinder mortice deadlatches (available as an option - see individual model pages for full detail).*

*Available in one PVD finish - Stainless Steel.*

### **Specifications**

- Body material: Zinc alloy.
- Door material: Suitable for aluminium doors.
- Door thickness: 35 mm - 65 mm (1 3/8" - 2 1/2").
- Finishes: PVD (Physical Vapour Deposition) hardwearing low maintenance finish SS (stainless steel).
- Latches: 25 mm (1") and 29 mm (1 1/8") Backset Latches available on request.
- Non handed: Lock will fit doors hung on the left or right.



### **CL2200 - Codelock Medium Duty Electronic Surface Deadbolt Lock**

\$402.50

The NEW CL2000 lock range are entry level electronic locks providing simple, effective access control.

The NEW CL2000 range has been designed to be easily fitted as a new install or as a rapid retrofit when upgrading from basic single code mechanical digital locks.



### **CL2255 - Codelock Medium Duty Electronic Tubular Mortice Lock**

\$402.50

The NEW CL2000 lock range are entry level electronic locks providing simple, effective access control.

The NEW CL2000 range has been designed to be easily fitted as a new install or as a rapid retrofit when upgrading from basic single code mechanical digital locks.



### **CL4000GD - Codelock medium duty electronic patch door lock**

\$1,610.00

Note: As standard the CL4000GD is supplied with a flat strike plate for fitting to solid door frames. When fitting to a glass door with a glass side panel you will need to buy the patch strike box.

### **Specifications**

- Batteries: 4 x 'N' Batteries.
- Body material: Zinc alloy.
- Door thickness: 8 mm - 15 mm (5/16" - 10/16").
- Finishes: PVD (Physical Vapour Deposition) hardwearing low maintenance finish BS (brushed steel).
- Latches: Medium duty, stainless steel latchbolt head with 8 mm (5/16") follower.
- Non handed Lever handle supplied as either right hand (RH) or left hand (LH) versions, in-swing doors only.
- Spindle type 8 mm (5/16") spring loaded spindle.



### **CL4010 - Codelock Medium Duty Electronic Tubular Mortice Lock**

\$805.00

The lock has fitted as standard two alarm release terminals.

### **Specifications**

- Batteries: 4 x AA Cells (supplied).
- Body material: Zinc alloy.
- Door material: Suitable for wooden doors - For other materials contact Technical Support.
- Door thickness: 35 mm - 65 mm (1 3/8" - 2 1/2").
- Finishes: PVD (Physical Vapour Deposition) hardwearing low maintenance finish SS (stainless steel).
- Non handed Lock will fit doors hung on the left or right.
- Spindle type 8 mm spring loaded spindle.



### **CL5010 - Codelock Heavy Duty Electronic Tubular Mortice Lock.**

\$948.75

#### **Specifications**

- Batteries: 4 x AA Cells (supplied).
- Body material: Zinc alloy.
- Door material: Suitable for wooden doors.
- Door thickness: 35 mm - 65 mm (1 3/8" - 2 1/2").
- Finishes: PVD (Physical Vapour Deposition) hardwearing low maintenance finish BS (brushed steel).
- Latches: Option 1 60 mm (2 3/8") backset latch requiring 25 x 82 mm (1" x 3 1/4") hole.
- Latches: Option 2 70 mm (2 3/4") backset latch requiring 25 x 92 mm (1" x 3 5/16") hole.
- Non handed Lock will fit doors hung on the left or right.
- Spindle type 8 mm (5/16") spring loaded spindle.



### **CL515 BB - Codelock CL515 Back to Back Tubular Mortice Latch With Code Free Entry Option**

\$1,006.25

#### **Specifications**

- Body material: Zinc alloy.
- Door material: Suitable for wooden doors.
- Door thickness: 35 mm - 65 mm (1 3/8" - 2 1/2").
- Finishes: PVD (Physical Vapour Deposition) hardwearing low maintenance finish SS (stainless steel).
- Non handed Lock will fit doors hung on the left or right.
- Spindle type 2 part 5/16" (inches) spring loaded spindle.



### **CL6010 - Codelocks CL6000 Heavy-Duty ADA Electronic Lock | Weather Resistant**

\$1,121.25

#### **Specifications**

- Batteries: 4 x AA Cells (supplied).
- Body material: Zinc alloy.
- Door applications: Wood/metal swing doors with cylindrical latch preps.
- Door thickness: 1-3/4" ~ 2" (inches).
- Latch: Cylindrical Latch.
- Hanging: Non handed Lock will fit doors hung on the left or right.



### **CL615BS - Codelock CL615 Tubular Mortice Latch With Code Free Option**

\$862.50

The CL615 is a Heavy Duty Tubular Mortice Latch with code free entry option.

#### **Specifications**

- Body material: Zinc alloy.
- Door material: Suitable for wooden doors.
- Door thickness: 35 mm - 65 mm (1 3/8" - 2 1/2").
- Finishes: PVD (Physical Vapour Deposition) hardwearing low maintenance finish BS (brushed steel).
- Non handed Lock will fit doors hung on the left or right.
- Spindle type 2 part 8 mm (5/16") spring loaded spindle.



### **KL1000 DG - Kitlock Locker Lock Door Gasket**

\$11.50

The KL1000 Door Gasket is available as an optional accessory for use with all the KL1000 Cabinet Locks - vertical and horizontal models.

When used in conjunction with the CL1000 Cabinet Lock and fitted between the back of the KL1000 and the face of the door, the product combination together achieves IP54 Rating.



### **CL510 BB - Codelock CL515 Back to Back Tubular Mortice Latch**

\$1,006.25

#### **Specifications**

- Body material: Zinc alloy.
- Door material: Suitable for wooden doors.
- Door thickness: 35 mm - 65 mm (1 3/8" - 2 1/2").
- Finishes: PVD (Physical Vapour Deposition) hardwearing low maintenance finish SS (stainless steel).
- Non handed Lock will fit doors hung on the left or right.
- Spindle type 2 part 5/16" (inches) spring loaded spindle.



### **CL200 - Codelock Light Duty Surface Deadbolt**

\$287.50

All products feature a beveled hexagonal handle, tumbler alignment for easy code changing, and durable PVD (Physical Vapour Deposition) finishes. As with all Codelocks, installation and code changing are simple, thanks to the easy flow clear instructions supplied.

### **Specifications**

- Body material: Zinc alloy.
- Door material: Suitable for wooden doors.
- Door thickness: 35 mm - 65 mm (1 3/8" - 2 1/2").
- Finishes: PVD (Physical Vapour Deposition) hardwearing low maintenance finish SS (stainless steel).
- Non handed Lock will fit doors hung on the left or right.
- Spindle type 2 part 5/16" (inches) spring loaded spindle.



### **CL200 KEY - Codelock Light Duty Surface Deadbolt with Key Override**

\$345.00

All products feature a bevelled hexagonal handle, tumbler alignment for easy code changing, and durable PVD (Physical Vapour Deposition) finishes. As with all Codelocks, installation and code changing are simple, thanks to the easy flow clear instructions supplied.

### **Specifications**

- Body material: Zinc alloy.
- Door material: Suitable for wooden doors.
- Door thickness: 35 mm - 65 mm (1 3/8" - 2 1/2").
- Finishes: PVD (Physical Vapour Deposition) hardwearing low maintenance finish SS (stainless steel).
- Non handed Lock will fit doors hung on the left or right.
- Spindle type 2 part 5/16" (inches) spring loaded spindle.



### **KL1000 BLK - KitLock 1000 Black Locker Lock**

\$184.00



### **KL90-S-H - Kitlock NANO90 Silver Horizontal Furniture Lock**

\$155.25

Smart thinking. NANO has arrived. Little lockers, doors and drawers will love NANO90.





### **KL90-W-H - Kitlock NANO90 White Horizontal Furniture Lock**

\$155.25

Smart thinking. NANO has arrived. Little lockers, doors and drawers will love NANO90.



### **P1001 SL SG - Kitlock Slam Latch for KL1000**

\$28.75

P1001 SL SG Slam Latch for KL1000.



### **CL155 - Codelock Light Duty Mortice Latch with Hold Open**

\$253.00

The **Codelocks CL155 Silver Mortice Latch** is an entry level mechanical push button lock which provides an extensive variety of functions for light duty entry control, for internal office doors, storage rooms or cupboards in commercial premises, sheds, garage-to-house doors or cupboards at home.



### **CL5510 - Codelock Smart Electronic Tubular Mortice Latch**

\$1,104.00

## **Specifications**

- Users: Up to 350.
- Phone Clients: 100.
- Client User Codes: 100.
- Client Smart Codes: 150.
- 12 button back-lit keypad.



## **CL4510 - Codelock Smart Electronic Tubular Mortice Latch**

\$910.80

Smart locks get smarter. The CL4500 range of locks offers the Codelocks smart lock features but in a smaller, sleeker lock model.

### **Specifications**

- Battery Status Monitor via App.
- Batteries: 4 x AA Cells.
- Low Battery Warning The keypad will flash red on opening to indicate batteries need to be changed.
- Memory Stores: 350 different Clients.
- Client User Codes: 100.
- Client Smart Cards: 150.
- Phone Clients: 100.
- Spindle Type 8 mm (5/16") spring loaded spindle.
- Material: Zinc Alloy.
- Door Thickness: 35 mm – 60 mm (13/8" – 23/8").
- Latch Options: 60 mm (23/8") and 70 mm (23/4").
- Buttons 12 button back-lit keypad.

## **Codelocks**

Codelocks is an innovative designer and manufacturer of electronic and mechanical push button locks for doors, cabinets and lockers. Whether controlling access to certain areas or safeguarding confidential or dangerous materials, the locks offer users a convenient standalone solution without the trouble of issuing keys or cards. The locks are stylish, very easy to fit and are sold with 'everything you need in the box' to fit them, including parts, instructions and templates.

### **Manufacturing**

Codelocks manufactures its own product range and has a production facility in China. The facility is accredited with the ISO9001:2000 quality standard. Having control of the manufacturing process, gives Codelocks the confidence to offer every mechanical lock a limited lifetime guarantee. If the lock develops a manufacturing fault it will be repaired, serviced or replaced free of charge.

### **Offices**

Founded in 1990, Codelocks employs 105 people. The company offers after-sales support from its company headquarters in Newbury, Berkshire, UK. It also has offices in China and America where locks can be bought and serviced. Additionally Codelocks products are available through a worldwide network of distributors or directly through the Codelocks website.

### **Products**

Through continuous development of new technology, Codelocks offers innovative ranges of mechanical and electronic locks. The electronic functionality of digital locks provides major benefits over mechanical ones and unlike other access control solutions, the digital locks do not require complex wiring, ID cards or external power making them more cost effective for many applications.



### **0S48-001 - Key-Bak Super 48 - Heavy Duty Self-Retracting Reel**

\$34.50

#### **Specifications**

- Model: #S48K.
- Back Attachment: Belt Clip/Loop.
- Hold: 15 Keys.
- Extension Material: Kevlar Cord.
- Extension Reach: 48" (1.2m).
- Retraction Force: 8-10 oz (225-283g).
- End Fitting: Split-Ring.



### **025.005 - Key-Bak Original - Belt Clip with Stainless Steel Chain (Chrome)**

\$33.35

#### **Specifications**

- Model: #5.
- Back Attachment: Belt Clip.
- Hold: 15 Keys.
- Extension Material: Stainless Steel Chain.
- Extension Reach: 24" (60cm).
- Retraction Force: 8-10 oz (225-283g).
- End Fitting: Split-Ring.



### **025.006 - Key-Bak Original - Belt Clip with Stainless Steel Chain (Black)**

\$33.35

#### **Specifications**

- Model: #5B.
- Back Attachment: Belt Clip.
- Hold: 15 Keys.
- Extension Material: Stainless Steel Chain.
- Extension Reach: 24" (60cm).
- Retraction Force: 8-10 oz (225-283g).
- End Fitting: Split-Ring.



### **020.666 - Key-Bak Original HD - Belt Clip with Kevlar Cord (Chrome)**

\$39.10

#### **Specifications**

- Model: #485-HD.
- Back Attachment: Belt Clip.
- Hold: 15 Keys.
- Extension Material: Kevlar Cord.
- Extension Reach: 48" (1.2m).
- Retraction Force: 8-10 oz (225-283g).
- End Fitting: Split-Ring.



### **020.667 - Key-Bak Original HD - Belt Clip with Kevlar Cord (Black)**

\$34.50

#### **Specifications**

- Model: #485B-HD.
- Back Attachment: Belt Clip.
- Hold: 15 Keys.
- Extension Material: Kevlar Cord.
- Extension Reach: 48" (1.2m).
- Retraction Force: 8-10 oz (225-283g).
- End Fitting: Split-Ring.



### **0006-001 - Key-Bak Mid-Size - Belt Clip with Polyester Cord**

\$23.00

#### **Specifications**

- Model: #6.
- Attachment: Belt Clip.
- Hold: 10 Keys.
- Extension Material: Polyester Cord.
- Extension Reach: 36" (90cm).
- Retraction Force: 6 oz (170g).
- End Fitting: Split-Ring.



### **0006-005 - Key-Bak Mid-Size - Belt Clip with Polyester Cord (ID)**

\$23.00

#### **Specifications**

- Model: #6ID.
- Attachment: Belt Clip.
- Hold: 10 Keys.
- Extension Material: Polyester Cord.
- Extension Reach: 36" (90cm).
- Retraction Force: 6 oz (170g).
- End Fitting: Vinyl Strap.



### **0488-803 - Key-Bak Securit - Carabiner Reel with Kevlar Cord**

\$36.80

#### **Specifications**

- Model: #488.
- Attachment: Carabiner.
- Hold 15 Keys.
- Extension Material: Kevlar Cord.
- Extension Reach: 48" (1.2m).
- Retraction Force: 8-10 oz (225-283g).
- End Fitting: Split-Ring.



### **0050-005 - Key-Bak Mini - Belt Clip with Nylon Cord (Black)**

\$13.80

#### **Specifications**

- Model: #50.
- Hold: 7 Keys.
- Attachment: Belt Clip.
- Extension Material: Nylon Cord.
- Extension Reach: 36" (90cm).
- Retraction Force: 4 oz (110g).
- End Fitting: Split-Ring.



### **0052-001 - Key-Bak Mini - Belt Clip with Nylon Cord (Blue)**

\$13.80

#### **Specifications**

- Model: #52.
- Hold: 7 Keys.
- Attachment: Belt Clip.
- Extension Material: Nylon Cord.
- Extension Reach: 36" (90cm).
- Retraction Force: 4 oz (110g).
- End Fitting: Split-Ring.



### **0053-001 - Key-Bak Mini - Belt Clip with Nylon Cord (White)**

\$13.80

#### **Specifications**

- Model: #53.
- Hold: 7 Keys.
- Attachment: Belt Clip.
- Extension Material: Nylon Cord.
- Extension Reach: 36" (90cm).
- Retraction Force: 4 oz (110g).
- End Fitting: Split-Ring.



### **0020-002 - Key-Bak Mini - Belt Clip with Nylon Cord (Dual Pack/Blue)**

\$25.30

#### **Specifications**

- Model: #52.
- Hold: 7 Keys.
- Attachment: Belt Clip.
- Extension Material: Nylon Cord.
- Extension Reach: 36" (90cm).
- Retraction Force: 4 oz (110g).
- End Fitting: Split-Ring.



### **0215-011 - Key-Bak Mini - Belt Clip with Nylon Cord (ID/Green)**

\$13.80

#### **Specifications**

- Hold: ID Badge.
- Attachment: Belt Clip.
- Extension Material: Nylon Cord.
- Extension Reach: 36" (90cm).
- Retraction Force: 4 oz (110g).
- End Fitting: Vinyl Strap.



### **0216-011 - Key-Bak Mini - Belt Clip with Nylon Cord (ID/Yellow)**

\$13.80

#### **Specifications**

- Hold: ID Badge.
- Attachment: Belt Clip.
- Extension Material: Nylon Cord.
- Extension Reach: 36" (90cm).
- Retraction Force: 4 oz (110g).
- End Fitting: Vinyl Strap.



### **0217-011 - Key-Bak Mini - Belt Clip with Nylon Cord (ID/Purple)**

\$13.80

#### **Specifications**

- Hold: ID Badge.
- Attachment: Belt Clip.
- Extension Material: Nylon Cord.
- Extension Reach: 36" (90cm).
- Retraction Force: 4 oz (110g).
- End Fitting: Vinyl Strap.



### **0219-011 - Key-Bak Mini - Belt Clip with Nylon Cord (ID/Red)**

\$13.80

#### **Specifications**

- Hold: ID Badge.
- Attachment: Belt Clip.
- Extension Material: Nylon Cord.
- Extension Reach: 36" (90cm).
- Retraction Force: 4 oz (110g).
- End Fitting: Vinyl Strap.



### **0055-015 - Key-Bak Mini - Twist-Free with Nylon Cord (ID/Blue)**

\$13.80

#### **Specifications**

- Hold: ID Badge.
- Attachment: Belt Clip.
- Extension Material: Nylon Cord.
- Extension Reach: 36" (90cm).
- Retraction Force: 4 oz (110g).
- End Fitting: Twist-Free.



### **0056-011 - Key-Bak Mini - Twist-Free with Nylon Cord (ID/White)**

\$13.80

#### **Specifications**

- Hold: ID Badge.
- Attachment: Belt Clip.
- Extension Material: Nylon Cord.
- Extension Reach: 36" (90cm).
- Retraction Force: 4 oz (110g).
- End Fitting: Twist-Free.



### **0057-011 - Key-Bak Mini - Twist-Free with Nylon Cord (ID/Black)**

\$13.80

#### **Specifications**

- Hold: ID Badge.
- Attachment: Belt Clip.
- Extension Material: Nylon Cord.
- Extension Reach: 36" (90cm).
- Retraction Force: 4 oz (110g).
- End Fitting: Twist-Free.



### **0035-001 - Key-Bak Mini - Pin Fix with Nylon Cord (ID/Blue)**

\$13.80

#### **Specifications**

- Hold: ID Badge
- Attachment: Pin Fix
- Extension Material: Nylon Cord
- Extension Reach: 36" (90cm)
- Retraction Force: 4 oz (110g)
- End Fitting: Vinyl Strap





### **0021-001 - Key-Bak Mini - Belt Clip with Nylon Cord (Dual Pack/Black)**

\$25.30

#### **Specifications**

- Hold: ID Badge.
- Attachment: Belt Clip.
- Extension Material: Nylon Cord.
- Extension Reach: 36" (90cm).
- Retraction Force: 4 oz (110g).
- End Fitting: Vinyl Strap.



### **0308-200 - Key-Bak - Carabiner with Split Ring**

\$7.48



### **0481-711 - Key-Bak Duty Gear - Ballistic Nylon Key Protector with Kevlar Cord**

\$50.60

#### **Specifications**

- Back Attachment: Nylon Belt Loop.
- Hold: 15 keys.
- Case Material: Ballistic Nylon.
- Extension Material: Kevlar Cord.
- Extension Reach: 90cm.
- Retraction Force: 8-10 oz (225-283g).



### **0001-111 - Key-Bak Duty Gear - Ballistic Nylon Key Protector with Stainless Steel Cord**

\$47.15

#### **Specifications**

- Back Attachment: **Nylon Belt Loop.**
- Hold: 15 keys.
- Case Material: Ballistic Nylon.
- Extension Material: Kevlar Cord.
- Extension Reach: 60cm.



**0318-713 - Key-Bak Duty Gear - KK2 Carrier Clip with Ballistic Nylon Key Silencer**

\$27.60

**Specifications**

- Back Attachment: Nylon Belt Loop.
- Hold: 15 keys.
- Case Material: Ballistic Nylon.



**0600-001 - Key-Bak - Stainless Steel Belt Clip with Split-Ring**

\$11.50



**0650-001 - Key-Bak - Stainless Steel Support for Belt Clip**

\$9.78



**0500-001 - Key-Bak - Quick Release Pull Apart Key Holder**

\$9.78



**0800-001 - Key-Bak - Split-Ring 3/4"(19mm) - x100**

\$31.05



**0850-001 - Key-Bak - Split-Ring 1 1/4"(32mm) - x100**

\$46.00



**0900-001 - Key-Bak - Split-Ring 1 1/8"(28.5mm) - x100**

\$40.25



### **0AC2-0101 - Key-Bak - Key Chain Multi-Tool**

\$20.13

#### **Specifications**

- Dimensions: 2.8" x .5" x .10" thick.
- Material: 3Cr13 Stainless-Steel.



### **0AC2-0201 - Key-Bak - Carabiner Tool**

\$23.00

#### **Specifications**

- Dimensions: 2.4" x 1" x 1.2" thick.
- Material: 3Cr13 Stainless-Steel.



### **0AC2-0302 - Key-Bak - Gear Carabiner Dark Grey**

\$25.30

#### **Specifications**

- Dimensions: 4.17"L x 2.6" W.



### **STEADPOD - Retractable Camera Pod**

\$69.00

## **Key-Bak**

KEY-BAK Self-Retracting Key Reels, Retractable Carabiners and Key Accessories

Behind every Made in USA KEY-BAK® key reel or key accessory, is over 60 years of experience and quality craftsmanship. Originally invented in 1948, KEY-BAK® reels have become an invaluable tool in the daily lives of countless professionals who rely on secure and convenient access to all their keys.

Not only are KEY-BAK® reels perfect for your keys, KEY-BAK® reels also work great for identification badges, small hand tools, gauges, flashlights, law enforcement and outdoor gear.



### **001267 - Kidde S7 Pushbutton Lock Box**

\$178.25

#### **SUPRA 001267 - S7 KEYSAFE PRO LOCK BOX**

### **Specifications**

- Pushbutton lid
- Black - Mounts easily (screws included).
- Size: 4.83 x 3.5 x 2.75 in.



### **001360 - Kidde Key Safe - 5 Key capacity**

\$126.50

### **Specifications**

- Lid Type: Pushbutton.
- Package Type: Clamshell.



### **001361 - Kidde 5 Key wall mount - Clay (Display packed)**

\$126.50

KIDDE Lock Box Stor-A-Key - S5 surface mount Pushbutton Keyless Entry

### **Specifications**

- Dimensions: 4" x 2.5" (x 1.25" deep).



### **001370 - Kidde 2 key Wall Mount - White (Display Packed)**

\$126.50

KeySafe Original Slimline for 2 Keys with Easy Pushbutton Opening. Durable and stylish designed key box.



### **001371 - Kidde 2 Key Wall Mount - Clay (Display Packed)**

\$126.50

KeySafe Original Slimline for 2 Keys with Easy Pushbutton Opening. Durable and stylish designed key box.



### **001413 - Kidde 2 key Wall Mount - White**

\$126.50

KeySafe Original Slimline for 2 Keys with Easy Pushbutton Opening. Durable and stylish designed key box.



### **001414 - Kidde 2 Key Wall Mount - Clay**

\$126.50

KeySafe Original Slimline for 2 Keys with Easy Pushbutton Opening. Durable and stylish designed key box.



### **001795 - Kidde 30 Key Cabinet Pro - TouchPoint Lock**

\$235.75

#### **Specifications**

- Exterior Dimensions: 12.04" H x 8.11" W x 3.19"D.



### **001796 - Kidde 60 Key Cabinet Pro - TouchPoint Lock**

\$345.00

#### **Specifications**

- Exterior Dimensions: 19.53" H x 13.62" W x 4.76" D.



### **001797 - Kidde 120 Key Cabinet Pro - TouchPoint Lock**

\$661.25

#### **Specifications**

- Exterior Dimensions: 19.53" H x 13.62" W x 4.76" D.



### **001888 - Kidde Key Organiser**

\$51.75



### **001889 - Kidde Key Cabinet**

\$69.00

#### **Specifications**

- Manufactured from: ABS Plastic.
- Packaging: Shelf Packed.
- Certification: CE.
- External Dimensions: 240 x 351 x 70 mm.



**002048 - Kidde Keysafe P500 with alarm sensor**

\$224.25



**001801 - Kidde 30 Key Cabinet Pro - Key Locking**

\$166.75

**Specifications**

- Exterior Dimensions: 12.04" H x 8.01" W x 3.19" D.



**001802 - Kidde 60 Key Cabinet Pro - Key Locking**

\$235.75

**Specifications**

- External Dimensions: 19.53" H x 13.62" W x 4.76" D.



**001803 - Kidde 120 Key Cabinet Pro - Key Locking**

\$385.25

**Specifications**

- External Dimensions: 19.53" H x 13.62" W x 4.76" D.

## Kidde



**KL1000 SLV - KitLock 1000 Silver Locker Lock**

\$184.00



**KL1000 LH SLV - Kitlock Left Hand Silver Locker Lock**

\$172.50

LEFT HAND VERSION.



**KL1000 RH SLV - Kitlock Right Hand Silver Locker Lock**

\$184.00

RIGHT HAND VERSION.



### **KL1000NC - KL1000 KitLock NetCode Locker Lock**

\$218.50

Complete Control Wherever You Are.

Activate > Generate > Control.

The KitLock 1000 NetCode allows temporary access to lockers and cabinets via the web-based NetCode Portal.

NetCode is activated prior to the lock owner shipping and installing at a remote site.

The NetCode Portal allows you to register and set up your account, activate your locks and generate time-sensitive codes.

Using time-sensitive codes is a more secure way to grant access as the code will not work outside a designated timeslot. Generated codes can be sent by email or SMS to any email account or mobile phone.



### **KL1200 - Kitlock Electronic Cabinet Lock**

\$253.00

The CL1200 Cabinet locks are a quick retrofit for keyed cam locks supplied as standard on a wide range of lockers, cabinets and cupboards. It can just as easily be fitted to units which don't have a locking device already fitted, giving the user immediate, simple, keypad access without the hassle of keys!



### **KL1500 - KitLock Locker Lock**

\$333.50

The KL1500 combines all the features of the KL1000 and KL1200 plus a lot more!

This sleek-looking lock can be fitted in any orientation due to its patented keypad design. It boasts a 'real time' clock that can be programmed to automatically open after a set period of time, which is great if you are limited to the number of lockers you can fit.

The lock has multiple user codes available and can also be programmed so two codes are needed to open the lock; double-entry adds another level of security, often required in a hospital environment. For extra convenience, the keypad can also be replaced with an iButton for access control by wristband.

The locks are easy to fit, a stylish alternative to traditional keys providing a high number of operations from 2 coin cells.



### **P1000 SL - Kitlock Slam Latch for KL1200 & KL1550**

\$69.00

P1000 SL Slam Latch for KL1200 & KL1550.



### **KL90-B - KitLock NANO90 Black Furniture Lock**

\$155.25

Smart thinking. NANO has arrived. Little lockers, doors and drawers will love NANO90.



### **KL90-S - KitLock NANO90 Silver Furniture Lock**

\$155.25

Smart thinking. NANO has arrived. Little lockers, doors and drawers will love NANO90.



### **KL90-W - KitLock NANO90 White Furniture Lock**

\$155.25

Smart thinking. NANO has arrived. Little lockers, doors and drawers will love NANO90.



### **KL1000 DG - Kitlock Locker Lock Door Gasket**

\$11.50

The KL1000 Door Gasket is available as an optional accessory for use with all the KL1000 Cabinet Locks - vertical and horizontal models.

When used in conjunction with the CL1000 Cabinet Lock and fitted between the back of the KL1000 and the face of the door, the product combination together achieves IP54 Rating.



### **KL1000 BLK - KitLock 1000 Black Locker Lock**

\$184.00



### **KL90-S-H - Kitlock NANO90 Silver Horizontal Furniture Lock**

\$155.25

Smart thinking. NANO has arrived. Little lockers, doors and drawers will love NANO90.



### **KL90-W-H - Kitlock NANO90 White Horizontal Furniture Lock**

\$155.25

Smart thinking. NANO has arrived. Little lockers, doors and drawers will love NANO90.





### **P1001 SL SG - Kitlock Slam Latch for KL1000**

\$28.75

P1001 SL SG Slam Latch for KL1000.



## **KitLock**



### **Lemaar Ibiza 10018 - Passage Set SC, CP**

\$86.25

Ibiza - 10018 - Satin Chrome - Chrome Plate



### **Lemaar Silla 15007 - Passage Set SSS**

\$109.25

Lemaar Silla - 15007 - Satin Stainless Steel

Does not include tubular latch (available separately).



### **Lemaar Elda 10004 - Passage Set SC, CP**

\$86.25

Lemaar Elda - 10004 - Satin Chrome - Chrome Plate



### **Lemaar Otus 15008 - Passage Set SSS**

\$109.25

Lemaar Otus - 15008 - Satin Stainless Steel

## **Lemaar**

Lemaar is an Australian owned company delivering value for money and “Quality You Can Feel”. Lemaar’s comprehensive product range is continually expanding to meet the needs of Australian renovators and builders and is backed by 12 year internal and 10 year external conditional guarantees and a rigorous quality system.



### **EZYAA1 - "Auto" Series Switch - On/Off (Abloy)**

\$414.00

**AUTOMATIC DOOR SERIES KEY SWITCHES.**

### **Specifications**

- Maximum current ratings: AC1 10 amp 440v, DC1 10 amp 24v.
- Maximum 2 x 1.5mm wires per terminal.



### **EZYAA2 - "Auto" Series Switch - Spring Return (Abloy)**

\$414.00

**AUTOMATIC DOOR SERIES KEY SWITCHES.**

### **Specifications**

- Maximum current ratings: AC1 10 amp 440v, DC1 10 amp 24v.
- Maximum 2 x 1.5mm wires per terminal.



### **EZYAA5 - "Auto" Series Switch - 4 Pos Auto Door (Abloy)**

\$448.50

**AUTOMATIC DOOR SERIES KEY SWITCHES.**

### **Specifications**

- Maximum current ratings: AC1 10 amp 440v, DC1 10 amp 24v.
- Maximum 2 x 1.5mm wires per terminal.



### **EZYAC1 - "Auto" Series Switch - On/Off (C4)**

\$391.00

**AUTOMATIC DOOR SERIES KEY SWITCHES.**

### **Specifications**

- Maximum current ratings: AC1 10 amp 440v, DC1 10 amp 24v.
- Maximum 2 x 1.5mm wires per terminal.



### **EZYAC2 - "Auto" Series Switch - Spring Return (C4)**

\$391.00

**AUTOMATIC DOOR SERIES KEY SWITCHES.**

### **Specifications**

- Maximum current ratings: AC1 10 amp 440v, DC1 10 amp 24v.
- Maximum 2 x 1.5mm wires per terminal.



### **EZYOUA1 - "Oval" Series Switch - On/Off (Less Cylinder)**

\$224.25

Oval Series Key Switch - Less Cylinder.

Lazy Cam (1 N/O, 1 N/C changeover).

### **Specifications**

- Maximum current ratings: AC1 10 amp 440v, DC1 10 amp 24v.
- Maximum 2 x 1.5mm wires per terminal.



### **EZYOUA2 - "Oval" Series Switch - Spring Return (Less cylinder)**

\$224.25

Oval Series Key Switch - Less Cylinder.

Spring Return (1 N/O, 1 N/C changeover).

### **Specifications**

- Maximum current ratings: AC1 10 amp 440v, DC1 10 amp 24v.
- Maximum 2 x 1.5mm wires per terminal.



### **EZYOUA3 - "Oval" Series Switch - 2 Way Spring Return (Less Cyld)**

\$224.25

Oval Series Key Switch - Less Cylinder.

EZYOUA3 - Spring Return to Centre "ON / OFF / ON".

### **Specifications**

- Maximum current ratings: AC1 10 amp 440v, DC1 10 amp 24v.
- Maximum 2 x 1.5mm wires per terminal.



### **EZYOUA4 - "Oval" Series Switch - Captive Key (Less Cylinder)**

\$224.25

Oval Series Key Switch - Less Cylinder.

EZYOUA4 - Captive Key 1 N/O, 1 N/C Changeover.

### **Specifications**

- Maximum current ratings: AC1 10 amp 440v, DC1 10 amp 24v.
- Maximum 2 x 1.5mm wires per terminal.



### **EZY-PZ25 - "Oval" Series S/S Mounting Plate**

\$80.50

Oval Key Switch Series.

Stainless Steel Mount.

75mm X 115mm.



### **EZYPZ30 - "Oval" Series Rain Gate Box**

\$264.50

PZ30 Gate Box.

The Oval Series Gate Box.

125mm x 75mm.



### **EZYAC5 - "Auto" Series Switch - 4 Pos Auto Door (C4)**

\$431.25

AUTOMATIC DOOR SERIES KEY SWITCHES.

#### **Specifications**

- Maximum current ratings: AC1 10 amp 440v, DC1 10 amp 24v.
- Maximum 2 x 1.5mm wires per terminal.



### **EZYAC3 - "Auto" Series Switch - 2 Way Spring Return (C4)**

\$414.00

AUTOMATIC DOOR SERIES KEY SWITCHES.

#### **Specifications**

- Maximum current ratings: AC1 10 amp 440v, DC1 10 amp 24v.
- Maximum 2 x 1.5mm wires per terminal.

## **Lock It Well**

### **Milspec**



### **NZ1-201SC - Australian Round Barrel**

\$13.80



### **NZ1-570SC - Australian Oval Barrel**

\$13.80



### **NZ1-8221SC - Schlage A Series Barrel**

\$17.25



**NZ1-9551CP - Euro Double Fixed Cam Barrel**

\$17.25



**NZ1-9552CP - Euro Single with Turn Fixed Cam Barrel**

\$17.25



**NZ2-201SC - Australian Round Barrel**

\$13.80



**NZ2-570SC - Australian Oval Barrel**

\$13.80



**NZ2-8221SC - Schlage A Series Barrel**

\$17.25



**NZ2-9551CP - Euro Double Fixed Cam Barrel**

\$17.25



**NZ2-9552CP - Euro Single with Turn Fixed Cam Barrel**

\$17.25



**NZ3-201SC - Australian Round Barrel**

\$13.80



**NZ3-570SC - Australian Oval Barrel**

\$13.80



**NZ3-8221SC - Schlage A Series Barrel**

\$17.25



**NZ3-9551CP - Euro Double Fixed Cam Barrel**

\$17.25



**NZ3-9552CP - Euro Single with Turn Fixed Cam Barrel**

\$17.25



**NZM-001SC - Lockwood 001 Barrel**

\$17.25



**NZM-201SC - Australian Round Barrel**

\$17.25



**NZM-530SC - Lockwood 530 Barrel**

\$17.25



**NZM-570HBSC - Australian Oval Hold Back Barrel**

\$17.25



**NKM-570SC - Australian Oval Barrel**

\$17.25



**NKM-8221SC - Schlahe A Series Barrel**

\$17.25



**NKM-9551CP - Euro Double Fixed Cam Barrel**

\$17.25



**NKM-9552CP - Euro Single with Turn Fixed Cam Barrel**

\$17.25



**NKM-9553CP - Euro Double Lazy Cam Barrel**

\$17.25

**NZ1-KB6P - Key Blank**

\$2.76

NZ1 Profile 6-pin Key Blank.

**NZ2-KB6P - Key Blank**

\$4.60

NZ2 Profile 6-pin Key Blank.

**NZ3-KB6P - Key Blank**

\$4.60

NZ3 Profile 6-pin Key Blank.

### **NZM-KB6P - Key Blank**

\$6.33

NZM Multi Profile 6-pin Key Blank.

### **NZ1-KB6P/BL - Key Blank for Plastic Head**

\$2.76

NZ1 Profile 6-pin Key Blank for Plastic Head.

### **HEAD-GREEN - NZ Series Plastic Key Head Green**

\$1.15

## **NZ Series**

# ***NZ SERIES***

## **New Zealand's very own high security restricted profile.**

---



The newest MLAA restricted security key system is the NZ Series.

The NZ Series will provide your customers with the latest security features in mechanical restricted keying.

With Anti-bump, anti-pick and anti-drill optional features, this flexible multi-broach system can be implemented in any domestic or commercial setting.

There is an extensive range of barrels available to suit almost every application making retro-fitting your current security systems with the new NZ series easy. Unlike many other restricted profiles, there is both a master profile key blank and a master profile barrel.

Further information is available from the [NZ Series website](#), download our NZ Series Brochure or contact Steve Karmawan at Levco on 04 473-3025.



[NZ Series Brochure \(PDF 320KB\)](#)





### **1000-ECL/M - Ross 1000 Series Elec/Comb Safe Lock**

\$483.00

ROSS SAFE LOCK 1000-SERIES ECL ELECTRONIC w/- PLASTIC CODEPAD



### **600 - Ross Safe Lock with Cover #600**

\$80.50

Suitable for floor, wall, drug, night, home, office, computer tape safes and gun cabinets.



### **600L - Ross Latch Safe Lock 600L**

\$143.75



### **700-SERIES - Ross 700 Series Retrofit Lock**

\$184.00



### **800-C - Ross 800 Cupboard Lock**

\$126.50

Ross 800C Security Lock.



### **800-CL - Ross 800 Latch Cupboard Lock**

\$132.25

Ross 800C Security Lock. Latching Version.



### **870-C - Ross 870 Series Dead Bolt W/570 CYL**

\$166.75




### **870-CL - Ross 870 Series Latch W/570 CYL**

\$166.75



**900-WCL/WCR - Ross 3 Point Locking 900 Series Safe Lock**

\$166.75



**600WCB - Ross Circuit Board**

\$356.50



**600WESTPAC - Ross Time Delay Latch Westpac**

\$1,150.00



**1000-ECL2/M - Ross 1000 Series ECL 2 Elec/Comb Safe Lock**

\$557.75

**1000-EXTCABLE - Ross 1000 Series 450 mm Extended Cable**

\$11.50



**1000-RAP - Ross 1000 Series Retrofit Adapter Plate**

\$69.00



**102-NCUL - Ross 102 Series Safe Lock Less Cover**

\$57.50



**102-NCD - Ross 102 Series Safe Lock Down Less Cover**

\$57.50

## Ross Lock



### **AP-75K - Secuguard 75 Key Cabinet**

\$402.50

**Secuguard Key Cabinet - 75 Key Capacity**

### **Specifications**

- External Dimensions: 450 mm(h) x 360 mm(w) x 100 mm(d).
- Door: 4 mm Steel.
- Body: 1.5 mm Steel.
- Capacity: 75 Keys.
- Weight: 11.5 kg's.



### **AP-100KP - Secuguard Safe with Key Lock**

\$402.50

**Secuguard Security Safe with Key Lock**

### **Specifications**

- Australian made ROSS® 6 lever safe lock.
- Mounted on 6 mm hardened plate - to deter drill attack.
- 6 pick resistant levers.
- 46,000 combinations.
- 2 Single bitted keys.
- External Dimension: 200 mm(h) x 260 mm(w) x 200 mm(d).
- Mounting: 2 x 12 mm Holes in Base and Back.
- Weight: 16 kg's.



### **AP-100KSF - Secuguard Deposit Safe with Key Lock**

\$431.25

**Secuguard Deposit Safe**

### **Specifications**

- External Dimensions: 200 mm(h) x 260 mm(w) x 200 mm(d).
- Door Steel Plate: 8 mm.
- Body Steel Plate: 6 mm.
- Weight: 16 kg's.



### **AP-252EPT - Secuguard Safe with Digital Time Delay Lock**

\$776.25

Secuguard Safe with Digital Time Delay Lock

#### **Specifications**

- External Dimensions: 250 mm(h) x 350 mm(w) x 250 mm(d).
- Door: 8 mm Steel Plate.
- Body: 6 mm Steel Plate.
- Weight: 29 kg's



### **AP-252KP - Secuguard Safe with Key Lock**

\$483.00

Secuguard Safe with Key Lock

#### **Specifications**

- External Dimensions: 250 mm(h) x 350 mm(w) x 250 mm(d).
- Door: 8 mm Steel Plate.
- Body: 6 mm Steel Plate.
- Weight: 25 kg's.



### **AP-252SET - Secuguard Deposit Safe with Digital Lock**

\$856.75

Secuguard Deposit Safe with Digital Lock

#### **Specifications**

- External Dimensions: 290 mm(h) x 340 mm(w) x 250 mm(d).
- Door: 8 mm Steel Plate.
- Body: 6 mm Steel Plate.
- Weight: 29 kg's.
- Posting Slot - 135 mm x 15 mm.



### **AP-302KP - Secuguard Safe with Key Lock**

\$644.00

Secuguard Safe with Key Lock

#### **Specifications**

- External Dimensions: 300 mm(h) x 380 mm(w) x 300 mm(d).
- Door: 8 mm Steel Plate.
- Body: 6 mm Steel Plate.
- Weight: 35 kg's.



### **AP-302EPT - Secuguard Safe with Digital Lock**

\$856.75

Secuguard Safe with Digital Lock

#### **Specifications**

- Quality UL listed swing bolt electronic digital safe lock.
- External Dimensions: 300 mm(h) x 380 mm(w) x 300 mm(d).
- Door: 8 mm Steel Plate.
- Body: 6 mm Steel Plate.
- Weight: 35 kg's.



### **AP-520SET - Secuguard Deposit Safe**

\$1,155.75

Secuguard Deposit Safe

#### **Specifications**

- Built from heavy steel plate.
- Heavy duty 10 mm steel plate door and 6 mm steel safe body reinforced with steel frame all around front edges.
- 25 mm solid locking bolts.
- Mounting: 4 x 12 mm mounting holes in base.
- Quality UL listed swing bolt electronic safe lock.



### **AP-552EPT - Secuguard Safe with Digital Lock**

\$1,667.50

Secuguard Safe with Digital Lock

#### **Specifications**

- External Dimensions: 550 mm(h) x 470 mm(w) x 400 mm(d).
- Door: 8 mm Steel Plat.
- Body: 6 mm Steel Plate.
- Weight: 82 kg's.



### **AP-6053K - Secuguard Large Pistol Safe with Key Lock**

\$1,127.00

Secuguard Key Operated Pistol Safe

#### **Specifications**

- External Dimensions: 600 mm(h) x 530 mm(w) x 400 mm(d).
- Removable Shelves: 2.
- Mounting Holes 4 x 12 mm (back) and 4 x 12 mm (base).
- Weight: 87 kg's.



### **AP-7038SEK - Secuguard Deposit Safe with Digital Lock**

\$2,012.50

Secuguard Deposit Safe with Digital Lock

#### **Specifications**

- External Dimensions: 700 mm(h) x 380 mm(w) x 360 mm(d).
- Door: 10 mm Steel Plate.
- Body: 6 mm Steel Plate.
- Weight: 94 kg's.



### **G-14M - Secuguard Category "A" Rifle Safe (4 Rifle)**

\$592.25

Secuguard Category "A" Rifle Safe (4 Rifle).

#### **Specifications**

- External Dimensions: 1500 mm(h) x 250 mm(w) x 250 mm(d).
- Separate lockable internal compartment height: 220 mm.
- Door Steel Plate: 3 mm.
- Body Steel Plate: 2 mm.
- Weight: 35 kg's.
- Capacity: 4 Rifles.



### **AP-534EK - Electronic Key Cabinet Safe**

\$2,116.00

Electronic Key Cabinet Safe

#### **Specifications**

- Exterior Dimensions: 530 mm(h) x 370 mm(w) x 290 mm(d).
- Body Thickness: 3 mm.
- Door Thickness: 10 mm.
- Weight: 47 kg's.
- Capacity: 245 keys.



### **FA-55E - Digital Fire and Burglary Resistant Home Safe**

\$1,715.80

#### **Specifications**

- External Dimensions(mm): 552(H) x 452(W) x 350(D).
- Internal Dimensions(mm): 512(H) x 412(W) x 260(D).
- Shelving(removable): 2 x adjustable.
- Weight: 76kg.



### **FA-35E - Digital Fire and Burglary Resistant Home Safe**

\$1,270.75

#### **Specifications**

- External Dimensions(mm): 352(H) x 452(W) x 350(D).
- Internal Dimensions(mm): 312(H) x 412(W) x 260(D).
- Shelving(removable): 1 x adjustable.
- Weight: 56kg.



### **FA-22E - Digital Fire and Burglary Resistant Home Safe**

\$960.25

#### **Specifications**

- External Dimensions(mm): 222(H) x 352(W) x 300(D).
- Internal Dimensions(mm): 182(H) x 312(W) x 210(D).
- Shelving(removable): 1 x fixed.
- Weight: 31kg.



### **SD2ET200 - Secuguard - Digital Drug Safe**

\$1,219.00

#### **Specifications**

External Dimensions(mm): 600 H x 450 W x 200 D.  
Internal Dimensions(mm): 580 H x 430 W x 125 D.  
Shelving: 4 x adjustable.  
Weight(kg): 87.



### **SD2K300 - Secuguard - Key Drug Safe**

\$1,092.50

#### **Specifications**

- External Dimensions(mm): 600 H x 650 W x 300 D.
- Internal Dimensions(mm): 580 H x 430 W x 225 D.
- Shelving: 4 x adjustable.
- Weight(kg): 108.

## **Secuguard**



### **DKB-36 - SR Digital Key Box - 36 Keys**

\$215.28

#### **Specifications**

- Capacity: 36 keys.
- Size: 315(H) x 215(W) x 90(D) mm.

#### **Features**

- Advanced & high quality digital keypad.
- LED indicator.
- Set own password access.
- Adjustable key hook.
- Modern and stylish quality acrylic key tag.
- For office, bank and home use.
- Easy to mount on the wall.



### **DKB-24 - SR Digital Key Box - 24 Keys**

\$181.93

#### **Specifications**

- Capacity: 24 keys.
- Size: 315(H) x 215(W) x 90(D) mm.

#### **Features**

- Advanced & high quality digital keypad.
- LED indicator.
- Set own password access.
- Adjustable key hook.
- Modern and stylish quality acrylic key tag.
- For office, bank and home use.
- Easy to mount on the wall.





### **DKB-48 - SR Digital Key Box - 48 Keys**

\$246.45

#### **Specifications**

- Capacity: 48 keys.
- Size: 360(H) x 250(W) x 90(D) mm.

#### **Features**

- Advanced & high quality digital keypad.
- LED indicator.
- Set own password access.
- Adjustable key hook.
- Modern and stylish quality acrylic key tag.
- For office, bank and home use.
- Easy to mount on the wall.



### **DCB-63 - SR Digital Cash Box**

\$72.45

#### **Specifications**

- A4 Size.
- Coin tray.
- Portable.
- Size: 250(H) x 359(W) x 150(D) mm.

#### **Features**

- Advanced & high quality digital keypad.
- LED indicator.
- Set own password access.
- Adjustable key hook.
- Modern and stylish quality acrylic key tag.
- For office, bank and home use.



### **DCB-58 - SR Digital Cash Box**

\$242.77

## **Specifications**

- B5 Size.
- Coin tray.
- Portable.
- Size: 215(H) x 313(W) x 130(D) mm.

## **Features**

- Advanced & high quality digital keypad.
- LED indicator.
- Set own password access.
- Adjustable key hook.
- Modern and stylish quality acrylic key tag.
- For office, bank and home use.



### **CB-2006N - Cash Box - Small**

\$49.45

## **Specifications**

- Size: 165 x 125 x 85 mm.
- All metal value engineered construction with plastic frame and rounded corners.
- Automatically opening lid by the patented mechanism lever.

## **Features**

- Recessed handle for easy storage.
- Supplied with 2 keys (spares available) with inner plastic partition coin tray.
- Available in assorted colours.



### **CB-2008N - Cash Box - Medium**

\$63.25

## **Specifications**

- Size: 197 x 154 x 85 mm.
- All metal value engineered construction with plastic frame and rounded corners.
- Automatically opening lid by the patented mechanism lever.

## **Features**

- Recessed handle for easy storage.
- Supplied with 2 keys (spares available) with inner plastic partition coin tray.
- Available in assorted colours.



### **CB-2010N - Cash Box - Large**

\$78.20

#### **Specifications**

- Size: 230 x 185 x 85 mm.
- All metal value engineered construction with plastic frame and rounded corners.
- Automatically opening lid by the patented mechanism lever.

#### **Features**

- Recessed handle for easy storage.
- Supplied with 2 keys (spares available) with inner plastic partition coin tray.
- Available in assorted colours.



### **CB-2012N - Cash Box - Extra Large**

\$101.78

#### **Specifications**

- Size: 300 x 230 x 85 mm.
- All metal value engineered construction with plastic frame and rounded corners.
- Automatically opening lid by the patented mechanism lever.

#### **Features**

- Recessed handle for easy storage.
- Supplied with 2 keys (spares available) with inner plastic partition coin tray.
- Available in assorted colours.



### **SS-2020 - Key Cabinet w/ 20 hooks**

\$50.03

#### **Specifications**

- Size: 19.5 x 15.5 x 6 cm.
- Capacity: 20 keys.

#### **Features**

- Secured lock and 2 keys.
- Colourful key tags.
- Heavy duty steel with strong rust-proof paint.
- 2 plugs and screws for easy wall-mounting.



### **SS-2040 - Key Cabinet w/ 40 hooks**

\$80.50

### **Specifications**

- Size: 19.5 x 15.5 x 6 cm.
- Capacity: 40 keys.

### **Features**

- Secured lock and 2 keys.
- Colourful key tags.
- Heavy duty steel with strong rust-proof paint.
- 2 plugs and screws for easy wall-mounting.



### **SS-3090 - Key Cabinet w/ 90 hooks**

\$127.08

### **Specifications**

- Size: 31 x 23 x 8 cm.
- Capacity: 90 keys.

### **Features**

- Secured lock and 2 keys.
- Colourful key tags.
- Heavy duty steel with strong rust-proof paint.
- 2 plugs and screws for easy wall-mounting.

## **SR**



### **2143-00 - TA TA 20 Key Cabinet**

\$269.10

#### **TA TA K-20 Key Safe**

### **Specifications**

- Overall Size: 330 mm H x 220 mm W x 62 mm D.
- Weight: 2.6 kg.



### **2144-00 - TA TA 30 Key Cabinet**

\$331.20

#### **TA TA K-30 Key Safe**

### **Specifications**

- Overall Size: 330 mm H x 220 mm W x 62 mm D.
- Weight: 4.5 kg.



### **2145-00 - TA TA 40 Key Cabinet**

\$373.75

**TA TA K-40 Key Safe**

### **Specifications**

- Overall Size: 390 mm H x 375 mm W x 62 mm D.
- Weight: 3.9 kg.



### **2146-00 - TA TA 60 Key Cabinet**

\$469.20

**TA TA K-60 Key Safe**

### **Specifications**

- Overall Size: 500 mm H x 375 mm W x 62 mm D.
- Weight: 5.2 kg.



### **2147-00 - TA TA 80 Key Cabinet**

\$524.40

**TA TA K-80 Key Safe**

### **Specifications**

- Overall Size: 390 mm H x 375 mm W x 62 mm D.
- Weight: 5.7 kg.



### **2148-00 - TA TA 120 Key Cabinet**

\$897.00

**TA TA K-120 Key Safe**

### **Specifications**

- Overall Size: 500 mm H x 420 mm W x 110 mm D.
- Weight: 11.2 kg.



### **2149-00 - TA TA 160 Key Cabinet**

\$1,021.20

**TA TA K-160 Key Safe**

### **Specifications**

- Overall Size: 500 mm H x 420 mm W x 110 mm D.
- Weight: 12.7 kg.



### **2151-00 - TA TA 240 Key Cabinet**

\$1,421.40

TA TA K-240 Key Safe

### **Specifications**

- Overall Size: 330 mm H x 220 mm W x 62 mm D.
- Weight: 17.8 kg.



### **2153-00 - TA TA 480 Key Cabinet**

\$2,580.60

TA TA K-480 Key Safe

### **Specifications**

- Overall Size: 1100 mm H x 470 mm W x 162 mm D.
- Weight: 25.4 kg.



### **2154-00 - TA TA 540 Key Cabinet**

\$3,519.00

TA TA K-540 Key Safe

### **Specifications**

- Overall Size: 1516 mm H x 470 mm W x 162 mm D.
- Weight: 48.6 kg.



### **2155-00 - TA TA 720 Key Cabinet**

\$4,830.00

TA TA K-720 Key Safe

### **Specifications**

- Overall Size: 1516 mm H x 470 mm W x 162 mm D.
- Weight: 53.4 kg.



### **NKB-30 - Tat Ta 30 Key Cabinet with Combination Lock**

\$270.25

### **Specifications**

- Capacity: 30 keys.
- Dimension: 415 mm(H) X 205 mm(W) X 60 mm(D).
- Weight: 1.8 kg's.
- Color: Beige.



## **NKB-60 - TA TA 60 Key Cabinet with Combination Lock**

\$339.25

### **Specifications**

- Capacity: 60 keys.
- Dimension: 415 mm(H) X 355 mm(W) X 60 mm(D).
- Weight: 2.5 kg's.
- Color: Beige.

## **Ta Ta**



### **WAVbi8000PA - No Key Override Aust 60/90mm Prox**

\$914.25

The WAVbi Contactless Access Control system combines both security and convenience in a single door handle. The smart yet simple design removes any need for expensive hard wiring of electric locks and utilises standard mortice hardware to allow installation to be completed on existing locks which makes it a cost effective solution.



### **WAVbi8000CA - No Key Override Aust 60/90mm Prox/Code**

\$1,006.25

The WAVbi Contactless Access Control system combines both security and convenience in a single door handle. The smart yet simple design removes any need for expensive hard wiring of electric locks and utilises standard mortice hardware to allow installation to be completed on existing locks which makes it a cost effective solution.



### **WAVbi8102CA - Key Override Aust 60mm Prox/Code**

\$1,006.25

The WAVbi Contactless Access Control system combines both security and convenience in a single door handle. The smart yet simple design removes any need for expensive hard wiring of electric locks and utilises standard mortice hardware to allow installation to be completed on existing locks which makes it a cost effective solution.



### **WAVbi8108CA - Key Override Aust 90mm Prox/Code**

\$1,006.25

The WAVbi Contactless Access Control system combines both security and convenience in a single door handle. The smart yet simple design removes any need for expensive hard wiring of electric locks and utilises standard mortice hardware to allow installation to be completed on existing locks which makes it a cost effective solution.



### **WAVbi8102PA - Key Override Aust 60mm Prox**

\$914.25

The WAVbi Contactless Access Control system combines both security and convenience in a single door handle. The smart yet simple design removes any need for expensive hard wiring of electric locks and utilises standard mortice hardware to allow installation to be completed on existing locks which makes it a cost effective solution.



### **WAVbi8108PA - Key Override Aust 90mm Prox**

\$914.25

The WAVbi Contactless Access Control system combines both security and convenience in a single door handle. The smart yet simple design removes any need for expensive hard wiring of electric locks and utilises standard mortice hardware to allow installation to be completed on existing locks which makes it a cost effective solution.



### **WAVbi8010CA - No Key Override Euro Prox/Code**

\$1,029.25

The WAVbi Contactless Access Control system combines both security and convenience in a single door handle. The smart yet simple design removes any need for expensive hard wiring of electric locks and utilises standard mortice hardware to allow installation to be completed on existing locks which makes it a cost effective solution.



### **WAVbi8010PA - No Key Override Euro Prox**

\$914.25

The WAVbi Contactless Access Control system combines both security and convenience in a single door handle. The smart yet simple design removes any need for expensive hard wiring of electric locks and utilises standard mortice hardware to allow installation to be completed on existing locks which makes it a cost effective solution.





### **WAVbi8116CA - Key Override Euro 85mm Prox/Code**

\$1,006.25

The WAVbi Contactless Access Control system combines both security and convenience in a single door handle. The smart yet simple design removes any need for expensive hard wiring of electric locks and utilises standard mortice hardware to allow installation to be completed on existing locks which makes it a cost effective solution.



### **WAVbi8116PA - Key Override Euro 85mm Prox**

\$914.25

The WAVbi Contactless Access Control system combines both security and convenience in a single door handle. The smart yet simple design removes any need for expensive hard wiring of electric locks and utilises standard mortice hardware to allow installation to be completed on existing locks which makes it a cost effective solution.



### **WAVbi-CARD-U - User Card**

\$9.20



### **WAVbi-CARD-P - Passage Card**

\$28.75



### **WAVbi-CARD-M - Management Card**

\$24.73



### **WAVbi-CARD-APP - App Management Card**

\$24.73



### WAVbi-DMU - Stand Alone Card Reader

\$1,380.00



### WAVbi-PPU - Portable Programmer Unit

\$948.75

**Wavbi**

# Cabinet Locks

---



## **KL1000 SLV - KitLock 1000 Silver Locker Lock**

\$184.00



## **KL1000 LH SLV - Kitlock Left Hand Silver Locker Lock**

\$172.50

LEFT HAND VERSION.



## **KL1000 RH SLV - Kitlock Right Hand Silver Locker Lock**

\$184.00

RIGHT HAND VERSION.



## **KL1000NC - KL1000 KitLock NetCode Locker Lock**

\$218.50

Complete Control Wherever You Are.

Activate > Generate > Control.

The KitLock 1000 NetCode allows temporary access to lockers and cabinets via the web-based NetCode Portal.

NetCode is activated prior to the lock owner shipping and installing at a remote site.

The NetCode Portal allows you to register and set up your account, activate your locks and generate time-sensitive codes.

Using time-sensitive codes is a more secure way to grant access as the code will not work outside a designated timeslot. Generated codes can be sent by email or SMS to any email account or mobile phone.



## **KL1200 - Kitlock Electronic Cabinet Lock**

\$253.00

The CL1200 Cabinet locks are a quick retrofit for keyed cam locks supplied as standard on a wide range of lockers, cabinets and cupboards. It can just as easily be fitted to units which don't have a locking device already fitted, giving the user immediate, simple, keypad access without the hassle of keys!



### **KL1500 - KitLock Locker Lock**

\$333.50

The KL1500 combines all the features of the KL1000 and KL1200 plus a lot more! This sleek-looking lock can be fitted in any orientation due to its patented keypad design. It boasts a 'real time' clock that can be programmed to automatically open after a set period of time, which is great if you are limited to the number of lockers you can fit.

The lock has multiple user codes available and can also be programmed so two codes are needed to open the lock; double-entry adds another level of security, often required in a hospital environment. For extra convenience, the keypad can also be replaced with an iButton for access control by wristband.

The locks are easy to fit, a stylish alternative to traditional keys providing a high number of operations from 2 coin cells.



### **P1000 SL - Kitlock Slam Latch for KL1200 & KL1550**

\$69.00

P1000 SL Slam Latch for KL1200 & KL1550.



### **600 - Ross Safe Lock with Cover #600**

\$80.50

Suitable for floor, wall, drug, night, home, office, computer tape safes and gun cabinets.



### **600L - Ross Latch Safe Lock 600L**

\$143.75



### **700-SERIES - Ross 700 Series Retrofit Lock**

\$184.00



### **800-C - Ross 800 Cupboard Lock**

\$126.50

Ross 800C Security Lock.



### **800-CL - Ross 800 Latch Cupboard Lock**

\$132.25

Ross 800C Security Lock. Latching Version.



### **870-C - Ross 870 Series Dead Bolt W/570 CYL**

\$166.75



### **870-CL - Ross 870 Series Latch W/570 CYL**

\$166.75



### **900-WCL/WCR - Ross 3 Point Locking 900 Series Safe Lock**

\$166.75



### **KL90-B - KitLock NANO90 Black Furniture Lock**

\$155.25

Smart thinking. NANO has arrived. Little lockers, doors and drawers will love NANO90.



### **KL90-S - KitLock NANO90 Silver Furniture Lock**

\$155.25

Smart thinking. NANO has arrived. Little lockers, doors and drawers will love NANO90.



### **KL90-W - KitLock NANO90 White Furniture Lock**

\$155.25

Smart thinking. NANO has arrived. Little lockers, doors and drawers will love NANO90.



### **OF230C - ABLOY Classic - Vega Cabinet Lock**

\$94.88

#### **Specifications**

- Number of discs: 11.
- Cylinder housing material: Zinc.
- Cylinder housing finish: Chrome.
- Bolt material: Steel Bolt, Finish: Nickel plated.
- Type of bolt: Flat.
- Maximum door thickness: 25 mm.
- Bolt projection: 9 mm.
- Cylinder diameter: 20 mm.



### **OF231B - ABLOY Sentry - Vega Cabinet Lock "Sprung Latch"**

\$80.50

#### **Specifications**

- Number of discs: 11.
- Cylinder housing material: Zinc.
- Cylinder housing finish: Chrome.
- Bolt material: Brass.
- Type of bolt: Sprung Latch.
- Maximum door thickness: 25 mm.
- Bolt projection: 7 mm.
- Cylinder diameter: 20 mm.



### **OF231E - ABLOY Exec - Vega Cabinet Lock "Sprung Latch"**

\$112.70

#### **Specifications**

- Number of discs: 11.
- Cylinder housing material: Zinc.
- Cylinder housing finish: Chrome.
- Bolt material: Brass.
- Type of bolt: Sprung Latch.
- Maximum door thickness: 25 mm.
- Bolt projection: 7 mm.
- Cylinder diameter: 20 mm.



### **OF231N - ABLOY Protec - Vega Cabinet Lock "Sprung Latch"**

\$112.70

#### **Specifications**

- Number of discs: 11.
- Cylinder housing material: Zinc.
- Cylinder housing finish: Chrome.
- Bolt material: Brass.
- Type of bolt: Sprung Latch.
- Maximum door thickness: 25 mm.
- Bolt projection: 7 mm.
- Cylinder diameter: 20 mm.



### **OF430B - ABLOY Sentry - Vega Push Button Lock**

\$115.00

#### **Specifications**

- Number of discs: 11.
- Cylinder housing material: Zinc.
- Cylinder housing finish: Chrome.
- Cylinder material: Zinc.
- Cylinder finish: Chrome.
- Type of bolt: Stainless Steel.
- Maximum door thickness: 32 mm.
- Bolt projection: 12 mm.
- Cylinder diameter: 22 mm.



### **OF430E - ABLOY Exec - Vega Push Button Lock**

\$131.68

#### **Specifications**

- Number of discs: 11.
- Cylinder housing material: Zinc.
- Cylinder housing finish: Chrome.
- Cylinder material: Zinc.
- Cylinder finish: Chrome.
- Type of bolt: Stainless Steel.
- Maximum door thickness: 32 mm.
- Bolt projection: 12 mm.
- Cylinder diameter: 22 mm.



### **OF431B - ABLOY Sentry - Vega Push Button Lock**

\$152.95

#### **Specifications**

- Number of discs: 11.
- Cylinder housing material: Zinc.
- Cylinder housing finish: Chrome.
- Cylinder material: Zinc.
- Cylinder finish: Chrome.
- Type of bolt: Stainless Steel.
- Maximum door thickness: 2-9 mm.
- Bolt projection: 12 mm.
- Cylinder diameter: 22 mm.



### **OF431E - ABLOY Exec - Vega Push Button Lock**

\$161.00

#### **Specifications**

- Number of discs: 11.
- Cylinder housing material: Zinc.
- Cylinder housing finish: Chrome.
- Cylinder material: Zinc.
- Cylinder finish: Chrome.
- Type of bolt: Stainless Steel.
- Maximum door thickness: 2-9 mm.
- Bolt projection: 12 mm.
- Cylinder diameter: 22 mm.



### **OF432B - ABLOY Sentry - Vega Push Button Lock**

\$161.00

#### **Specifications**

- Number of discs: 11.
- Cylinder-housing material: Brass.
- Cylinder housing finish: Satin chrome.
- Cylinder material: Zinc.
- Cylinder finish: Satin chrome.
- Bolt projection: 14 mm.
- Cylinder diameter: 22 mm.





### **OF432N - ABLOY Protec - Vega Push Button Lock**

\$161.00

#### **Specifications**

- Number of discs: 11.
- Cylinder-housing material: Brass.
- Cylinder housing finish: Satin chrome.
- Cylinder material: Zinc.
- Cylinder finish: Satin chrome.
- Bolt projection: 14 mm.
- Cylinder diameter: 22 mm.



### **KL1000 DG - Kitlock Locker Lock Door Gasket**

\$11.50

The KL1000 Door Gasket is available as an optional accessory for use with all the KL1000 Cabinet Locks - vertical and horizontal models.

When used in conjunction with the CL1000 Cabinet Lock and fitted between the back of the KL1000 and the face of the door, the product combination together achieves IP54 Rating.



### **KL1000 BLK - KitLock 1000 Black Locker Lock**

\$184.00



### **KL90-S-H - Kitlock NANO90 Silver Horizontal Furniture Lock**

\$155.25

Smart thinking. NANO has arrived. Little lockers, doors and drawers will love NANO90.



### **KL90-W-H - Kitlock NANO90 White Horizontal Furniture Lock**

\$155.25

Smart thinking. NANO has arrived. Little lockers, doors and drawers will love NANO90.



### **P1001 SL SG - Kitlock Slam Latch for KL1000**

\$28.75



P1001 SL SG Slam Latch for KL1000.

# Camlocks

---



## **CL100B - ABLOY Sentry - Cam Lock**

\$52.33

### **Specifications**

- Cam turns: 90°/180°, key removable in locked position only.
- Number of discs: 11.
- Cylinder housing: Brass.
- Universal range of cams (ordered separately).
- Finish: Chrome Plate.



## **CL103B - ABLOY Sentry - Cam Lock**

\$58.08

### **Specifications**

- Cam turns: 90°/180°, key removable in locked position only.
- Number of discs: 11.
- Cylinder housing: Brass.
- Universal range of cams (ordered separately).
- Finish: Chrome Plate.
- Overall Length: 43 mm.
- Maximum Door Thickness: 19.5 mm.
- Cam Distance: 28.5 mm.



## **CL103E - ABLOY Exec - Cam Lock**

\$83.95

### **Specifications**

- Cam turns: 90°/180°, key removable in locked position only.
- Number of discs: 11.
- Cylinder housing: Brass.
- Universal range of cams (ordered separately).
- Finish: Chrome Plate.
- Overall Length: 43 mm.
- Maximum Door Thickness: 19.5 mm.
- Cam Distance: 28.5 mm.



### **CL103T 138060 - ABLOY Protec2 - Cam Lock**

\$111.55

#### **Specifications**

- Cam turns: key removable 90°/180° in locked position only.
- Number of discs: 11.
- Cylinder housing: Brass.
- Universal range.
- Left hand operation possible.
- Overall Length: 43 mm.
- Maximum Door Thickness: 19.5 mm.
- Cam Distance: 28.5 mm.



### **CL104B - ABLOY Sentry - Cam Lock**

\$52.33

#### **Specifications**

- Cam turns: 90°/180°, key removable in locked position only.
- Number of discs: 9.
- Cylinder housing: Brass.
- Universal range of cams (ordered separately).
- Finish: Chrome Plate.
- Overall Length: 33 mm.
- Maximum Door Thickness: 9.5 mm.
- Cam Distance: 18.5 mm.



### **CL104C - ABLOY Classic - Cam Lock**

\$64.98

#### **Specifications**

- Cam turns: 90°/180°, key removable in locked position only.
- Number of discs: 9.
- Cylinder housing: Brass.
- Universal range of cams (ordered separately).
- Finish: Chrome Plate.
- Overall Length: 33 mm.
- Maximum Door Thickness: 9.5 mm.
- Cam Distance: 18.5 mm.
- Supplied: Assembled with 2 x Keys.



### **CL104E - ABLOY Exec - Cam Lock**

\$64.98

#### **Specifications**

- Cam turns: 90°/180°, key removable in locked position only.
- Number of discs: 9.
- Cylinder housing: Brass.
- Universal range of cams (ordered separately).
- Finish: Chrome Plate.
- Overall Length: 33 mm.
- Maximum Door Thickness: 9.5 mm.
- Cam Distance: 18.5 mm.



### **CL104N - ABLOY Protec - Cam Lock**

\$102.93

#### **Specifications**

- Cam turns: 90°/180°, key removable in locked position only.
- Number of discs: 9.
- Cylinder housing: Brass.
- Universal range of cams (ordered separately).
- Finish: Chrome Plate.
- Overall Length: 33 mm.
- Maximum Door Thickness: 9.5 mm.
- Cam Distance: 18.5 mm.



### **CL290B - ABLOY Sentry - T-Handle Cylinder (Spring Loaded Latch)**

\$103.50

#### **Specifications**

- Cylinder housing: Chrome-plated steel case.
- Cylinder face: Hardened chrome plated steel.
- Latch: Nickel-plated steel.



### **CL290E - ABLOY Exec - T-Handle Cylinder (Spring Loaded Latch)**

\$158.13

#### **Specifications**

- Cylinder housing: Chrome-plated steel case.
- Cylinder face: Hardened chrome plated steel.
- Latch: Nickel-plated steel.



### **KL1000 SLV - KitLock 1000 Silver Locker Lock**

\$184.00



### **KL1000 LH SLV - Kitlock Left Hand Silver Locker Lock**

\$172.50

LEFT HAND VERSION.



### **KL1000 RH SLV - Kitlock Right Hand Silver Locker Lock**

\$184.00

RIGHT HAND VERSION.



### **KL1000NC - KL1000 KitLock NetCode Locker Lock**

\$218.50

Complete Control Wherever You Are.

Activate > Generate > Control.

The KitLock 1000 NetCode allows temporary access to lockers and cabinets via the web-based NetCode Portal.

NetCode is activated prior to the lock owner shipping and installing at a remote site.

The NetCode Portal allows you to register and set up your account, activate your locks and generate time-sensitive codes.

Using time-sensitive codes is a more secure way to grant access as the code will not work outside a designated timeslot. Generated codes can be sent by email or SMS to any email account or mobile phone.



### **KL1200 - Kitlock Electronic Cabinet Lock**

\$253.00

The CL1200 Cabinet locks are a quick retrofit for keyed cam locks supplied as standard on a wide range of lockers, cabinets and cupboards. It can just as easily be fitted to units which don't have a locking device already fitted, giving the use immediate, simple, keypad access without the hassle of keys!



### **KL1500 - KitLock Locker Lock**

\$333.50

The KL1500 combines all the features of the KL1000 and KL1200 plus a lot more! This sleek-looking lock can be fitted in any orientation due to its patented keypad design. It boasts a 'real time' clock that can be programmed to automatically open after a set period of time, which is great if you are limited to the number of lockers you can fit.

The lock has multiple user codes available and can also be programmed so two codes are needed to open the lock; double-entry adds another level of security, often required in a hospital environment. For extra convenience, the keypad can also be replaced with an iButton for access control by wristband.

The locks are easy to fit, a stylish alternative to traditional keys providing a high number of operations from 2 coin cells.



### **P1000 SL - Kitlock Slam Latch for KL1200 & KL1550**

\$69.00

P1000 SL Slam Latch for KL1200 & KL1550.



### **KL90-B - KitLock NANO90 Black Furniture Lock**

\$155.25

Smart thinking. NANO has arrived. Little lockers, doors and drawers will love NANO90.



### **KL90-S - KitLock NANO90 Silver Furniture Lock**

\$155.25

Smart thinking. NANO has arrived. Little lockers, doors and drawers will love NANO90.



### **KL90-W - KitLock NANO90 White Furniture Lock**

\$155.25

Smart thinking. NANO has arrived. Little lockers, doors and drawers will love NANO90.



### **KL1000 DG - Kitlock Locker Lock Door Gasket**

\$11.50

The KL1000 Door Gasket is available as an optional accessory for use with all the KL1000 Cabinet Locks - vertical and horizontal models.

When used in conjunction with the CL1000 Cabinet Lock and fitted between the back of the KL1000 and the face of the door, the product combination together achieves IP54 Rating.



**KL1000 BLK - KitLock 1000 Black Locker Lock**

\$184.00



**KL90-S-H - Kitlock NANO90 Silver Horizontal Furniture Lock**

\$155.25

Smart thinking. NANO has arrived. Little lockers, doors and drawers will love NANO90.



**KL90-W-H - Kitlock NANO90 White Horizontal Furniture Lock**

\$155.25

Smart thinking. NANO has arrived. Little lockers, doors and drawers will love NANO90.



**P1001 SL SG - Kitlock Slam Latch for KL1000**

\$28.75



P1001 SL SG Slam Latch for KL1000.

# Carabiners

---



## **0308-200 - Key-Bak - Carabiner with Split Ring**

\$7.48



## **0AC2-0201 - Key-Bak - Carabiner Tool**

\$23.00

### **Specifications**

- Dimensions: 2.4" x 1" x 1.2" thick.
- Material: 3Cr13 Stainless-Steel.



## **0AC2-0302 - Key-Bak - Gear Carabiner Dark Grey**

\$25.30

### **Specifications**

- Dimensions: 4.17"L x 2.6" W.



# Cash Boxes

---



## DCB-63 - SR Digital Cash Box

\$72.45

### Specifications

- A4 Size.
- Coin tray.
- Portable.
- Size: 250(H) x 359(W) x 150(D) mm.

### Features

- Advanced & high quality digital keypad.
- LED indicator.
- Set own password access.
- Adjustable key hook.
- Modern and stylish quality acrylic key tag.
- For office, bank and home use.



## DCB-58 - SR Digital Cash Box

\$242.77

### Specifications

- B5 Size.
- Coin tray.
- Portable.
- Size: 215(H) x 313(W) x 130(D) mm.

### Features

- Advanced & high quality digital keypad.
- LED indicator.
- Set own password access.
- Adjustable key hook.
- Modern and stylish quality acrylic key tag.
- For office, bank and home use.



### **CB-2006N - Cash Box - Small**

\$49.45

#### **Specifications**

- Size: 165 x 125 x 85 mm.
- All metal value engineered construction with plastic frame and rounded corners.
- Automatically opening lid by the patented mechanism lever.

#### **Features**

- Recessed handle for easy storage.
- Supplied with 2 keys (spares available) with inner plastic partition coin tray.
- Available in assorted colours.



### **CB-2008N - Cash Box - Medium**

\$63.25

#### **Specifications**

- Size: 197 x 154 x 85 mm.
- All metal value engineered construction with plastic frame and rounded corners.
- Automatically opening lid by the patented mechanism lever.

#### **Features**

- Recessed handle for easy storage.
- Supplied with 2 keys (spares available) with inner plastic partition coin tray.
- Available in assorted colours.



### **CB-2010N - Cash Box - Large**

\$78.20

#### **Specifications**

- Size: 230 x 185 x 85 mm.
- All metal value engineered construction with plastic frame and rounded corners.
- Automatically opening lid by the patented mechanism lever.

#### **Features**

- Recessed handle for easy storage.
- Supplied with 2 keys (spares available) with inner plastic partition coin tray.
- Available in assorted colours.



## **CB-2012N - Cash Box - Extra Large**

\$101.78

### **Specifications**

- Size: 300 x 230 x 85 mm.
- All metal value engineered construction with plastic frame and rounded corners.
- Automatically opening lid by the patented mechanism lever.

### **Features**

- Recessed handle for easy storage.
- Supplied with 2 keys (spares available) with inner plastic partition coin tray.
- Available in assorted colours.

# Digital Locks

---



## **KL1000 SLV - KitLock 1000 Silver Locker Lock**

\$184.00



## **KL1000 LH SLV - Kitlock Left Hand Silver Locker Lock**

\$172.50

LEFT HAND VERSION.



## **KL1000 RH SLV - Kitlock Right Hand Silver Locker Lock**

\$184.00

RIGHT HAND VERSION.



## **KL1000NC - KL1000 KitLock NetCode Locker Lock**

\$218.50

Complete Control Wherever You Are.

Activate > Generate > Control.

The KitLock 1000 NetCode allows temporary access to lockers and cabinets via the web-based NetCode Portal.

NetCode is activated prior to the lock owner shipping and installing at a remote site.

The NetCode Portal allows you to register and set up your account, activate your locks and generate time-sensitive codes.

Using time-sensitive codes is a more secure way to grant access as the code will not work outside a designated timeslot. Generated codes can be sent by email or SMS to any email account or mobile phone.



## **KL1200 - Kitlock Electronic Cabinet Lock**

\$253.00

The CL1200 Cabinet locks are a quick retrofit for keyed cam locks supplied as standard on a wide range of lockers, cabinets and cupboards. It can just as easily be fitted to units which don't have a locking device already fitted, giving the user immediate, simple, keypad access without the hassle of keys!



### **KL1500 - KitLock Locker Lock**

\$333.50

The KL1500 combines all the features of the KL1000 and KL1200 plus a lot more! This sleek-looking lock can be fitted in any orientation due to its patented keypad design. It boasts a 'real time' clock that can be programmed to automatically open after a set period of time, which is great if you are limited to the number of lockers you can fit.

The lock has multiple user codes available and can also be programmed so two codes are needed to open the lock; double-entry adds another level of security, often required in a hospital environment. For extra convenience, the keypad can also be replaced with an iButton for access control by wristband.

The locks are easy to fit, a stylish alternative to traditional keys providing a high number of operations from 2 coin cells.



### **P1000 SL - Kitlock Slam Latch for KL1200 & KL1550**

\$69.00

P1000 SL Slam Latch for KL1200 & KL1550.



### **KL90-B - KitLock NANO90 Black Furniture Lock**

\$155.25

Smart thinking. NANO has arrived. Little lockers, doors and drawers will love NANO90.



### **KL90-S - KitLock NANO90 Silver Furniture Lock**

\$155.25

Smart thinking. NANO has arrived. Little lockers, doors and drawers will love NANO90.



### **KL90-W - KitLock NANO90 White Furniture Lock**

\$155.25

Smart thinking. NANO has arrived. Little lockers, doors and drawers will love NANO90.



### **CL0465 - Codelock narrow stile complete with code free function, threaded cylinder and cams**

\$730.25

*Please note: Designed as a retrofit for Adams Rite 4510 lockcase or similar style ANSI round cylinder mortice deadlatches (available as an option - see individual model pages for full detail).*

*Available in one PVD finish - Stainless Steel.*

### **Specifications**

- Body material: Zinc alloy.
- Door material: Suitable for aluminium doors.
- Door thickness: 45 mm - 55 mm (1 3/4" - 2 3/16").
- Finishes: PVD (Physical Vapour Deposition) hardwearing low maintenance finish SS (stainless steel).
- Latches: 25 mm (1") and 29 mm (1 1/8") Backset Latches available on request.
- Non handed: Lock will fit doors hung on the left or right.



### **CL0475 - Codelock narrow stile medium duty complete with code free function**

\$730.25

*Please note: Designed as a retrofit for Adams Rite 4510 lockcase or similar style ANSI round cylinder mortice deadlatches (available as an option - see individual model pages for full detail).*

*Available in one PVD finish - Stainless Steel.*

### **Specifications**

- Body material: Zinc alloy.
- Door material: Suitable for aluminium doors.
- Door thickness: 35 mm - 65 mm (1 3/8" - 2 1/2").
- Finishes: PVD (Physical Vapour Deposition) hardwearing low maintenance finish SS (stainless steel).
- Latches: 25 mm (1") and 29 mm (1 1/8") Backset Latches available on request.
- Non handed: Lock will fit doors hung on the left or right.



### **CL2200 - Codelock Medium Duty Electronic Surface Deadbolt Lock**

\$402.50

The NEW CL2000 lock range are entry level electronic locks providing simple, effective access control.

The NEW CL2000 range has been designed to be easily fitted as a new install or as a rapid retrofit when upgrading from basic single code mechanical digital locks.



### **CL2255 - Codelock Medium Duty Electronic Tubular Mortice Lock**

\$402.50

The NEW CL2000 lock range are entry level electronic locks providing simple, effective access control.

The NEW CL2000 range has been designed to be easily fitted as a new install or as a rapid retrofit when upgrading from basic single code mechanical digital locks.



### **CL4000GD - Codelock medium duty electronic patch door lock**

\$1,610.00

Note: As standard the CL4000GD is supplied with a flat strike plate for fitting to solid door frames. When fitting to a glass door with a glass side panel you will need to buy the patch strike box.

### **Specifications**

- Batteries: 4 x 'N' Batteries.
- Body material: Zinc alloy.
- Door thickness: 8 mm - 15 mm (5/16" - 10/16").
- Finishes: PVD (Physical Vapour Deposition) hardwearing low maintenance finish BS (brushed steel).
- Latches: Medium duty, stainless steel latchbolt head with 8 mm (5/16") follower.
- Non handed Lever handle supplied as either right hand (RH) or left hand (LH) versions, in-swing doors only.
- Spindle type 8 mm (5/16") spring loaded spindle.



### **CL4010 - Codelock Medium Duty Electronic Tubular Mortice Lock**

\$805.00

The lock has fitted as standard two alarm release terminals.

### **Specifications**

- Batteries: 4 x AA Cells (supplied).
- Body material: Zinc alloy.
- Door material: Suitable for wooden doors - For other materials contact Technical Support.
- Door thickness: 35 mm - 65 mm (1 3/8" - 2 1/2").
- Finishes: PVD (Physical Vapour Deposition) hardwearing low maintenance finish SS (stainless steel).
- Non handed Lock will fit doors hung on the left or right.
- Spindle type 8 mm spring loaded spindle.



### **CL5010 - Codelock Heavy Duty Electronic Tubular Mortice Lock.**

\$948.75

#### **Specifications**

- Batteries: 4 x AA Cells (supplied).
- Body material: Zinc alloy.
- Door material: Suitable for wooden doors.
- Door thickness: 35 mm - 65 mm (1 3/8" - 2 1/2").
- Finishes: PVD (Physical Vapour Deposition) hardwearing low maintenance finish BS (brushed steel).
- Latches: Option 1 60 mm (2 3/8") backset latch requiring 25 x 82 mm (1" x 3 1/4") hole.
- Latches: Option 2 70 mm (2 3/4") backset latch requiring 25 x 92 mm (1"x 3 5/16") hole.
- Non handed Lock will fit doors hung on the left or right.
- Spindle type 8 mm (5/16") spring loaded spindle.



### **CL515 BB - Codelock CL515 Back to Back Tubular Mortice Latch With Code Free Entry Option**

\$1,006.25

#### **Specifications**

- Body material: Zinc alloy.
- Door material: Suitable for wooden doors.
- Door thickness: 35 mm - 65 mm (1 3/8" - 2 1/2").
- Finishes: PVD (Physical Vapour Deposition) hardwearing low maintenance finish SS (stainless steel).
- Non handed Lock will fit doors hung on the left or right.
- Spindle type 2 part 5/16" (inches) spring loaded spindle.



### **CL6010 - Codelocks CL6000 Heavy-Duty ADA Electronic Lock | Weather Resistant**

\$1,121.25

#### **Specifications**

- Batteries: 4 x AA Cells (supplied).
- Body material: Zinc alloy.
- Door applications: Wood/metal swing doors with cylindrical latch preps.
- Door thickness: 1-3/4" ~ 2" (inches).
- Latch: Cylindrical Latch.
- Hanging: Non handed Lock will fit doors hung on the left or right.





### **CL615BS - Codelock CL615 Tubular Mortice Latch With Code Free Option**

\$862.50

The CL615 is a Heavy Duty Tubular Mortice Latch with code free entry option.

#### **Specifications**

- Body material: Zinc alloy.
- Door material: Suitable for wooden doors.
- Door thickness: 35 mm - 65 mm (1 3/8" - 2 1/2").
- Finishes: PVD (Physical Vapour Deposition) hardwearing low maintenance finish BS (brushed steel).
- Non handed Lock will fit doors hung on the left or right.
- Spindle type 2 part 8 mm (5/16") spring loaded spindle.



### **KL1000 DG - Kitlock Locker Lock Door Gasket**

\$11.50

The KL1000 Door Gasket is available as an optional accessory for use with all the KL1000 Cabinet Locks - vertical and horizontal models.

When used in conjunction with the CL1000 Cabinet Lock and fitted between the back of the KL1000 and the face of the door, the product combination together achieves IP54 Rating.



### **CL510 BB - Codelock CL515 Back to Back Tubular Mortice Latch**

\$1,006.25

#### **Specifications**

- Body material: Zinc alloy.
- Door material: Suitable for wooden doors.
- Door thickness: 35 mm - 65 mm (1 3/8" - 2 1/2").
- Finishes: PVD (Physical Vapour Deposition) hardwearing low maintenance finish SS (stainless steel).
- Non handed Lock will fit doors hung on the left or right.
- Spindle type 2 part 5/16" (inches) spring loaded spindle.



### **CL200 - Codelock Light Duty Surface Deadbolt**

\$287.50

All products feature a beveled hexagonal handle, tumbler alignment for easy code changing, and durable PVD (Physical Vapour Deposition) finishes. As with all Codelocks, installation and code changing are simple, thanks to the easy flow clear instructions supplied.

### **Specifications**

- Body material: Zinc alloy.
- Door material: Suitable for wooden doors.
- Door thickness: 35 mm - 65 mm (1 3/8" - 2 1/2").
- Finishes: PVD (Physical Vapour Deposition) hardwearing low maintenance finish SS (stainless steel).
- Non handed Lock will fit doors hung on the left or right.
- Spindle type 2 part 5/16" (inches) spring loaded spindle.



### **CL200 KEY - Codelock Light Duty Surface Deadbolt with Key Override**

\$345.00

All products feature a bevelled hexagonal handle, tumbler alignment for easy code changing, and durable PVD (Physical Vapour Deposition) finishes. As with all Codelocks, installation and code changing are simple, thanks to the easy flow clear instructions supplied.

### **Specifications**

- Body material: Zinc alloy.
- Door material: Suitable for wooden doors.
- Door thickness: 35 mm - 65 mm (1 3/8" - 2 1/2").
- Finishes: PVD (Physical Vapour Deposition) hardwearing low maintenance finish SS (stainless steel).
- Non handed Lock will fit doors hung on the left or right.
- Spindle type 2 part 5/16" (inches) spring loaded spindle.



### **KL1000 BLK - KitLock 1000 Black Locker Lock**

\$184.00



### **KL90-S-H - Kitlock NANO90 Silver Horizontal Furniture Lock**

\$155.25

Smart thinking. NANO has arrived. Little lockers, doors and drawers will love NANO90.



### **KL90-W-H - Kitlock NANO90 White Horizontal Furniture Lock**

\$155.25

Smart thinking. NANO has arrived. Little lockers, doors and drawers will love NANO90.



### **P1001 SL SG - Kitlock Slam Latch for KL1000**

\$28.75

P1001 SL SG Slam Latch for KL1000.



### **CL155 - Codelock Light Duty Mortice Latch with Hold Open**

\$253.00

The **Codelocks CL155 Silver Mortice Latch** is an entry level mechanical push button lock which provides an extensive variety of functions for light duty entry control, for internal office doors, storage rooms or cupboards in commercial premises, sheds, garage-to-house doors or cupboards at home.



### **WAVbi8000PA - No Key Override Aust 60/90mm Prox**

\$914.25

The WAVbi Contactless Access Control system combines both security and convenience in a single door handle. The smart yet simple design removes any need for expensive hard wiring of electric locks and utilises standard mortice hardware to allow installation to be completed on existing locks which makes it a cost effective solution.



### **WAVbi8000CA - No Key Override Aust 60/90mm Prox/Code**

\$1,006.25

The WAVbi Contactless Access Control system combines both security and convenience in a single door handle. The smart yet simple design removes any need for expensive hard wiring of electric locks and utilises standard mortice hardware to allow installation to be completed on existing locks which makes it a cost effective solution.



### **WAVbi8102CA - Key Override Aust 60mm Prox/Code**

\$1,006.25

The WAVbi Contactless Access Control system combines both security and convenience in a single door handle. The smart yet simple design removes any need for expensive hard wiring of electric locks and utilises standard mortice hardware to allow installation to be completed on existing locks which makes it a cost effective solution.



### **WAVbi8108CA - Key Override Aust 90mm Prox/Code**

\$1,006.25

The WAVbi Contactless Access Control system combines both security and convenience in a single door handle. The smart yet simple design removes any need for expensive hard wiring of electric locks and utilises standard mortice hardware to allow installation to be completed on existing locks which makes it a cost effective solution.



### **WAVbi8010CA - No Key Override Euro Prox/Code**

\$1,029.25

The WAVbi Contactless Access Control system combines both security and convenience in a single door handle. The smart yet simple design removes any need for expensive hard wiring of electric locks and utilises standard mortice hardware to allow installation to be completed on existing locks which makes it a cost effective solution.



### **WAVbi8116CA - Key Override Euro 85mm Prox/Code**

\$1,006.25

The WAVbi Contactless Access Control system combines both security and convenience in a single door handle. The smart yet simple design removes any need for expensive hard wiring of electric locks and utilises standard mortice hardware to allow installation to be completed on existing locks which makes it a cost effective solution.



### **CL5510 - Codelock Smart Electronic Tubular Mortice Latch**

\$1,104.00

### **Specifications**

- Users: Up to 350.
- Phone Clients: 100.
- Client User Codes: 100.
- Client Smart Codes: 150.
- 12 button back-lit keypad.



## **CL4510 - Codelock Smart Electronic Tubular Mortice Latch**

\$910.80

Smart locks get smarter. The CL4500 range of locks offers the Codelocks smart lock features but in a smaller, sleeker lock model.

### **Specifications**

- Battery Status Monitor via App.
- Batteries: 4 x AA Cells.
- Low Battery Warning The keypad will flash red on opening to indicate batteries need to be changed.
- Memory Stores: 350 different Clients.
- Client User Codes: 100.
- Client Smart Cards: 150.
- Phone Clients: 100.
- Spindle Type 8 mm (5/16") spring loaded spindle.
- Material: Zinc Alloy.
- Door Thickness: 35 mm – 60 mm (13/8" – 23/8").
- Latch Options: 60 mm (23/8") and 70 mm (23/4").
- Buttons 12 button back-lit keypad.

# Door Closers and Swing Door Operators

---



## **DC247 - ABLOY Door Closer. EN 5-7**

\$932.65

Maximum door weight is 160 kg and door leaf width 1600 mm with standard arm installation.



## **DC250 140000 - ABLOY Door Closer. EN 1-6 (BC & DC)**

\$623.30

EN 1-6, with BC & DC.

Maximum door weight is 120 kg and door leaf width 1400 mm with sliding arm installation.



## **DC270 - ABLOY Door Closer. EN 6-7**

\$2,354.05



## **DC330 - ABLOY Door Closer. EN 1-4**

\$576.15

ABLOY DC330 can be adjusted to meet requirements of light opening resistance; for example the DDA (disability Discrimination Act) in the UK.

Maximum door weight is 80 kg and door leaf width 1100 mm with sliding arm installation.

# Door Cylinders

---



## **CY321N - ABLOY Protec - 31mm Single Cylinder Europrofile / DIN**

\$225.40

This cylinder is a EURO DIN “Fixed” cam cylinder to operate a wide variety of mortice locks in the market.

### **Specifications**

- Number of discs: 11.
- Cylinder housing material: Brass.
- Cylinder housing finish: Satin Chrome.
- Retaining Screw Thread: M5.



## **CY406N - ABLOY Protec - Key-In-Knob cylinder**

\$109.83

### **Specifications**

- Number of discs: 11.
- Cylinder housing material: Brass.
- Cylinder housing finish: Satin Chrome.



## **CY410T - ABLOY Protec2 - Key-In-Knob cylinder**

\$161.00

### **Specifications**

- Number of discs: 11.
- Cylinder housing material: Brass.
- Cylinder housing finish: Satin Chrome.



## **CY503N - ABLOY Protec - Australian Cylinder**

\$151.23

This cylinder is used for hold back applications on Lockwood 3570 & 3580 series mortice locks.

### **Specifications**

- Number of discs: 11.
- Cylinder housing material: Brass.
- Cylinder housing finish: Satin Chrome Brushed.



### **CY801N - ABLOY Protec - Australian Cylinder**

\$133.98

This cylinder is used in the Lockwood 530 Series Key in Knob Locksets and the 930/950 Series Key in Lever Locksets.

### **Specifications**

- Number of discs: 11.
- Cylinder housing material: Brass.
- Cylinder housing finish: Satin Chrome Brushed.



### **CY321T - ABLOY Protec2 - 31mm Single Cylinder Europrofile / DIN**

\$225.40

This cylinder is a EURO DIN “Fixed” cam cylinder to operate a wide variety of mortice locks in the market.\

### **Specifications**

- Number of discs: 11.
- Cylinder housing material: Brass.
- Cylinder housing finish: Satin Chrome.
- Retaining Screw Thread: M5.



### **CY322T - ABLOY Protec2 - 31mm Double Cylinder Europrofile / DIN**

\$316.25

This cylinder is a EURO DIN “Fixed” cam cylinder to operate a wide variety of mortice locks in the market. Also available in “Lazy” cam for security screen locks.

### **Specifications**

- Number of discs: 11.
- Cylinder housing material: Brass.
- Cylinder housing finish: Satin Chrome.
- Retaining Screw Thread: M5.



### **CY323T - ABLOY Protec2 - 31mm Cylinder with thumbturn Europrofile / DIN**

\$316.25

This cylinder is a EURO DIN “Fixed” cam cylinder to operate a wide variety of mortice locks in the market.

### **Specifications**

- Number of discs: 11.
- Cylinder housing material: Brass.
- Cylinder housing finish: Satin Chrome.
- Retaining Screw Thread: M5.





### **CY406T - ABLOY Protec2 - Key-In-Knob cylinder**

\$109.83

#### **Specifications**

- Number of discs: 11.
- Cylinder housing material: Brass.
- Cylinder housing finish: Satin Chrome.



### **CY414T - ABLOY Protec2 - Australian Cylinder**

\$170.78

This cylinder is used as the external cylinder in a wide range of rimlocks including Lockwood 001, 002, 303, 355, 201, 211, 213 etc.

#### **Specifications**

- Number of discs: 11.
- Cylinder housing material: Brass.
- Cylinder housing finish: Satin Chrome Brushed.



### **CY504T - ABLOY Protec2 - Australian Cylinder**

\$149.50

This cylinder is used on Lockwood Cylinder Mortice Locks such as Lockwood Synergy 3570 Series (3572, 3574 etc.), 3580 Series (3582, 3584 etc.) and 3540 Series.

#### **Specifications**

- Cylinder housing finish: Satin Chrome Brushed.
- Cylinder plug: Brass.
- Discs and washers: Tin Bronze.
- Number of discs: 11.

# Door Furniture

---



## **DH619 - ABLOY - Inxoi X/013 PZBL (92) Handle Set for EL460**

\$414.00

INOXI 3-19/012 PZ+BL = Key hole on outside plate and plain plate inside.  
For use with EL460 .0mm Backset Mortice Lock.

### **Specifications**

- Material: stainless steel.
- On the broader plate suitable for solid doors, the distance between the holes is 72 mm, and on the narrower plate designed for profile doors, it is 92 mm.
- Door thicknesses: 38-42mm, 43-47mm, 48-52mm, 53-57mm, 58-62mm.



## **DH612 - ABLOY - Inxoi X/012 PZPZ (72) Handle Set for EL560**

\$805.00

INOXI 3-19/012 PZ+PZ = Plate with key holes inside and outside.  
For use with EL560 60mm Backset Mortice Lock.

### **Specifications**

- Material: stainless steel.
- On the broader plate suitable for solid doors, the distance between the holes is 72 mm, and on the narrower plate designed for profile doors, it is 92 mm.
- Door thicknesses: 38-42mm, 43-47mm, 48-52mm, 53-57mm, 58-62mm.



## **DH621 - ABLOY - Inxoi X/013 PZPZ (92) Handle Set for EL460**

\$414.00

INOXI 3-19/012 PZ+PZ = Plates with key holes inside and outside.  
For use with EL460 .0mm Backset Mortice Lock.

### **Specifications**

- Material: stainless steel.
- On the broader plate suitable for solid doors, the distance between the holes is 72 mm, and on the narrower plate designed for profile doors, it is 92 mm.
- Door thicknesses: 38-42mm, 43-47mm, 48-52mm, 53-57mm, 58-62mm.



## **Lemaar Ibiza 10018 - Passage Set SC, CP**

\$86.25

Ibiza - 10018 - Satin Chrome - Chrome Plate



### **Lemaar Silla 15007 - Passage Set SSS**

\$109.25

Lemaar Silla - 15007 - Satin Stainless Steel

Does not include tubular latch (available separately).



### **Lemaar Elda 10004 - Passage Set SC, CP**

\$86.25

Lemaar Elda - 10004 - Satin Chrome - Chrome Plate



### **Lemaar Otus 15008 - Passage Set SSS**

\$109.25

Lemaar Otus - 15008 - Satin Stainless Steel



### **WAVbi8000CA - No Key Override Aust 60/90mm Prox/Code**

\$1,006.25

The WAVbi Contactless Access Control system combines both security and convenience in a single door handle. The smart yet simple design removes any need for expensive hard wiring of electric locks and utilises standard mortice hardware to allow installation to be completed on existing locks which makes it a cost effective solution.



### **WAVbi8102CA - Key Override Aust 60mm Prox/Code**

\$1,006.25

The WAVbi Contactless Access Control system combines both security and convenience in a single door handle. The smart yet simple design removes any need for expensive hard wiring of electric locks and utilises standard mortice hardware to allow installation to be completed on existing locks which makes it a cost effective solution.



### **WAVbi8108CA - Key Override Aust 90mm Prox/Code**

\$1,006.25

The WAVbi Contactless Access Control system combines both security and convenience in a single door handle. The smart yet simple design removes any need for expensive hard wiring of electric locks and utilises standard mortice hardware to allow installation to be completed on existing locks which makes it a cost effective solution.



### **WAVbi8102PA - Key Override Aust 60mm Prox**

\$914.25

The WAVbi Contactless Access Control system combines both security and convenience in a single door handle. The smart yet simple design removes any need for expensive hard wiring of electric locks and utilises standard mortice hardware to allow installation to be completed on existing locks which makes it a cost effective solution.



### **WAVbi8108PA - Key Override Aust 90mm Prox**

\$914.25

The WAVbi Contactless Access Control system combines both security and convenience in a single door handle. The smart yet simple design removes any need for expensive hard wiring of electric locks and utilises standard mortice hardware to allow installation to be completed on existing locks which makes it a cost effective solution.



### **WAVbi8010CA - No Key Override Euro Prox/Code**

\$1,029.25

The WAVbi Contactless Access Control system combines both security and convenience in a single door handle. The smart yet simple design removes any need for expensive hard wiring of electric locks and utilises standard mortice hardware to allow installation to be completed on existing locks which makes it a cost effective solution.



### **WAVbi8010PA - No Key Override Euro Prox**

\$914.25

The WAVbi Contactless Access Control system combines both security and convenience in a single door handle. The smart yet simple design removes any need for expensive hard wiring of electric locks and utilises standard mortice hardware to allow installation to be completed on existing locks which makes it a cost effective solution.



### **WAVbi8116CA - Key Override Euro 85mm Prox/Code**

\$1,006.25

The WAVbi Contactless Access Control system combines both security and convenience in a single door handle. The smart yet simple design removes any need for expensive hard wiring of electric locks and utilises standard mortice hardware to allow installation to be completed on existing locks which makes it a cost effective solution.



### **WAVbi8116PA - Key Override Euro 85mm Prox**

\$914.25

The WAVbi Contactless Access Control system combines both security and convenience in a single door handle. The smart yet simple design removes any need for expensive hard wiring of electric locks and utilises standard mortice hardware to allow installation to be completed on existing locks which makes it a cost effective solution.

# Drop Boxes

---



## **WDS-150 - Wall Mount Drop Box**

\$437.00

### **Specifications**

- Exterior Dimensions: 254 (W) x 381 (H) x 108 (D).
- Door Clearance: 181 (W) x 159 (H).
- Drop Opening: 187 (W) x 35 (H) (25 drop clearance).
- Door Thickness: 3 mm.
- Volume: 5.13 litres.
- Weight: 7 kg.



## **WSS-159 - Through the Door Drop Box**

\$580.75

### **Specifications**

- Exterior Dimensions: 254 (W) x 381 (H) x 108 (D).
- Door Clearance: 181 (W) x 159 (H).
- Drop Opening: 187 (W) x 35 (H) (25 drop clearance).
- Door Thickness: 3 mm.
- Volume: 5.13 litres.
- Weight: 7 kg.



## **WDC-160 - Protex Wall Drop Box w/ Adjustable Chute**

\$747.50

### **Specifications.**

- Exterior Dimensions: 305 (W) x 407 (H) x 152 (D).
- Interior Dimensions: 299 (W) x 254 (H) x 127 (D).
- Door Clearance: 184 (W) x 235 (H).
- Drop Opening: 216 (W) x 25 (H).
- Door Thickness: 3 mm.
- Face Plate: 308 x 108.
- Weight: 12 kg.

# Electric Locks

---



## EA280 - ABLOY Power Transfer

\$71.30

### Specifications

- Steel with Bright Chrome finish.
- Max diameter of cable 7.5mm.
- Max opening angle of door < 120°.
- Distance between pin hinge & door frame < 20mm.



## EL410/12V 1.3 - ABLOY Electric Lock - ANSI lock case

\$1,383.45

### Specifications

- 
- Operating voltage: 12VDC  $\pm$ 10%.
- 
- Max. Current: 0.4 A (12V, +20°C).
- 
- Monitoring: unlocked/ locked.
- 
- Temperature range: -35°C...+66°C (-31 F... +151 F).
- 
- Bolt throw: 16 mm (5/8").
- 
- Backset: 24.6 mm (31/32").
- 
- Finish: Satin chrome plated steel Forend.
- 
- Cylinders: 1" ANSI standard mortice cylinders, (CY402, CY404).
- 
- Package: Lock case, strike plate, cam plug, fixing screws, drilling, fitting and wiring instructions.
- 
- Monitoring: Deadlocking status of bolt.



### **EL410/24v 1.3 - ABLOY Electric Lock - ANSI lock case**

\$1,383.45

#### **Specifications**

- Operating voltage: 24VDC  $\pm$ 15%.

- Max. Current: 0.2 A (24V, +20°C).

- Monitoring: unlocked/ locked.

- Temperature range: -35°C...+66°C (-31 F... +151 F).

- Bolt throw: 16 mm (5/8").

- Backset: 24.6 mm (31/32").

- Finish: Satin chrome plated steel Forend.

- Cylinders: 1" ANSI standard mortice cylinders, (CY402, CY40.4).

- Package: Lock case, strike plate, cam plug, fixing screws, drilling, fitting and wiring instructions.

- Monitoring: Deadlocking status of bolt.



### **EL411/24V 1.3 - ABLOY Electric Lock - ANSI lock case**

\$1,383.45

**ABLOY EL411 - ANSI lock case 24V Fail Safe. Handing 1.3 (Left Hand).**

#### **Specifications**

- Operating voltage: 24VDC  $\pm$  15%.

- Max. Current: 0.2 A (24V, +20°C).

- Monitoring: unlocked/ locked.

- Temperature range: -35°C...+66°C (-31 F... +151 F).

- Bolt throw: 16 mm (5/8").

- Backset: 24.6 mm (31/32").

- Finish: Satin chrome plated steel Forend.

- Cylinders: 1" ANSI standard mortice cylinders, (CY402, CY404).

- Package: Lock case, strike plate, cam plug, fixing screws, drilling, fitting and wiring instructions.

- Monitoring: Deadlocking status of bolt.





### **EL411/24v 2.4 - ABLOY Electric Lock - ANSI lock case**

\$1,383.45

**ABLOY EL411 - ANSI lock case 24v Fail Safe. Handing 2.4 (Right Hand).**

#### **Specifications**

- Operating voltage: 12VDC  $\pm 10\%$ , 24VDC  $\pm 15\%$ .
- Max. Current: 0.4 A (12V, +20°C), 0.2 A (24V, +20°C).
- Monitoring: unlocked/ locked.
- Temperature range: -35°C...+66°C (-31 F... +151 F).
- Bolt throw: 16 mm (5/8").
- Backset: 24.6 mm (31/32").
- Finish: Satin chrome plated steel Forend.
- Cylinders: 1" ANSI standard mortice cylinders, (CY402, CY404).
- Package: Lock case, strike plate, cam plug, fixing screws, drilling, fitting and wiring instructions.
- Monitoring: Deadlocking status of bolt.



### **EL420 30/24 - ABLOY Electric Lock - Europrofile motor lock**

\$4,878.30

**ABLOY Europrofile motor lock.**

#### **Specifications**

- Operating voltage: 12 – 24 V DC ( $\pm 15\%$ ), 12 - 18 V AC, RMS (-10%, +15%).
- Current: Max. 1.3 A (12 V), 0.6 A (24 V).
- Normal: 0.45 A (12 V), 0.22 (24 V).
- Idle: 0.08 A (12 V), 0.04 A (24 V).
- Relays: Max. 0.8 A 30 V AC/DC resist, 10 W.
- Operating temperature: -20°C - +60°C.
- Bolt throw: 20 mm (deadbolt), 10 mm (double action bolt).
- Backset: 30.
- Forend: 24.
- Spindle: 9 mm (8 mm with snap spindle adapters).



### **EL560 60/24 - ABLOY Electric lock - Handle controlled lock case**

\$1,451.30

**EL560 handle controlled lock case for solid doors.**

#### **Specifications**

- Operating voltage: 12 – 24 V DC STAB (-10%, +15%).
- Current: Max. 0.55 A (12V DC), 0.27 A (24V DC).
- Idle: 0.24 A (12V DC), 0.11 A (24V DC).
- Micro switches: Max. 0.5 A 30 V AC/DC resist, 10 W.
- Operating temperature: -20°C - +60°C.
- Bolt throw: 20 mm (deadbolt), 10 mm (double action bolt).
- Backset: 60.
- Forend: 24 mm.
- Spindle: 9 mm (8 mm with spindle adapters).



### **EL460 30/24 - ABLOY Electric lock - Handle controlled lock case**

\$1,587.00

**EL460 handle controlled lock case for narrow profile doors.**

#### **Specifications**

- Operating voltage: 12 – 24 V DC STAB (-10%, +15%).
- Current: Max. 0.55 A (12V DC), 0.27 A (24V DC).
- Idle: 0.24 A (12V DC), 0.11 A (24V DC).
- Micro switches: Max. 0.5 A 30 V AC/DC resist, 10 W.
- Operating temperature: -20°C - +60°C.
- Bolt throw: 20 mm (deadbolt), 10 mm (double action bolt).
- Backset: 30.
- Forend: 24 mm.
- Spindle: 9 mm (8 mm with spindle adapters).



### **EL561 60/24 - ABLOY Electric lock - Handle controlled lock case**

\$822.25

**EL560 handle controlled lock case for solid doors.**

#### **Specifications**

- Operating voltage: 12 – 24 V DC STAB (-10%, +15%).
- Current: Max. 0.55 A (12V DC), 0.27 A (24V DC).
- Idle: 0.24 A (12V DC), 0.11 A (24V DC).
- Micro switches: Max. 0.5 A 30 V AC/DC resist, 10 W.
- Operating temperature: -20°C - +60°C.
- Bolt throw: 20 mm (deadbolt), 10 mm (double action bolt).
- Backset: 60.
- Forend: 24 mm.
- Spindle: 9 mm (8 mm with spindle adapters).



### **WAVbi8000CA - No Key Override Aust 60/90mm Prox/Code**

\$1,006.25

The WAVbi Contactless Access Control system combines both security and convenience in a single door handle. The smart yet simple design removes any need for expensive hard wiring of electric locks and utilises standard mortice hardware to allow installation to be completed on existing locks which makes it a cost effective solution.



### **WAVbi8102CA - Key Override Aust 60mm Prox/Code**

\$1,006.25

The WAVbi Contactless Access Control system combines both security and convenience in a single door handle. The smart yet simple design removes any need for expensive hard wiring of electric locks and utilises standard mortice hardware to allow installation to be completed on existing locks which makes it a cost effective solution.



### **WAVbi8108CA - Key Override Aust 90mm Prox/Code**

\$1,006.25

The WAVbi Contactless Access Control system combines both security and convenience in a single door handle. The smart yet simple design removes any need for expensive hard wiring of electric locks and utilises standard mortice hardware to allow installation to be completed on existing locks which makes it a cost effective solution.



### **WAVbi8102PA - Key Override Aust 60mm Prox**

\$914.25

The WAVbi Contactless Access Control system combines both security and convenience in a single door handle. The smart yet simple design removes any need for expensive hard wiring of electric locks and utilises standard mortice hardware to allow installation to be completed on existing locks which makes it a cost effective solution.



### **WAVbi8108PA - Key Override Aust 90mm Prox**

\$914.25

The WAVbi Contactless Access Control system combines both security and convenience in a single door handle. The smart yet simple design removes any need for expensive hard wiring of electric locks and utilises standard mortice hardware to allow installation to be completed on existing locks which makes it a cost effective solution.



### **WAVbi8010CA - No Key Override Euro Prox/Code**

\$1,029.25

The WAVbi Contactless Access Control system combines both security and convenience in a single door handle. The smart yet simple design removes any need for expensive hard wiring of electric locks and utilises standard mortice hardware to allow installation to be completed on existing locks which makes it a cost effective solution.



### **WAVbi8010PA - No Key Override Euro Prox**

\$914.25

The WAVbi Contactless Access Control system combines both security and convenience in a single door handle. The smart yet simple design removes any need for expensive hard wiring of electric locks and utilises standard mortice hardware to allow installation to be completed on existing locks which makes it a cost effective solution.



### **WAVbi8116CA - Key Override Euro 85mm Prox/Code**

\$1,006.25

The WAVbi Contactless Access Control system combines both security and convenience in a single door handle. The smart yet simple design removes any need for expensive hard wiring of electric locks and utilises standard mortice hardware to allow installation to be completed on existing locks which makes it a cost effective solution.



### **WAVbi8116PA - Key Override Euro 85mm Prox**

\$914.25

The WAVbi Contactless Access Control system combines both security and convenience in a single door handle. The smart yet simple design removes any need for expensive hard wiring of electric locks and utilises standard mortice hardware to allow installation to be completed on existing locks which makes it a cost effective solution.



### WAVbi-DMU - Stand Alone Card Reader

\$1,380.00



### EL590 100011 - ABLOY Electric motor lock - Prox Both Sides with Egress Function

\$2,932.50



### EL590 110011 - ABLOY Electric motor lock - Prox Both Sides with Egress Function (monitored)

\$3,029.10



### CL5510 - Codelock Smart Electronic Tubular Mortice Latch

\$1,104.00

### Specifications

- Users: Up to 350.
- Phone Clients: 100.
- Client User Codes: 100.
- Client Smart Codes: 150.
- 12 button back-lit keypad.



## **CL4510 - Codelock Smart Electronic Tubular Mortice Latch**

\$910.80

Smart locks get smarter. The CL4500 range of locks offers the Codelocks smart lock features but in a smaller, sleeker lock model.

### **Specifications**

- Battery Status Monitor via App.
- Batteries: 4 x AA Cells.
- Low Battery Warning The keypad will flash red on opening to indicate batteries need to be changed.
- Memory Stores: 350 different Clients.
- Client User Codes: 100.
- Client Smart Cards: 150.
- Phone Clients: 100.
- Spindle Type 8 mm (5/16") spring loaded spindle.
- Material: Zinc Alloy.
- Door Thickness: 35 mm – 60 mm (13/8" – 23/8").
- Latch Options: 60 mm (23/8") and 70 mm (23/4").
- Buttons 12 button back-lit keypad.

# Electric Magnets (Mag-Clamps)

---



## **ALPEMS1200 - Compact Shearlock Magnet EMS1200**

\$471.50

The Alpro EMS1200 compact shearlock magnet is available in mortice or surface mount models (including glass mount) and offer slimline dimensions whilst maintaining high physical security.

Independently tested to 500,000 cycles, the compact size combined with 1200kg of proven shear holding force makes this compact shearlock both innovative and easy to install.



## **ALPFP1200/2 - Compact Shearlock EMS1200 - 2 mm Filler Plate**

\$11.50


Compact Shearlock Magnet EMS1200 - 2 mm Filler Plate



## **ALPFP122/6 - Compact Shearlock EMS1200 - 6 mm Filler Plate**

\$17.25

Compact Shearlock Magnet EMS1200 - 6mm Filler Plate



## **ALPGDC1200 - Glass Door Clamp for EMS1200**

\$34.50

Aluminium Frameless Glass (10/12 mm).

Door Clamp for use with ALPSMH1200 Surface Mount Housing

# Exit Hardware

---



## **ALP524591 - Paddle handle with ANSI cam plug pull to left**

\$63.25

459 Paddle handles are designed to be ergonomically friendly and practical.



## **ALP524592 - Paddle handle with ANSI cam plug push to left**

\$63.25

459 Paddle handles are designed to be ergonomically friendly and practical.



## **ALP524597 - Paddle handle with ANSI cam plug pull to right**

\$63.25

459 Paddle handles are designed to be ergonomically friendly and practical.



## **ALP524598 - Paddle handle with ANSI cam plug push to right**

\$63.25

459 Paddle handles are designed to be ergonomically friendly and practical.



# Key Accessories

---



**0600-001 - Key-Bak - Stainless Steel Belt Clip with Split-Ring**

\$11.50



**0650-001 - Key-Bak - Stainless Steel Support for Belt Clip**

\$9.78



**0500-001 - Key-Bak - Quick Release Pull Apart Key Holder**

\$9.78



**0800-001 - Key-Bak - Split-Ring 3/4"(19mm) - x100**

\$31.05



**0850-001 - Key-Bak - Split-Ring 1 1/4"(32mm) - x100**

\$46.00



**0900-001 - Key-Bak - Split-Ring 1 1/8"(28.5mm) - x100**

\$40.25



**0AC2-0101 - Key-Bak - Key Chain Multi-Tool**

\$20.13

## Specifications

- Dimensions: 2.8" x .5" x .10" thick.
- Material: 3Cr13 Stainless-Steel.

# Key Reels

---



## **0S48-001 - Key-Bak Super 48 - Heavy Duty Self-Retracting Reel**

\$34.50

### **Specifications**

- Model: #S48K.
- Back Attachment: Belt Clip/Loop.
- Hold: 15 Keys.
- Extension Material: Kevlar Cord.
- Extension Reach: 48" (1.2m).
- Retraction Force: 8-10 oz (225-283g).
- End Fitting: Split-Ring.



## **025.005 - Key-Bak Original - Belt Clip with Stainless Steel Chain (Chrome)**

\$33.35

### **Specifications**

- Model: #5.
- Back Attachment: Belt Clip.
- Hold: 15 Keys.
- Extension Material: Stainless Steel Chain.
- Extension Reach: 24" (60cm).
- Retraction Force: 8-10 oz (225-283g).
- End Fitting: Split-Ring.



## **025.006 - Key-Bak Original - Belt Clip with Stainless Steel Chain (Black)**

\$33.35

### **Specifications**

- Model: #5B.
- Back Attachment: Belt Clip.
- Hold: 15 Keys.
- Extension Material: Stainless Steel Chain.
- Extension Reach: 24" (60cm).
- Retraction Force: 8-10 oz (225-283g).
- End Fitting: Split-Ring.



### **020.666 - Key-Bak Original HD - Belt Clip with Kevlar Cord (Chrome)**

\$39.10

#### **Specifications**

- Model: #485-HD.
- Back Attachment: Belt Clip.
- Hold: 15 Keys.
- Extension Material: Kevlar Cord.
- Extension Reach: 48" (1.2m).
- Retraction Force: 8-10 oz (225-283g).
- End Fitting: Split-Ring.



### **020.667 - Key-Bak Original HD - Belt Clip with Kevlar Cord (Black)**

\$34.50

#### **Specifications**

- Model: #485B-HD.
- Back Attachment: Belt Clip.
- Hold: 15 Keys.
- Extension Material: Kevlar Cord.
- Extension Reach: 48" (1.2m).
- Retraction Force: 8-10 oz (225-283g).
- End Fitting: Split-Ring.



### **0006-001 - Key-Bak Mid-Size - Belt Clip with Polyester Cord**

\$23.00

#### **Specifications**

- Model: #6.
- Attachment: Belt Clip.
- Hold: 10 Keys.
- Extension Material: Polyester Cord.
- Extension Reach: 36" (90cm).
- Retraction Force: 6 oz (170g).
- End Fitting: Split-Ring.



### **0006-005 - Key-Bak Mid-Size - Belt Clip with Polyester Cord (ID)**

\$23.00

#### **Specifications**

- Model: #6ID.
- Attachment: Belt Clip.
- Hold: 10 Keys.
- Extension Material: Polyester Cord.
- Extension Reach: 36" (90cm).
- Retraction Force: 6 oz (170g).
- End Fitting: Vinyl Strap.



### **0488-803 - Key-Bak Securit - Carabiner Reel with Kevlar Cord**

\$36.80

#### **Specifications**

- Model: #488.
- Attachment: Carabiner.
- Hold 15 Keys.
- Extension Material: Kevlar Cord.
- Extension Reach: 48" (1.2m).
- Retraction Force: 8-10 oz (225-283g).
- End Fitting: Split-Ring.



### **0050-005 - Key-Bak Mini - Belt Clip with Nylon Cord (Black)**

\$13.80

#### **Specifications**

- Model: #50.
- Hold: 7 Keys.
- Attachment: Belt Clip.
- Extension Material: Nylon Cord.
- Extension Reach: 36" (90cm).
- Retraction Force: 4 oz (110g).
- End Fitting: Split-Ring.



### **0052-001 - Key-Bak Mini - Belt Clip with Nylon Cord (Blue)**

\$13.80

#### **Specifications**

- Model: #52.
- Hold: 7 Keys.
- Attachment: Belt Clip.
- Extension Material: Nylon Cord.
- Extension Reach: 36" (90cm).
- Retraction Force: 4 oz (110g).
- End Fitting: Split-Ring.



### **0053-001 - Key-Bak Mini - Belt Clip with Nylon Cord (White)**

\$13.80

#### **Specifications**

- Model: #53.
- Hold: 7 Keys.
- Attachment: Belt Clip.
- Extension Material: Nylon Cord.
- Extension Reach: 36" (90cm).
- Retraction Force: 4 oz (110g).
- End Fitting: Split-Ring.



### **0020-002 - Key-Bak Mini - Belt Clip with Nylon Cord (Dual Pack/Blue)**

\$25.30

#### **Specifications**

- Model: #52.
- Hold: 7 Keys.
- Attachment: Belt Clip.
- Extension Material: Nylon Cord.
- Extension Reach: 36" (90cm).
- Retraction Force: 4 oz (110g).
- End Fitting: Split-Ring.



### **0215-011 - Key-Bak Mini - Belt Clip with Nylon Cord (ID/Green)**

\$13.80

#### **Specifications**

- Hold: ID Badge.
- Attachment: Belt Clip.
- Extension Material: Nylon Cord.
- Extension Reach: 36" (90cm).
- Retraction Force: 4 oz (110g).
- End Fitting: Vinyl Strap.



### **0216-011 - Key-Bak Mini - Belt Clip with Nylon Cord (ID/Yellow)**

\$13.80

#### **Specifications**

- Hold: ID Badge.
- Attachment: Belt Clip.
- Extension Material: Nylon Cord.
- Extension Reach: 36" (90cm).
- Retraction Force: 4 oz (110g).
- End Fitting: Vinyl Strap.



### **0217-011 - Key-Bak Mini - Belt Clip with Nylon Cord (ID/Purple)**

\$13.80

#### **Specifications**

- Hold: ID Badge.
- Attachment: Belt Clip.
- Extension Material: Nylon Cord.
- Extension Reach: 36" (90cm).
- Retraction Force: 4 oz (110g).
- End Fitting: Vinyl Strap.



### **0219-011 - Key-Bak Mini - Belt Clip with Nylon Cord (ID/Red)**

\$13.80

#### **Specifications**

- Hold: ID Badge.
- Attachment: Belt Clip.
- Extension Material: Nylon Cord.
- Extension Reach: 36" (90cm).
- Retraction Force: 4 oz (110g).
- End Fitting: Vinyl Strap.



### **0055-015 - Key-Bak Mini - Twist-Free with Nylon Cord (ID/Blue)**

\$13.80

#### **Specifications**

- Hold: ID Badge.
- Attachment: Belt Clip.
- Extension Material: Nylon Cord.
- Extension Reach: 36" (90cm).
- Retraction Force: 4 oz (110g).
- End Fitting: Twist-Free.



### **0056-011 - Key-Bak Mini - Twist-Free with Nylon Cord (ID/White)**

\$13.80

#### **Specifications**

- Hold: ID Badge.
- Attachment: Belt Clip.
- Extension Material: Nylon Cord.
- Extension Reach: 36" (90cm).
- Retraction Force: 4 oz (110g).
- End Fitting: Twist-Free.



### **0057-011 - Key-Bak Mini - Twist-Free with Nylon Cord (ID/Black)**

\$13.80

#### **Specifications**

- Hold: ID Badge.
- Attachment: Belt Clip.
- Extension Material: Nylon Cord.
- Extension Reach: 36" (90cm).
- Retraction Force: 4 oz (110g).
- End Fitting: Twist-Free.



### **0035-001 - Key-Bak Mini - Pin Fix with Nylon Cord (ID/Blue)**

\$13.80

#### **Specifications**

- Hold: ID Badge
- Attachment: Pin Fix
- Extension Material: Nylon Cord
- Extension Reach: 36" (90cm)
- Retraction Force: 4 oz (110g)
- End Fitting: Vinyl Strap



### **0021-001 - Key-Bak Mini - Belt Clip with Nylon Cord (Dual Pack/Black)**

\$25.30

#### **Specifications**

- Hold: ID Badge.
- Attachment: Belt Clip.
- Extension Material: Nylon Cord.
- Extension Reach: 36" (90cm).
- Retraction Force: 4 oz (110g).
- End Fitting: Vinyl Strap.



### **0481-711 - Key-Bak Duty Gear - Ballistic Nylon Key Protector with Kevlar Cord**

\$50.60

#### **Specifications**

- Back Attachment: Nylon Belt Loop.
- Hold: 15 keys.
- Case Material: Ballistic Nylon.
- Extension Material: Kevlar Cord.
- Extension Reach: 90cm.
- Retraction Force: 8-10 oz (225-283g).



### **0001-111 - Key-Bak Duty Gear - Ballistic Nylon Key Protector with Stainless Steel Cord**

\$47.15

#### **Specifications**

- Back Attachment: **Nylon Belt Loop.**
- Hold: 15 keys.
- Case Material: Ballistic Nylon.
- Extension Material: Kevlar Cord.
- Extension Reach: 60cm.



### **0318-713 - Key-Bak Duty Gear - KK2 Carrier Clip with Ballistic Nylon Key Silencer**

\$27.60

#### **Specifications**

- Back Attachment: Nylon Belt Loop.
- Hold: 15 keys.
- Case Material: Ballistic Nylon.



# Key Safes and Storage

---



## **001267 - Kidde S7 Pushbutton Lock Box**

\$178.25

**SUPRA 001267 - S7 KEYSAFE PRO LOCK BOX**

### **Specifications**

- Pushbutton lid
- Black - Mounts easily (screws included).
- Size: 4.83 x 3.5 x 2.75 in.



## **001360 - Kidde Key Safe - 5 Key capacity**

\$126.50

### **Specifications**

- Lid Type: Pushbutton.
- Package Type: Clamshell.



## **001361 - Kidde 5 Key wall mount - Clay (Display packed)**

\$126.50

KIDDE Lock Box Stor-A-Key - S5 surface mount Pushbutton Keyless Entry

### **Specifications**

- Dimensions: 4" x 2.5" (x 1.25" deep).



## **001370 - Kidde 2 key Wall Mount - White (Display Packed)**

\$126.50

KeySafe Original Slimline for 2 Keys with Easy Pushbutton Opening. Durable and stylish designed key box.



## **001371 - Kidde 2 Key Wall Mount - Clay (Display Packed)**

\$126.50

KeySafe Original Slimline for 2 Keys with Easy Pushbutton Opening. Durable and stylish designed key box.



## **001413 - Kidde 2 key Wall Mount - White**

\$126.50

KeySafe Original Slimline for 2 Keys with Easy Pushbutton Opening. Durable and stylish designed key box.



### **001414 - Kidde 2 Key Wall Mount - Clay**

\$126.50

KeySafe Original Slimline for 2 Keys with Easy Pushbutton Opening. Durable and stylish designed key box.



### **001795 - Kidde 30 Key Cabinet Pro - TouchPoint Lock**

\$235.75

#### **Specifications**

- Exterior Dimensions: 12.04" H x 8.11" W x 3.19"D.



### **001796 - Kidde 60 Key Cabinet Pro - TouchPoint Lock**

\$345.00

#### **Specifications**

- Exterior Dimensions: 19.53" H x 13.62" W x 4.76" D.



### **001797 - Kidde 120 Key Cabinet Pro - TouchPoint Lock**

\$661.25

#### **Specifications**

- Exterior Dimensions: 19.53" H x 13.62" W x 4.76" D.



### **001888 - Kidde Key Organiser**

\$51.75



### **001889 - Kidde Key Cabinet**

\$69.00

#### **Specifications**

- Manufactured from: ABS Plastic.
- Packaging: Shelf Packed.
- Certification: CE.
- External Dimensions: 240 x 351 x 70 mm.



### **002048 - Kidde Keysafe P500 with alarm sensor**

\$224.25



### **2143-00 - TA TA 20 Key Cabinet**

\$269.10

**TA TA K-20 Key Safe**

### **Specifications**

- Overall Size: 330 mm H x 220 mm W x 62 mm D.
- Weight: 2.6 kg.



### **2144-00 - TA TA 30 Key Cabinet**

\$331.20

**TA TA K-30 Key Safe**

### **Specifications**

- Overall Size: 330 mm H x 220 mm W x 62 mm D.
- Weight: 4.5 kg.



### **2145-00 - TA TA 40 Key Cabinet**

\$373.75

**TA TA K-40 Key Safe**

### **Specifications**

- Overall Size: 390 mm H x 375 mm W x 62 mm D.
- Weight: 3.9 kg.



### **2146-00 - TA TA 60 Key Cabinet**

\$469.20

**TA TA K-60 Key Safe**

### **Specifications**

- Overall Size: 500 mm H x 375 mm W x 62 mm D.
- Weight: 5.2 kg.



### **2147-00 - TA TA 80 Key Cabinet**

\$524.40

**TA TA K-80 Key Safe**

### **Specifications**

- Overall Size: 390 mm H x 375 mm W x 62 mm D.
- Weight: 5.7 kg.



### **2148-00 - TA TA 120 Key Cabinet**

\$897.00

**TA TA K-120 Key Safe**

### **Specifications**

- Overall Size: 500 mm H x 420 mm W x 110 mm D.
- Weight: 11.2 kg.



### **2149-00 - TA TA 160 Key Cabinet**

\$1,021.20

**TA TA K-160 Key Safe**

### **Specifications**

- Overall Size: 500 mm H x 420 mm W x 110 mm D.
- Weight: 12.7 kg.



### **2151-00 - TA TA 240 Key Cabinet**

\$1,421.40

**TA TA K-240 Key Safe**

### **Specifications**

- Overall Size: 330 mm H x 220 mm W x 62 mm D.
- Weight: 17.8 kg.



### **2153-00 - TA TA 480 Key Cabinet**

\$2,580.60

**TA TA K-480 Key Safe**

### **Specifications**

- Overall Size: 1100 mm H x 470 mm W x 162 mm D.
- Weight: 25.4 kg.



### **2154-00 - TA TA 540 Key Cabinet**

\$3,519.00

TA TA K-540 Key Safe

### **Specifications**

- Overall Size: 1516 mm H x 470 mm W x 162 mm D.
- Weight: 48.6 kg.



### **2155-00 - TA TA 720 Key Cabinet**

\$4,830.00

TA TA K-720 Key Safe

### **Specifications**

- Overall Size: 1516 mm H x 470 mm W x 162 mm D.
- Weight: 53.4 kg.



### **AP-75K - Secuguard 75 Key Cabinet**

\$402.50

**Secuguard Key Cabinet - 75 Key Capacity**

### **Specifications**

- External Dimensions: 450 mm(h) x 360 mm(w) x 100 mm(d).
- Door: 4 mm Steel.
- Body: 1.5 mm Steel.
- Capacity: 75 Keys.
- Weight: 11.5 kg's.



### **NKB-30 - Tat Ta 30 Key Cabinet with Combination Lock**

\$270.25

### **Specifications**

- Capacity: 30 keys.
- Dimension: 415 mm(H) X 205 mm(W) X 60 mm(D).
- Weight: 1.8 kg's.
- Color: Beige.



### **NKB-60 - TA TA 60 Key Cabinet with Combination Lock**

\$339.25

### **Specifications**

- Capacity: 60 keys.
- Dimension: 415 mm(H) X 355 mm(W) X 60 mm(D).
- Weight: 2.5 kg's.
- Color: Beige.



### **001801 - Kidde 30 Key Cabinet Pro - Key Locking**

\$166.75

### **Specifications**

- Exterior Dimensions: 12.04" H x 8.01" W x 3.19" D.



### **001802 - Kidde 60 Key Cabinet Pro - Key Locking**

\$235.75

### **Specifications**

- External Dimensions: 19.53" H x 13.62" W x 4.76" D.



### **001803 - Kidde 120 Key Cabinet Pro - Key Locking**

\$385.25

### **Specifications**

- External Dimensions: 19.53" H x 13.62" W x 4.76" D.



### **DKB-36 - SR Digital Key Box - 36 Keys**

\$215.28

### **Specifications**

- Capacity: 36 keys.
- Size: 315(H) x 215(W) x 90(D) mm.

### **Features**

- Advanced & high quality digital keypad.
- LED indicator.
- Set own password access.
- Adjustable key hook.
- Modern and stylish quality acrylic key tag.
- For office, bank and home use.
- Easy to mount on the wall.



### **DKB-24 - SR Digital Key Box - 24 Keys**

\$181.93

## **Specifications**

- Capacity: 24 keys.
- Size: 315(H) x 215(W) x 90(D) mm.

## **Features**

- Advanced & high quality digital keypad.
- LED indicator.
- Set own password access.
- Adjustable key hook.
- Modern and stylish quality acrylic key tag.
- For office, bank and home use.
- Easy to mount on the wall.



### **DKB-48 - SR Digital Key Box - 48 Keys**

\$246.45

## **Specifications**

- Capacity: 48 keys.
- Size: 360(H) x 250(W) x 90(D) mm.

## **Features**

- Advanced & high quality digital keypad.
- LED indicator.
- Set own password access.
- Adjustable key hook.
- Modern and stylish quality acrylic key tag.
- For office, bank and home use.
- Easy to mount on the wall.



### **SS-2020 - Key Cabinet w/ 20 hooks**

\$50.03

## **Specifications**

- Size: 19.5 x 15.5 x 6 cm.
- Capacity: 20 keys.

## **Features**

- Secured lock and 2 keys.
- Colourful key tags.
- Heavy duty steel with strong rust-proof paint.
- 2 plugs and screws for easy wall-mounting.



### **SS-2040 - Key Cabinet w/ 40 hooks**

\$80.50

## **Specifications**

- Size: 19.5 x 15.5 x 6 cm.
- Capacity: 40 keys.

## **Features**

- Secured lock and 2 keys.
- Colourful key tags.
- Heavy duty steel with strong rust-proof paint.
- 2 plugs and screws for easy wall-mounting.



### **SS-3090 - Key Cabinet w/ 90 hooks**

\$127.08

## **Specifications**

- Size: 31 x 23 x 8 cm.
- Capacity: 90 keys.

## **Features**

- Secured lock and 2 keys.
- Colourful key tags.
- Heavy duty steel with strong rust-proof paint.
- 2 plugs and screws for easy wall-mounting.



# Key Switches

---



## EP400N - ABLOY Protec - Key Operated Switch Lock

\$284.05

**ABLOY EP400 Key Switch.**

### Electrical Specifications

- 7A, 250 VAC.
- 7A res., 28 VDC.
- 4A ind., 28 VDC.

### Specifications

- Cylinder housing: chrome-plated brass.
- First Disc: Case-hardened nickel-plated steel.
- Hex nut: zinc-plated steel.
- Coupling piece and switch mounting plug: molded plastic.
- Other parts: brass, stainless steel, tin bronze.
- Key removable in "on" and "off" positions.
- Length is 52 mm.
- Can be master-keyed with door cylinders.



## EZYYAA1 - "Auto" Series Switch - On/Off (Abloy)

\$414.00

**AUTOMATIC DOOR SERIES KEY SWITCHES.**

### Specifications

- Maximum current ratings: AC1 10 amp 440v, DC1 10 amp 24v.
- Maximum 2 x 1.5mm wires per terminal.



## EZYYAA2 - "Auto" Series Switch - Spring Return (Abloy)

\$414.00

**AUTOMATIC DOOR SERIES KEY SWITCHES.**

### Specifications

- Maximum current ratings: AC1 10 amp 440v, DC1 10 amp 24v.
- Maximum 2 x 1.5mm wires per terminal.



### **EZYAA5 - "Auto" Series Switch - 4 Pos Auto Door (Abloy)**

\$448.50

**AUTOMATIC DOOR SERIES KEY SWITCHES.**

### **Specifications**

- Maximum current ratings: AC1 10 amp 440v, DC1 10 amp 24v.
- Maximum 2 x 1.5mm wires per terminal.



### **EZYAC1 - "Auto" Series Switch - On/Off (C4)**

\$391.00

**AUTOMATIC DOOR SERIES KEY SWITCHES.**

### **Specifications**

- Maximum current ratings: AC1 10 amp 440v, DC1 10 amp 24v.
- Maximum 2 x 1.5mm wires per terminal.



### **EZYAC2 - "Auto" Series Switch - Spring Return (C4)**

\$391.00

**AUTOMATIC DOOR SERIES KEY SWITCHES.**

### **Specifications**

- Maximum current ratings: AC1 10 amp 440v, DC1 10 amp 24v.
- Maximum 2 x 1.5mm wires per terminal.



### **EZYOA1 - "Oval" Series Switch - On/Off (Less Cylinder)**

\$224.25

Oval Series Key Switch - Less Cylinder.

Lazy Cam (1 N/O, 1 N/C changeover).

### **Specifications**

- Maximum current ratings: AC1 10 amp 440v, DC1 10 amp 24v.
- Maximum 2 x 1.5mm wires per terminal.



### **EZYOA2 - "Oval" Series Switch - Spring Return (Less cylinder)**

\$224.25

Oval Series Key Switch - Less Cylinder.

Spring Return (1 N/O, 1 N/C changeover).

### **Specifications**

- Maximum current ratings: AC1 10 amp 440v, DC1 10 amp 24v.
- Maximum 2 x 1.5mm wires per terminal.



### **EZYOUA3 - "Oval" Series Switch - 2 Way Spring Return (Less Cyld)**

\$224.25

Oval Series Key Switch - Less Cylinder.

EZYOUA3 - Spring Return to Centre "ON / OFF / ON".

### **Specifications**

- Maximum current ratings: AC1 10 amp 440v, DC1 10 amp 24v.
- Maximum 2 x 1.5mm wires per terminal.



### **EZYOUA4 - "Oval" Series Switch - Captive Key (Less Cylinder)**

\$224.25

Oval Series Key Switch - Less Cylinder.

EZYOUA4 - Captive Key 1 N/O, 1 N/C Changeover.

### **Specifications**

- Maximum current ratings: AC1 10 amp 440v, DC1 10 amp 24v.
- Maximum 2 x 1.5mm wires per terminal.



### **EZY-PZ25 - "Oval" Series S/S Mounting Plate**

\$80.50

Oval Key Switch Series.

Stainless Steel Mount.

75mm X 115mm.



### **EZY-PZ30 - "Oval" Series Rain Gate Box**

\$264.50

PZ30 Gate Box.

The Oval Series Gate Box.

125mm x 75mm.



### **EZYAC5 - "Auto" Series Switch - 4 Pos Auto Door (C4)**

\$431.25

AUTOMATIC DOOR SERIES KEY SWITCHES.

### **Specifications**

- Maximum current ratings: AC1 10 amp 440v, DC1 10 amp 24v.
- Maximum 2 x 1.5mm wires per terminal.



### **EZYAC3 - "Auto" Series Switch - 2 Way Spring Return (C4)**

\$414.00

AUTOMATIC DOOR SERIES KEY SWITCHES.

### **Specifications**

- Maximum current ratings: AC1 10 amp 440v, DC1 10 amp 24v.
- Maximum 2 x 1.5mm wires per terminal.

# Padlocks

---



## **PL321C - ABLOY Classic - Padlock with 20mm shackle**

\$106.95

### **Specifications**

- Body Material: Brass.
- Finish: Chrome.
- Number of Discs: 11.
- Key removable in locked position.
- **Display packed with 2 x Classic Keys.**

### **Shackle**

- Material: Stainless Steel.
- Finish: Chrome
- Diameter: 5 mm.
- Vertical Clearance: 20 mm.
- Horizontal Clearance: 18 mm.



## **PL330C - ABLOY Classic - Grade 3 Padlock with 25mm shackle**

\$177.10

### **Specifications**

- Body Material: Brass.
- Finish: Chrome.
- Number of Discs: 11.
- Key removable in locked position.
- Display Packed with 2 x Classic Keys.

### **Shackle**

- Material: Case-hardened boron steel.
- Finish: Chrome.
- Diameter: 8 mm.
- Vertical Clearance: 25 mm.
- Horizontal Clearance: 25 mm.



## **PL330N - ABLOY Protec - Grade 3 Padlock with 25mm shackle "Unassembled"**

\$197.80

### **Specifications**

- Body Material: Brass.
- Finish: Chrome.
- Number of Discs: 11.
- Key removable in locked position.
- Can be master-keyed with door cylinders.

### **Shackle**

- Shackle Material: Case-Hardened boron steel.
- Finish: Chrome.
- Diameter: 8 mm.
- Vertical Clearance: 25 mm.
- Horizontal Clearance: 25 mm.



**PL330N/50 - ABLOY Protec - Grade 3 Padlock with 50mm shackle**  
**"Unassembled"**

\$204.13

**Specifications**

- Body Material: Brass.
- Finish: Chrome.
- Number of Discs: 11.
- Key removable in locked position.
- Can be master-keyed with door cylinders.

**Shackle**

- Shackle Material: Case-Hardened boron steel.
- Finish: Chrome.
- Diameter: 8 mm.
- Vertical Clearance: 50 mm.
- Horizontal Clearance: 25 mm.



**PL340N - ABLOY Protec - Grade 4 Padlock with 25mm shackle**  
**"Unassembled"**

\$287.50

**Specifications**

- Body Material: Case-Hardened steel.
- Finish: Chrome.
- Number of Discs: 11.
- Key removable in locked position.

**Shackle**

- Shackle Material: Case-Hardened boron steel.
- Diameter: 10 mm.
- Vertical Clearance: 25 mm.
- Horizontal Clearance: 28 mm.



**PL342N - ABLOY Protec - Grade 4 Padlock with 25mm shackle**  
**"Unassembled"**

\$402.50

**Specifications**

- Body Material: Case-Hardened steel.
- Finish: Chrome.
- Number of Discs: 11.
- Key removable in locked position.
- Can be master-keyed with door cylinders.

**Shackle**

- Shackle Material: Case-Hardened boron steel.
- Finish: Chrome.
- Diameter: 10 mm.
- Vertical Clearance: 25 mm.
- Horizontal Clearance: 25 mm.



**PL350N - ABLOY Protec - Grade 5 Padlock with 25mm shackle**  
**"Unassembled"**

\$465.75

**Specifications**

- Body Material: Case-Hardened steel.
- Finish: Chrome.
- Number of Discs: 11.
- Key removable in locked position.
- Can be master-keyed with door cylinders.

**Shackle**

- Shackle Material: Case-Hardened boron steel.
- Finish: Chrome.
- Diameter: 14 mm.
- Vertical Clearance: 50 mm.
- Horizontal Clearance: 31 mm.



**PL330T - ABLOY Protec2 - Grade 3 Padlock with 25mm shackle**  
**"Unassembled"**

\$197.80

**Specifications**

- Body Material: Brass.
- Finish: Chrome.
- Number of Discs: 11.
- Key removable in locked position.
- Can be master-keyed with door cylinders.

**Shackle**

- Shackle Material: Case-Hardened boron steel.
- Finish: Chrome.
- Diameter: 8 mm.
- Vertical Clearance: 25 mm.
- Horizontal Clearance: 25 mm.



**PL330T/50 - ABLOY Protec2 - Grade 3 Padlock with 50mm shackle**  
**"Unassembled"**

\$204.13

**Specifications**

- Body Material: Brass.
- Finish: Chrome.
- Number of Discs: 11.
- Key removable in locked position.
- Can be master-keyed with door cylinders.

**Shackle**

- Shackle Material: Case-Hardened boron steel.
- Finish: Chrome.
- Diameter: 8 mm.
- Vertical Clearance: 50 mm.
- Horizontal Clearance: 25 mm.



**PL340T - ABLOY Protec2 - Grade 4 Padlock with 25mm shackle**  
**"Unassembled"**

\$287.50

**Specifications**

- Body Material: Case-Hardened steel.
- Finish: Chrome.
- Number of Discs: 11.
- Key removable in locked position.

**Shackle**

- Shackle Material: Case-Hardened boron steel.
- Diameter: 10 mm.
- Vertical Clearance: 25 mm.
- Horizontal Clearance: 28 mm.



**PL340T/50 - ABLOY Protec2 - Grade 3 Padlock with 50mm shackle**  
**"Unassembled"**

\$288.08

**Specifications**

- Body Material: Case-Hardened steel.
- Finish: Chrome.
- Number of Discs: 11.
- Key removable in locked position.

**Shackle**

- Shackle Material: Case-Hardened boron steel.
- Diameter: 10 mm.
- Vertical Clearance: 50 mm.
- Horizontal Clearance: 28 mm.



# Rim & Mortice Locks

---



## **ALP5222025 - Alpro Euro Hook Bolt 25mm**

\$46.00

Europrofile deadlocks are available in both barbolt and hookbolt versions.



## **ALP5222025R - Alpro Euro Hook Bolt 25 mm (RIV nut fixing)**

\$46.00

Europrofile deadlocks are available in both barbolt and hookbolt versions.



## **ALP5222030 - Alpro Euro Hook Bolt 30mm**

\$51.75

Europrofile deadlocks are available in both barbolt and hookbolt versions.



## **ALP5222030R - Alpro Euro Hook Bolt 30mm (RIV nut fixing)**

\$51.75

Europrofile deadlocks are available in both barbolt and hookbolt versions.



## **ALP5222125 - Alpro Euro Swing Bolt 25 mm**

\$46.00

Europrofile deadlocks are available in both barbolt and hookbolt versions.



## **ALP5222130 - Alpro Euro Swing Bolt 30 mm**

\$51.75

Europrofile deadlocks are available in both barbolt and hookbolt versions.



## **ALP5245101 - Alpro ANSI Deadlatch 28 mm (1 1/8") RH**

\$63.25

The description of swinging door operation always viewed from the outside.

LH - door hinges on left

RH - door hinges on right



### **ALP5245102 - Alpro ANSI Deadlatch 28 mm (1 1/8") LH**

\$63.25

The description of swinging door operation always viewed from the outside.

LH - door hinges on left

RH - door hinges on right



### **ALP5245103 - Alpro ANSI Deadlatch 25 mm (31/32") RH**

\$57.50

The description of swinging door operation always viewed from the outside.

LH - door hinges on left

RH - door hinges on right



### **ALP5245104 - Alpro ANSI Deadlatch 25 mm (31/32") LH**

\$57.50

The description of swinging door operation always viewed from the outside.

LH - door hinges on left

RH - door hinges on right



### **ALP5245701 - Alpro Euro Deadlatch 25 mm RH**

\$57.50

The description of swinging door operation always viewed from the outside.

LH - door hinges on left

RH - door hinges on right



### **ALP5245702 - Alpro Euro Deadlatch 25 mm LH**

\$57.50

The description of swinging door operation always viewed from the outside.

LH - door hinges on left

RH - door hinges on right



### **ALP5245703 - Alpro Euro Deadlatch 28 mm RH**

\$63.25

The description of swinging door operation always viewed from the outside.

LH - door hinges on left

RH - door hinges on right



### **ALP5245704 - Alpro Euro Deadlatch 28 mm LH**

\$63.25

The description of swinging door operation always viewed from the outside.

LH - door hinges on left

RH - door hinges on right



### **ALP5245705 - Alpro Euro Deadlatch 38 mm RH**

\$69.00

The description of swinging door operation always viewed from the outside.

LH - door hinges on left

RH - door hinges on right



### **ALP5245706 - Alpro Euro Deadlatch 38 mm LH**

\$69.00

The description of swinging door operation always viewed from the outside.

LH - door hinges on left

RH - door hinges on right



### **LC208 - ABLOY Security Mortice Latch**

\$192.05

Mortise latch with lever handle function only.



### **LC211 - ABLOY Security Mortice Lock**

\$302.45

Security mortice lock case (comparable with security grade 5 according to EN 12209) with hardened deadbolt and drilling protection.



### **LC300 1.3 - ABLOY Non-deadlocking mortice lock**

\$287.50

Non-deadlocking mortice lock for narrow profile entrance doors.

The lock is opened by a key or a thumbturn (or handles if in use).

Can be used with electromechanical striker plate.

Handing 1.3 (Left Handed)



### **LC300 2.4 - ABLOY Non-deadlocking mortice lock**

\$287.50

Non-deadlocking mortise lock for narrow profile entrance doors.

The lock is opened by a key or a thumbturn (or handles if in use).  
Can be used with electromechanical striker plate.

Handing 2.4 (Right Handed)



### **LC302 2.4 - ABLOY Automatic deadlock for narrow profile doors**

\$313.95

#### **Function is determined by sliding snib on forend:**

- UP position = automatic deadlocking. Opened by a key from either side, or by a thumbturn from inside.
- MIDDLE position = lock is latched and operates also with handles.
- DOWN position = latchbolt is retained inside the lock case.

Handing 2.4 (Right Handed).



### **LC306 - ABLOY Security Deadlock for narrow doors**

\$330.05

Security lock case (comparable with security grade 5 according to EN 12209) for narrow profile doors.

### **LC9652 - ABLOY Euro/DIN project lock for narrow profile doors**

\$155.25

Profile door locks for DIN Euro cylinder Non handed, reversible latchbolt.

# Safe Locks

---



## **1000-ECL/M - Ross 1000 Series Elec/Comb Safe Lock**

\$483.00

ROSS SAFE LOCK 1000-SERIES ECL ELECTRONIC w/- PLASTIC CODEPAD



## **600 - Ross Safe Lock with Cover #600**

\$80.50

Suitable for floor, wall, drug, night, home, office, computer tape safes and gun cabinets.



## **600L - Ross Latch Safe Lock 600L**

\$143.75



## **700-SERIES - Ross 700 Series Retrofit Lock**

\$184.00



## **800-C - Ross 800 Cupboard Lock**

\$126.50

Ross 800C Security Lock.



## **800-CL - Ross 800 Latch Cupboard Lock**

\$132.25

Ross 800C Security Lock. Latching Version.



## **870-C - Ross 870 Series Dead Bolt W/570 CYL**

\$166.75



**870-CL - Ross 870 Series Latch W/570 CYL**

\$166.75



**900-WCL/WCR - Ross 3 Point Locking 900 Series Safe Lock**

\$166.75



**600WCB - Ross Circuit Board**

\$356.50



**600WESTPAC - Ross Time Delay Latch Westpac**

\$1,150.00



**1000-ECL2/M - Ross 1000 Series ECL 2 Elec/Comb Safe Lock**

\$557.75



**1000-RAP - Ross 1000 Series Retrofit Adapter Plate**

\$69.00



**102-NCUL - Ross 102 Series Safe Lock Less Cover**

\$57.50



**102-NCD - Ross 102 Series Safe Lock Down Less Cover**

\$57.50

# Safes

---



## **AP-75K - Secuguard 75 Key Cabinet**

\$402.50

**Secuguard Key Cabinet - 75 Key Capacity**

### **Specifications**

- External Dimensions: 450 mm(h) x 360 mm(w) x 100 mm(d).
- Door: 4 mm Steel.
- Body: 1.5 mm Steel.
- Capacity: 75 Keys.
- Weight: 11.5 kg's.



## **AP-100KP - Secuguard Safe with Key Lock**

\$402.50

**Secuguard Security Safe with Key Lock**

### **Specifications**

- Australian made ROSS® 6 lever safe lock.
- Mounted on 6 mm hardened plate - to deter drill attack.
- 6 pick resistant levers.
- 46,000 combinations.
- 2 Single bitted keys.
- External Dimension: 200 mm(h) x 260 mm(w) x 200 mm(d).
- Mounting: 2 x 12 mm Holes in Base and Back.
- Weight: 16 kg's.



## **AP-100KSF - Secuguard Deposit Safe with Key Lock**

\$431.25

**Secuguard Deposit Safe**

### **Specifications**

- External Dimensions: 200 mm(h) x 260 mm(w) x 200 mm(d).
- Door Steel Plate: 8 mm.
- Body Steel Plate: 6 mm.
- Weight: 16 kg's.



### **AP-252EPT - Secuguard Safe with Digital Time Delay Lock**

\$776.25

Secuguard Safe with Digital Time Delay Lock

#### **Specifications**

- External Dimensions: 250 mm(h) x 350 mm(w) x 250 mm(d).
- Door: 8 mm Steel Plate.
- Body: 6 mm Steel Plate.
- Weight: 29 kg's



### **AP-252KP - Secuguard Safe with Key Lock**

\$483.00

Secuguard Safe with Key Lock

#### **Specifications**

- External Dimensions: 250 mm(h) x 350 mm(w) x 250 mm(d).
- Door: 8 mm Steel Plate.
- Body: 6 mm Steel Plate.
- Weight: 25 kg's.



### **AP-252SET - Secuguard Deposit Safe with Digital Lock**

\$856.75

Secuguard Deposit Safe with Digital Lock

#### **Specifications**

- External Dimensions: 290 mm(h) x 340 mm(w) x 250 mm(d).
- Door: 8 mm Steel Plate.
- Body: 6 mm Steel Plate.
- Weight: 29 kg's.
- Posting Slot - 135 mm x 15 mm.



### **AP-302KP - Secuguard Safe with Key Lock**

\$644.00

Secuguard Safe with Key Lock

#### **Specifications**

- External Dimensions: 300 mm(h) x 380 mm(w) x 300 mm(d).
- Door: 8 mm Steel Plate.
- Body: 6 mm Steel Plate.
- Weight: 35 kg's.





### **AP-302EPT - Secuguard Safe with Digital Lock**

\$856.75

Secuguard Safe with Digital Lock

#### **Specifications**

- Quality UL listed swing bolt electronic digital safe lock.
- External Dimensions: 300 mm(h) x 380 mm(w) x 300 mm(d).
- Door: 8 mm Steel Plate.
- Body: 6 mm Steel Plate.
- Weight: 35 kg's.



### **AP-520SET - Secuguard Deposit Safe**

\$1,155.75

Secuguard Deposit Safe

#### **Specifications**

- Built from heavy steel plate.
- Heavy duty 10 mm steel plate door and 6 mm steel safe body reinforced with steel frame all around front edges.
- 25 mm solid locking bolts.
- Mounting: 4 x 12 mm mounting holes in base.
- Quality UL listed swing bolt electronic safe lock.



### **AP-552EPT - Secuguard Safe with Digital Lock**

\$1,667.50

Secuguard Safe with Digital Lock

#### **Specifications**

- External Dimensions: 550 mm(h) x 470 mm(w) x 400 mm(d).
- Door: 8 mm Steel Plat.
- Body: 6 mm Steel Plate.
- Weight: 82 kg's.



### **AP-6053K - Secuguard Large Pistol Safe with Key Lock**

\$1,127.00

Secuguard Key Operated Pistol Safe

#### **Specifications**

- External Dimensions: 600 mm(h) x 530 mm(w) x 400 mm(d).
- Removable Shelves: 2.
- Mounting Holes 4 x 12 mm (back) and 4 x 12 mm (base).
- Weight: 87 kg's.



### **AP-7038SEK - Secuguard Deposit Safe with Digital Lock**

\$2,012.50

Secuguard Deposit Safe with Digital Lock

#### **Specifications**

- External Dimensions: 700 mm(h) x 380 mm(w) x 360 mm(d).
- Door: 10 mm Steel Plate.
- Body: 6 mm Steel Plate.
- Weight: 94 kg's.



### **G-14M - Secuguard Category "A" Rifle Safe (4 Rifle)**

\$592.25

Secuguard Category "A" Rifle Safe (4 Rifle).

#### **Specifications**

- External Dimensions: 1500 mm(h) x 250 mm(w) x 250 mm(d).
- Separate lockable internal compartment height: 220 mm.
- Door Steel Plate: 3 mm.
- Body Steel Plate: 2 mm.
- Weight: 35 kg's.
- Capacity: 4 Rifles.



### **AP-534EK - Electronic Key Cabinet Safe**

\$2,116.00

Electronic Key Cabinet Safe

#### **Specifications**

- Exterior Dimensions: 530 mm(h) x 370 mm(w) x 290 mm(d).
- Body Thickness: 3 mm.
- Door Thickness: 10 mm.
- Weight: 47 kg's.
- Capacity: 245 keys.



### **FA-55E - Digital Fire and Burglary Resistant Home Safe**

\$1,715.80

#### **Specifications**

- External Dimensions(mm): 552(H) x 452(W) x 350(D).
- Internal Dimensions(mm): 512(H) x 412(W) x 260(D).
- Shelving(removable): 2 x adjustable.
- Weight: 76kg.



### **FA-35E - Digital Fire and Burglary Resistant Home Safe**

\$1,270.75

#### **Specifications**

- External Dimensions(mm): 352(H) x 452(W) x 350(D).
- Internal Dimensions(mm): 312(H) x 412(W) x 260(D).
- Shelving(removable): 1 x adjustable.
- Weight: 56kg.



### **FA-22E - Digital Fire and Burglary Resistant Home Safe**

\$960.25

#### **Specifications**

- External Dimensions(mm): 222(H) x 352(W) x 300(D).
- Internal Dimensions(mm): 182(H) x 312(W) x 210(D).
- Shelving(removable): 1 x fixed.
- Weight: 31kg.



### **SD2ET200 - Secuguard - Digital Drug Safe**

\$1,219.00

#### **Specifications**

External Dimensions(mm): 600 H x 450 W x 200 D.  
Internal Dimensions(mm): 580 H x 430 W x 125 D.  
Shelving: 4 x adjustable.  
Weight(kg): 87.



### **SD2K300 - Secuguard - Key Drug Safe**

\$1,092.50

#### **Specifications**

- External Dimensions(mm): 600 H x 650 W x 300 D.
- Internal Dimensions(mm): 580 H x 430 W x 225 D.
- Shelving: 4 x adjustable.
- Weight(kg): 108.



## **DCB-63 - SR Digital Cash Box**

\$72.45

### **Specifications**

- A4 Size.
- Coin tray.
- Portable.
- Size: 250(H) x 359(W) x 150(D) mm.

### **Features**

- Advanced & high quality digital keypad.
- LED indicator.
- Set own password access.
- Adjustable key hook.
- Modern and stylish quality acrylic key tag.
- For office, bank and home use.

# Second hand safes

---

An assortment of second hand/refurbished safes for sale.



## **Chubb Record Protection - 3 drawer filing cabinet**

**Construction:** Chubb files are constructed so that the internal temperature remains below the critical 177 degrees C, even though the external temperature may be a searing 925 degrees C or thereabouts. They are also designed to withstand damage after a fall of nine metres on to building rubble - a fall consistent with collapsing floors.

**Tongue and groove closure:** This type of fitment between the body and the drawer front prevents flame from penetrating.

**Drawer slides;** The special Chubb suspension slides with nylon roller action have been constructed to give many years of silent service. The double action slides allow each drawer to be pulled clear of the body enabling you to make full usage of the drawer space.

**Locking:** Each drawer of the Record Protection file has a single point spring day catch which immediately secures it after has been shut. Locking can be controlled by one or more keylocks giving several alternatives of individual or combined controls.

**Finish:** The body is attractively finished in a high quality 'Chubb Brown' lacquer with the drawer front a 'Drift-wood' lacquer.

**External Dimensions:** 1370 mm (H) x 534 mm (W) x 850 mm (D).

**Internal Dimensions:** 364 mm (H) x 394 mm (W) x 670 mm (D).

**Approx capacity:** 273 cu.m.

**Approx net weight:** 279 kg.

As this is a large item please contact for the arrangement of shipping.

Please view our trademe listing for this item if you wish to purchase!

[Trademe Listing](#)



## **Chubb Commerce Safe**

Resists - explosives, drilling, force, fire.

Body: The overall thickness of the body is 82 mm. Solid fire resisting material is enclosed between the outer and inner steel body casing.

Door: The door is 95 mm thick with hardened plate protecting all vital parts of the locking mechanism and boltwork, The door is designed to resist forcing tools, and incorporates a fire resisting chamber.

Boltwork: The door is secured by three heavy 25 mm diameter steel bolts on the front edge and a fixed bar which fits behind a full length rebate on the hinge side.

Locking: Key locking.

Fittings: Shelves.

External Dimensions: 1086 mm (H) x 680 mm (W) x 680 mm (D).

Internal Dimensions: 914 mm (H) x 508 mm (W) x 483 mm (D).

Approx. Cubic Capacity: 227 L's

Weight: Approx net weight is 787.3 kg's.

As this is a large safe please contact first for arrangement of shipping.

Please view our trademe listing for this item if you would like to purchase!

[Trademe Listing](#)

# Security Barrels and Keys

---



**NZ1-201SC - Australian Round Barrel**

\$13.80



**NZ1-570SC - Australian Oval Barrel**

\$13.80



**NZ1-8221SC - Schlage A Series Barrel**

\$17.25



**NZ1-9551CP - Euro Double Fixed Cam Barrel**

\$17.25



**NZ1-9552CP - Euro Single with Turn Fixed Cam Barrel**

\$17.25



**NZ2-201SC - Australian Round Barrel**

\$13.80



**NZ2-570SC - Australian Oval Barrel**

\$13.80



**NZZ-8221SC - Schlage A Series Barrel**

\$17.25



**NZZ-9551CP - Euro Double Fixed Cam Barrel**

\$17.25



**NZZ-9552CP - Euro Single with Turn Fixed Cam Barrel**

\$17.25



**NZ3-201SC - Australian Round Barrel**

\$13.80



**NZ3-570SC - Australian Oval Barrel**

\$13.80



**NZ3-8221SC - Schlage A Series Barrel**

\$17.25



**NZ3-9551CP - Euro Double Fixed Cam Barrel**

\$17.25



**NZ3-9552CP - Euro Single with Turn Fixed Cam Barrel**

\$17.25





**NZM-001SC - Lockwood 001 Barrel**

\$17.25



**NZM-201SC - Australian Round Barrel**

\$17.25



**NZM-530SC - Lockwood 530 Barrel**

\$17.25



**NZM-570HBSC - Australian Oval Hold Back Barrel**

\$17.25



**NZM-570SC - Australian Oval Barrel**

\$17.25



**NZM-8221SC - Schlahe A Series Barrel**

\$17.25



**NZM-9551CP - Euro Double Fixed Cam Barrel**

\$17.25



**NZM-9552CP - Euro Single with Turn Fixed Cam Barrel**

\$17.25



### **NZM-9553CP - Euro Double Lazy Cam Barrel**

\$17.25

### **NZ1-KB6P - Key Blank**

\$2.76

NZ1 Profile 6-pin Key Blank.

### **NZ2-KB6P - Key Blank**

\$4.60

NZ2 Profile 6-pin Key Blank.

### **NZ3-KB6P - Key Blank**

\$4.60

NZ3 Profile 6-pin Key Blank.

### **NZM-KB6P - Key Blank**

\$6.33

NZM Multi Profile 6-pin Key Blank.

### **NZ1-KB6P/BL - Key Blank for Plastic Head**

\$2.76

NZ1 Profile 6-pin Key Blank for Plastic Head.

### **HEAD-GREEN - NZ Series Plastic Key Head Green**

\$1.15

# Specials

---

Products currently on special!



## **DKB-36 - SR Digital Key Box - 36 Keys**

\$215.28

### **Specifications**

- Capacity: 36 keys.
- Size: 315(H) x 215(W) x 90(D) mm.

### **Features**

- Advanced & high quality digital keypad.
- LED indicator.
- Set own password access.
- Adjustable key hook.
- Modern and stylish quality acrylic key tag.
- For office, bank and home use.
- Easy to mount on the wall.



## **DKB-24 - SR Digital Key Box - 24 Keys**

\$181.93

### **Specifications**

- Capacity: 24 keys.
- Size: 315(H) x 215(W) x 90(D) mm.

### **Features**

- Advanced & high quality digital keypad.
- LED indicator.
- Set own password access.
- Adjustable key hook.
- Modern and stylish quality acrylic key tag.
- For office, bank and home use.
- Easy to mount on the wall.



### **DKB-48 - SR Digital Key Box - 48 Keys**

\$246.45

#### **Specifications**

- Capacity: 48 keys.
- Size: 360(H) x 250(W) x 90(D) mm.

#### **Features**

- Advanced & high quality digital keypad.
- LED indicator.
- Set own password access.
- Adjustable key hook.
- Modern and stylish quality acrylic key tag.
- For office, bank and home use.
- Easy to mount on the wall.



### **DCB-63 - SR Digital Cash Box**

\$72.45

#### **Specifications**

- A4 Size.
- Coin tray.
- Portable.
- Size: 250(H) x 359(W) x 150(D) mm.

#### **Features**

- Advanced & high quality digital keypad.
- LED indicator.
- Set own password access.
- Adjustable key hook.
- Modern and stylish quality acrylic key tag.
- For office, bank and home use.



### **DCB-58 - SR Digital Cash Box**

\$242.77

## **Specifications**

- B5 Size.
- Coin tray.
- Portable.
- Size: 215(H) x 313(W) x 130(D) mm.

## **Features**

- Advanced & high quality digital keypad.
- LED indicator.
- Set own password access.
- Adjustable key hook.
- Modern and stylish quality acrylic key tag.
- For office, bank and home use.



### **CB-2006N - Cash Box - Small**

\$49.45

## **Specifications**

- Size: 165 x 125 x 85 mm.
- All metal value engineered construction with plastic frame and rounded corners.
- Automatically opening lid by the patented mechanism lever.

## **Features**

- Recessed handle for easy storage.
- Supplied with 2 keys (spares available) with inner plastic partition coin tray.
- Available in assorted colours.



### **CB-2008N - Cash Box - Medium**

\$63.25

## **Specifications**

- Size: 197 x 154 x 85 mm.
- All metal value engineered construction with plastic frame and rounded corners.
- Automatically opening lid by the patented mechanism lever.

## **Features**

- Recessed handle for easy storage.
- Supplied with 2 keys (spares available) with inner plastic partition coin tray.
- Available in assorted colours.



### **CB-2010N - Cash Box - Large**

\$78.20

#### **Specifications**

- Size: 230 x 185 x 85 mm.
- All metal value engineered construction with plastic frame and rounded corners.
- Automatically opening lid by the patented mechanism lever.

#### **Features**

- Recessed handle for easy storage.
- Supplied with 2 keys (spares available) with inner plastic partition coin tray.
- Available in assorted colours.



### **CB-2012N - Cash Box - Extra Large**

\$101.78

#### **Specifications**

- Size: 300 x 230 x 85 mm.
- All metal value engineered construction with plastic frame and rounded corners.
- Automatically opening lid by the patented mechanism lever.

#### **Features**

- Recessed handle for easy storage.
- Supplied with 2 keys (spares available) with inner plastic partition coin tray.
- Available in assorted colours.



### **SS-2020 - Key Cabinet w/ 20 hooks**

\$50.03

#### **Specifications**

- Size: 19.5 x 15.5 x 6 cm.
- Capacity: 20 keys.

#### **Features**

- Secured lock and 2 keys.
- Colourful key tags.
- Heavy duty steel with strong rust-proof paint.
- 2 plugs and screws for easy wall-mounting.



### **SS-2040 - Key Cabinet w/ 40 hooks**

\$80.50

## **Specifications**

- Size: 19.5 x 15.5 x 6 cm.
- Capacity: 40 keys.

## **Features**

- Secured lock and 2 keys.
- Colourful key tags.
- Heavy duty steel with strong rust-proof paint.
- 2 plugs and screws for easy wall-mounting.



### **SS-3090 - Key Cabinet w/ 90 hooks**

\$127.08

## **Specifications**

- Size: 31 x 23 x 8 cm.
- Capacity: 90 keys.

## **Features**

- Secured lock and 2 keys.
- Colourful key tags.
- Heavy duty steel with strong rust-proof paint.
- 2 plugs and screws for easy wall-mounting.